53

PHARMACOPOEIA

OF

HOSPITAL OF INTEGRATED MEDICINE

1957

PHARMACOPOEIA

OF

HOSPITAL OF INTEGRATED MEDICINE

EDITED BY

DR. V. NARAYANASWAMI, H.P.I.M.

Lecturer in Ayurveda

PRINTED BY THE SUPERINTENDENT
GOVERNMENT PRESS
MADRAS
1957

Price, 2 rupees 50 naye Paise

Pharmacopoeia of Hospital of Integrated Medicine

PART III

UNANI

COMPILED BY

DR. S. A. SUBHAN, H.P.I.M.

Lecturer, Unani, College of Integrated Medicine, Madras—10.

FOREWORD

The Government of Madras established the School of Indian Medicine in 1925 and started the Hospital of Indian Medicine in 1926. The hospital was intended to give clinical training to the students and as one of the medical relief centres in the city. To supply the medical needs of the hospital a pharmacy was annexed.

It is a well-known fact that there is an innumerable number of medicinal preparations scattered in various books of Indigenous Medicines, and there are also quite a large number of preparations which are traditionally used and handed over from teacher to student. The use of these preparations in diseases and their modes of preparations vary from State to State according to the local conditions and usage. In other words, there is no standardization of these excellent recipes. It is a great handicap both to a student of medicine and to a young medical practitioner. It has also become difficult to assess the value of a particular medicine in a given disease as the standards vary.

To overcome these difficulties, Captain G. Srinivasa Murthy, B.A., B.L., M.B. & C.M., who was then the Principal of the School, asked the lecturers of the various systems of

medicine to select a number of preparations from various texts, which would not only be useful in various diseases but would also be acceptable to a large number of practitioners of Indigenous Medicine practising in the various parts of this State. Accordingly, late Ayurvedacharya N. Madhava Menon, A.M.A.C., and Vidwan U. P. Sankunni Menon compiled a list for Ayurveda, late Vaidyarathna C. S. Murugesa Mudaliar compiled a list for Siddha system of Medicine and Hakim Moulvi Peer Madani Sahib for the Unani system. The medicines were prepared according to these lists and used in the Hospital of Indigenous Medicine, Madras. Later, when a number of medical institutions were opened under the auspices of the Local Boards, the Government thought the pharmacopoeia adopted in the Hospital of Indigenous Medicine might be extended to other institutions and accordingly printed in 1932 " List of Raw Drugs and Medicinal Preparations for use in Indigenous Dispensaries. " This list had been revised and expanded from time to time.

Thus, for more than a quarter of a century, this Pharmacopoeia had been in use and found to satisfy the needs for which it was intended. It is now found that the time has come to give a shape to this Pharmacopoeia. The list that has been in use all these years is inadequate for the needs

of the practitioners as it gives only the names and the sources of the preparations and not the ingredients which go to make them, the method of preparation, the dose, the methods of administration and their therapeutic indications. These preparations are taken from various books and, for a young and busy practitioner, it would be difficult to search and find out the exact prescription. Moreover, as the original books are in Sanskrit for Ayurveda, in Tamil for Siddha System of Medicine and in Arabic or Urdu for Unani System, the difficulty in modern times becomes great. Therefore it was decided to compile a Pharmacopoeia in English and publish it. It is not claimed that this Pharmacopoeia is extensive and would cater to the needs of all the people. It is not the intention either to claim it as a Standard Pharmacopoeia of Indigenous Medicine. The purpose of the present volume is only to serve those practitioners who are in the employ of the State Government or the Local Boards. There would be a certain amount of uniformity in the use of these medicines in their institutions.

It was with that object an Advisory Committee with the following people was formed :—

1. Dr. M. R. Guruswami Mudaliar, B.A., M.D., Honorary Director of Indigenous Medicine.

2. Dr. M. Parankusam, L.M. & S., F.I.M., Principal, College of Indigenous Medicine.

3. Dr. M. K. Vaidya, Lecturer in Ayurveda.

4. Dr. M. Visweswara Sastry, H.P.I.M., Lecturer, Clinical Research.

5. Dr. K. Kasinathan, H.P.I.M., Lecturer in Siddha.

6. Dr. Mir Fida Hussain, H.P.I.M., Lecturer in Unani.

This Committee has gone through the existing list of Medicinal preparations and revised it based on the experience of these twenty-five years.

The actual work was entrusted to the following members of the Staff who formed the compilation Committee :—

1. Dr. T. Achuthan Kutty Nair, H.P.I.M., for Ayurveda.

2. Dr. C. S. Uthamarayan, H.P.I.M., for Siddha.

3. Dr. S. A. Subhan, H.P.I.M., for Unani.

Dr. V. Narayanaswami, H.P.I.M., Lecturer in Ayurveda, was appointed as the General Editor of the Pharmacopoeia. These members of the staff had done the work, in addition to their own work in the College and Hospital.

This is the first attempt made by any State Government in Indian Union to prepare and publish a standard Pharmacopoeia for the use in the State. It is hoped that in the near future it would be possible to formulate an Indian Pharmacopoeia of Indigenous Medicine which would be a standard work.

M. R. GURUSWAMI,
Honorary Director of Indigenous Medicine.

CONTENTS.

SECTION I.

ANOOSHDARU.

		PAGE
1 Anooshdaru Lulavi— Kharabadeen-e-Jadeed	.. ..	3
2 Anooshdaru Sada— Kharabadeen-e-Khadiri	.. ..	4

SECTION II.

ARAKH.

3 Arakh-e-Abraisham— Maghzan-ul-Murkabath	.. ..	5
4 Arkh-e-Ajwain— Kharabadeen-e-Jadeed	.. ..	6
5 Arkh-e-Badiyan— Kharabadeen-e-Jadeed	.. ..	6
6 Arkh-e-Banafsha— Kharabadeen-e-Jadeed	.. ..	6
7 Arkh-e-Gauzuban— Kharabadeen-e-Jadeed	.. ..	7
8 Arkh-e-Kafoor— Maghzan-ul-Murkabath	.. ..	7
9 Arkh-e-Kamuni— Kharabadeen-e-Jadeed	.. ..	8
10 Arkh-e-Kasni— Kharabadeen-e-Jadeed	.. ..	8
11 Arkh-e-Mulyian— Hospital Pharmacopoeia	.. ..	8

SECTION II—*cont.*

ARAKH—*cont.*

	PAGE
12 Arkh-e-Mundi— Kharabadeen-e-Jadeed	8
13 Arakh-e-Musaffi— Kharabadeen-e-Jadeed	9
14 Arakh-e-Sarthan— Ad-dikh	10
15 Arkh-e-Sheer— Biaze-e-Kabir	10
16 Arakh-e-Shifa-e-Chasham No. 1— Hospital Pharmacopoeia	11
17 Arkh-e-Shifa-e-Chasham No. 2— Hospital Pharmacopoeia	12

SECTION III.

18 Bershasha— Kharabadeen-e-Jadeed	12
19 Dabeedul Verd— Kharabadeen-e-Jadeed	13
20 Dava-e-Paichish— Kharabadeen-e-Jadeed	13
21 Dava-e-Shifa-e-Halaque— Hospital Pharmacopoeia	14
22 Dava-e-Turanjabeen— Maghzan-ul-Markkabath	14
23 Dava e-Thursh— Hospital Pharmacopoeia	15
24 Dava-ul-Kurkum— Kharabadeen-e-Jadeed	15
25 Dava-ul-Luk— Kharabadeen-e-Azam	16

SECTION III—*cont.*

		PAGE
26	Dava-ul-Meda— Hospital Pharmacopoeia	16
27	Dava-ul-Mishk-Bajavaher— Kharabadeen-e-Jadeed	17
28	Dava-tul-Misk-Sada— Kharabadeen-e-Jadeed	18
29	Dava-uth-Thehal— Maghzan-ul-Murkkabath	19
30	Dayakhoza— Kharabadeen-e-Jadeed	19

SECTION IV.

HAB.

31	Hab-e-Dafa-e-Khabz— Biaz-e-Kabir, Vol. II	21
32	Hab-e-Asgher— Hospital Pharmacopoeia	21
33	Hab-e-Ayarij— Kharabadeen-e-Azam	22
34	Hab-e-Azarakhi— Kharabadeen-e-Jadeed	22
35	Hab-e-Boo Ali— Maghzan-ul-Murkkabath	23
36	Hab-e-Dabba— Hospital Pharmacopoeia	23
37	Hab-e-Feelpa— Hospital Pharmacopoeia	24
38	Hab-e-Habisul-Bathan— Karabadeen-e-Jadeed	24
39	Hab-e-Haideri— Maghzan-ul-Murkkabath	24

SECTION IV—*cont.*

HAB—*cont.*

		PAGE
40	Hab-e-Jadvar— Kharabadeen-e-Jadeed	25
41	Hab-e-Jadvar-e-Bavasir— Kharabadeen-e-Azam	26
42	Hab-e-Jiryan— Biaz-e-Kabir, Vol. II	27
43	Hab-e-Jiryan— Kharabadeen-e-Jadeed	28
44	Hab-e-Kharanfal— Hospital Pharmacopoeia	28
45	Hab-e-Lubbul-Khashkhash— Biaz-e-Kabir, Vol. II	28
46	Hab-e-Madani— Hospital Pharmacopoeia	29
47	Hab-e-Mayaah— Kharabadeen-e-Khadiri	30
48	Hab-e-Mom— Hospital Pharmacopoeia	30
49	Hab-e-Mudir— Kharabadeen-e-Jadeed	30
50	Hab-e-Mukhavi— Biaz-e-Kabir, Vol. II	31
51	Hab-e-Mumsik— Biaz-e-Kabir, Vol. II	31
52	Hab-e-Murr— Hospital Pharmacopoeia	32
53	Hab-e-Musaffi— Maghzan-ul-Murkkabath	33

SECTION IV—*cont.*

HAB—*cont.*

	PAGE
54 Hab-e-Nuzla— Maghzanul-Murkkabath	33
55 Hab-e-Paichish— Kharabadeen-e-Jadeed	34
56 Hab-e-Ramad— Kharabadeen-e-Azam	34
57 Hab-e-Rasvath— Kharabadeen-e-Jadeed	35
58 Hab-e-Sozack— Kharabadeen-e- Jadeed	35
59 Hab-e-Surfa— Maghzan-ul-Murkkabath	36
60 Hab-e-Surfa— Kharabadeen-e-Jadeed	36
61 Hab-e-Surfa Deegar— Kharabadeen-e-Azam	37
62 Hab-e-Surinjan— Kharabadeen-e-Jadeed	37
63 Hab-e-Surkh— Kharabadeen-e- Jadeed	38
64 Hab-e-Surkh Bada— Kharabadeen-e-Jadeed	38
65 Hab-e-Thavoon Amberi Javahirvalee— Kharabadeen-e-Jadeed	39
66 Hab-e-Thankar— Karabadeen-e-Jadeed	40
67 Hab-e-Vaja-ur-Rehem— Hospital Pharmacopoeia	40
68 Hab-ul-Amber— Kharabadeen-e-Jadeed	41
69 Hab-ul-Javahir Kafoori— Kharabadeen-e-Jadeed	41

SECTION V.

		PAGE
70	Halva-e-Baiza-e-Murgh—Kharabadeen-e-Jadeed	42
71	Halva-e-Gajar—Kharabadeen-e-Jadeed	42
72	Halva-e-Salab—Kharabadeen-e-Jadeed	43

SECTION VI.

73	Ithrifal-e-Afthimoon—Hospital Pharmacopoeia	44
74	Ithrifal-e-Afthimoon Mushil—Maghzan-ul-Murakkabath	45
75	Ithrifal-e-Ghududi—Kharabadeen-e-Jadeed	46
76	Ithrifal-e-Kabir—Kharabadeen-e-Jadeed	47
77	Ithrifal-e-Kishneez—Kharabadeen-e-Jadeed	48
78	Ithrifal-e-Mukil—Kharabadeen-e-Jadeed	48
79	Ithrifal-e-Mulaiyan—Kharabadeen-e-Jadeed	49
80	Ithrifal-e-Razianaj—Kharabadeen-e-Jadeed	49
81	Ithrifal-e-Sagheer—Kharabadeen-e-Jadeed	50
82	Ithrifal-e-Shathra—Kharabadeen-e-Jadeed	51
83	Ithrifal-e-Usthakhudus—Kharabadeen-e-Jadeed	51
84	Ithrifal-e-Zamani—Kharabadeen-e-Jadeed	52

SECTION VII.

JAVARISH.

		PAGE
85	Javarish-e-Amila-Lulavi— Maghzan-ul-Murakkabath	53
86	Javarish-e-Amila Sada— Kharabadeen-e-Jadeed	54
87	Javarish-e-Anarain— Kharabadeen-e-Jadeed	55
88	Javarish-e-Filafali— Kharabadeen-e-Jadeed	55
89	Javarish-e-Jalinoos— Kharabadeen-e-Jadeed	56
90	Javarish-e-Kamoon Kabir— Kharabadeen-e-Jadeed	57
91	Javarish-e-Kamoon Sada— Kharabadeen-e-Jadeed	58
92	Javarish-e-Kunder— Maghzan-ul-Murakkabath	58
93	Javarish-e-Masthagi Sada— Kharabadeen-E-Jadeed	59
94	Javarish-e-Ood-e-Sheereen— Kharabadeen-e-Jadeed	59
95	Javarish-e-Ood-e-Thursh— Kharabadeen-e-Jadeed	60
96	Javarish-e-Sanghdana-e-Murgh— Kharabadeen-e-Jadeed	60
97	Javarish-e-Safarjali Mushil— Kharabadeen-e-Jadeed	61
98	Javarish-e-Thabasheer— Kharabadeen-e-Jadeed	62
99	Javarish-e-Zer-uni— Kharabadeen-e-Jadeed	62

SECTION VIII.

JOWHER.

PAGE

100 Jowher-e-Shafa—
Kharabadeen-e-Jadeed 64

SECTION IX.

KHAMEERA.

101 Khameer-e-Abraisham Bajawahir—
Kharabadeen-e-Jadeed 65

102 Khameer-e-Abraisham Sada—
Kharabadeen-e-Jadeed 67

103 Khameer-e-Ambari-Bajawahir—
Kharabadeen-e-Jadeed 67

104 Khameer-e-Banafsha—
Kharabadeen-e-Jadeed 68

105 Khameer-e-Gauzuban Sada—
Kharabadeen-e-Jadeed 69

106 Khameer-e-Mervareed—
Kharabadeen-e-Jadeed 70

107 Khameer-e-Usthakhudus—
Kharabadeen-E-Azam 70

SECTION X.

KHURS.

108 Khurs-e-Aylavas—
Kharabadeen-e-Jadeed 71

109 Khurs-e-Aylavas-Deegar—
Kharabadeen-e-Khaderi 72

110 Khurs-e-Buzoor—
Kharabadeen-e-Khaderi 72

111 Khurs-e-Gul—
Kharabadeen-e-Jadeed 73

112 Khurs-e-Gulnar—
Kharabadeen-e-Jadeed 73

SECTION X—*cont.*

KHURS—*cont.*

		PAGE
113	Khurs-e-Humma— Kharabadeen-e-Jadeed	74
114	Khurs-e-Kaheruba— Kharabadeen-e-Jadeed	74
115	Khurs-e-Madani— Hospital Pharmacopoeia	75
116	Khurs-e-Mervareed— Maghzan-ul-Murakkabath	75
117	Khurs-e-Murr— Illaj-ul-Amraz	76
118	Khurs-e-Musalis— Biaz-e-Kabir, Vol. II	76
119	Khurs-e-Sarthan Kafoori— Kharabadeen-e-Jadeed	77
120	Khurs-e-Surkh— Kharabadeen-e-Khaderi	78
121	Khurs-e-Thabasheer-Khabiz— Kharabadeen-e-Jadeed	78
122	Khurs-e-Zaheer— Kharabadeen-e-Khaderi	79
123	Khurs-e-Zaheer Deegar— Kharabadeen Khaderi	80
124	Khurs-e-Zarishk— Kharabadeen-e-Jadeed	80

SECTION XI.

KUSHTHAS.

125	Kusth-e-Abrak Siyah— Kharabadeen-e-Jadeed	81
126	Kushth-e-Abrak Sufeed— Kharabadeen-e-Jadeed	82

SECTION XI—*cont.*

KUSHTHAS—*cont.*

	PAGE
127 Kushth-e-Afranj— Kharabadeen-e-Jadeed	82
128 Kushth-e-Alkhiran— Kharabadeen-e-Jadeed	83
129 Kusth-e-Busud— Madan-ul-Akseer	83
130 Kushth-e-Foulad— Kharabadeen-e-Jadeed	84
131 Kushth-e-Hajrul Yahood— Kharabadeen-e-Jadeed	84
132 Kushth-e-Justh— Madan-ul-Akseer	84
133 Kushth-e-Khalayee— Karabadeen-e-Jadeed	85
134 Kushth-e-Marjan— Karabadeen-e-Jadeed	85
135 Kushth-e-Murdarsing— Madan-ul-Akseer	85
136 Kushth-e-Nukhra— Kharabadeen-e-Jadeed	86
137 Kushth-e-Posth-e-Baiza-e-Murgh— Kharabadeen-e-Jadeed	86
138 Kushth-e-Summulfar— Madan-ul-Akseer	87

SECTION XII.

LABOOB.

139 Laboob-e-Kaboor— Kharabadeen-e-Jadeed	87
140 Laboob-e-Sagheer— Kharabadeen-e-Jadeed	89

SECTION XIII.

LAVOOKH.

		PAGE
141	Lavookh-e-Hulba— Kharabadeen-e-Khaderi	91
142	Lavookh-e-Kathan— Kharabadeen-e-Jadeed	91
143	Lavookh-e-Sapisthan— Kharabadeen-e-Jadeed	92
144	Lavookh-e-Sual— Kharabadeen-e-Jadeed	93

SECTION XIV.

MAJOON.

145	Majoon-e-Aswad— Kharabadeen-e-Azam	94
146	Majoon-e-Azarakhi— Kharabadeen-e-Jadeed	95
147	Majoon-e-Falakseer— Biaz-e-Kabir, Vol. II	96
148	Majoon-e-Falasifa— Kharabadeen-e-Jadeed	97
149	Majoon-e-Hamal Ambari Alvi Khanwala— Kharabadeen-e-Jadeed	97
150	Majoon-e-Junthiyana— Maghzan-ul-Murkkabath	98
151	Majoon-e-Khabsul Hadeed— Maghzan-ul-Murkkabath	99
152	Majoon-e-Mayeeah— Kharabadeen-e-Khaderi	99
153	Majoon-e-Mukhrrij-e-Deedan— Hospital Pharmacopoeia	100
154	Majoon-e-Najjah— Kharabadeen-e-Jadeed	100

SECTION XIV—*cont.*

MAJOON—*cont.*

		PAGE
155	Majoon-e-Sanader-e-Thoos—Kharabadeen-e-Khaderi	101
156	Majoon-e-Sanghadana-e-Murgh—Kharabadeen-e-Jadeed	102
157	Majoon-e-Seer—Kharabadeen-e-Jadeed	103
158	Majoon-e-Supari Pak—Ilaj-ul-Amraz	104
159	Majoon-e-Surinjan—Hospital Pharmacopoeia	105
160	Majoon-e-Ushba— .. Maghzan-ul-Murkabath	105
161	Majoon-e-Zeekh—Hospital Pharmacopoeia	106
162	Majoon-e-Ziabethus—Hospital Pharmacopoeia	106
163	Majoon-e-Zoofa—Maghzan-ul-Murkkabath	107

SECTION XV.

MERHAM.

164	Merham-e-Aathishak—Kharabadeen-e-Jadeed	107
165	Merham-e-Dakhyl-e-Yun—Kharabadeen-e-Jadeed	108
166	Merham-e-Kafoori—Kharabadeen-e-Jadeed	108
167	Merham-e-Raal—Kharabadeen-e-Jadeed	109
168	Merham-e-Seemab—Maghzan-ul-Murkkabath	109

SECTION XVI.

MUFERRAH.

		PAGE
169	Muferrah-e-Ahmadi— Hospital Pharmacopoeia	110
170	Muferrah-e-Azam Sada— Kharabadeen-e-Jadeed	110
171	Muferrah-e-Azam Bajawahir— Kharabadeen-e-Jadeed	112
172	Muferrah-e-Barid— Kharabadeen-e-Jadeed	113
173	Muferrah-e-Dilkusha— Kharabadeen-e-Jadeed	114

SECTION XVII.

ROGHAN.

174	Roghan-e-Azam— Maghnan-ul-Murkkabath	115
175	Roghan-e-Banafsha— Maghzan-ul-Murkkabath	116
176	Roghan-e-Gul— Kharabadeen-e-Jadeed	117
177	Roghan-e-Hamam— Hospital Pharmacopoeia	117
178	Roghan-e-Khass— Hospital Pharmacopoeia	117
179	Roghan-e-Khusth— Kharabadeen-e-Jadeed	118
180	Roghan-e-Masthagi— Kharabadeen-e-Jadeed	118
181	Roghan-e-Mome— Kharabadeen-e-Jadeed	119
182	Roghan-e-Sudab— Hospital Pharmacopoeia	119
183	Roghan-e-Zakham-e-Hayath— Hospital Pharmacopoeia	119

SECTION XVIII.

RUB.

		PAGE
184	Rubb-e-Amila Sabz— Hospital Pharmacopoeia	120

SECTION XIX.

SAFOOF.

185	Safoof-e-Bukhar— Hospital Pharmacopoeia	121
186	Safoof-e-Habsuddam— Hospital Pharmacopoeia	121
187	Safoof-e-Hazim— Hospital Pharmacopoeia	121
188	Safoof-e-Indri Jullab— Kharabadeen-e-Jadeed	122
189	Safoof-e-Kasir-e-Reeh— Hospital Pharmacopoeia	122
190	Safoof-e-Khulanj— Hospital Pharmacopoeia	122
191	Safoof-e-Masana No. 1— Hospital Pharmacopoeia ..	123
192	Safoof-e-Masana No. 2— Hospital Pharmacopoeia	123
193	Safoof-e-Mufasil— Hospital Pharmacopoeia	124
194	Safoof-e-Mukhlyasa— Kharabadeen-e-Jadeed	124
195	Safoof-e-Namak-e-Sulaimani-Khass— Kharabadeen-e-Jadeed	125
196	Safoof-e-Nanayee	125
197	Safoof-e-Paichish— Hospital Pharmacopoeia	126
198	Safoof-e-Sana— Maghzan-ul-Murkkabath	126

SECTION XIX—*cont.*

SAFOOF—*cont.*

		PAGE
199	Safoof-e-Sanghdan-e-Murgh— Maghzan-ul-Murkkabath	126
200	Safoof-e-Sarthan— Maghzan-ul-Murkkabath	127
201	Safoof-e-Sozack— Hospital Pharmacopoeia	127
202	Safoof-e-Surfa— Kharabadeen-e-Azam	128
203	Safoof-e-Surinjan— Maghzan-ul-Murkkabath	128
204	Safoof-e-Thabasheer— Hospital Pharmacopoeia	128
205	Safoof-e-Turbud— Hospital Pharmacopoeia	129

SECTION XX.

SHERBATH.

206	Sherbath-e-Ayn-un-nas— Hospital Pharmacopoeia	129
207	Sherbath-e-Annar Shereen— Kharabadeen-e-Jadeed	130
208	Sherbath-e-Anar Thursh— Kharabadeen-e-Jadeed	130
209	Sherbath-e-Bailphal— Hospital Pharmacopoeia	130
210	Sherbath-e-Banafsha— Kharabadeen-e-Jadeed	131
211	Sherbath-e-Buzoori— Kharabadeen-e-Jadeed	131
212	Sherbath-e-Deenar— Kharabadeen-e-Jadeed	131

SECTION XX—*cont:*

SHERBATH—*cont.*

		PAGE
213	Sherbath-e-Ejaz— Kharabadeen-e-Jadeed	132
214	Sherbath-e-Feryad Ras— Kharabadeen-e-Jadeed	132
215	Sherbath-e-Gudhal— Kharabadeen-e-Jadeed	133
216	Sherbath-e-Gulab— Hospital Pharmacopoeia	133
217	Sherbath-e-Jamoon— Hospital Pharmacopoeia	134
218	Sherbath-e-Kevada— Kharabadeen-e-Jadeed	134
219	Sherbath-e-Khyar Shamber— Hospital Pharmacopoeia	134
220	Sherbath-e-Madani— Hospital Pharmacopoeia	134
221	Sherbath-e-Sual— Hospital Pharmacopoeia	135
222	Sherbath-e-Turanj— Hospital Pharmacopoeia	135
223	Sherbath-e-Unnab— Kharabadeen-e-Jadeed	136
224	Sherbath-e-Ushba— Maghzan-ul-Murakkabath	136
225	Sherbath-e-Verd— Kharabadeen-e-Jadeed	136
226	Sherbath-e-Verd Mukerrer— Kharabadeen-e-Jadeed	137
227	Sherbath-e-Zoofa Murakkab— Kharabadeen-e-Jadeed	137

SECTION XXI.

SIKANJABEEN.

PAGE

228 Sikanjabeen-e-Buzuri—
Kharabadeen-e-Jadeed 138

229 Sikanjabeen-e-Sada—
Kharabadeen-e-Jadeed 138

SECTION XXII.

ZAROOR.

230 Zaroor-e-Khula—
Hospital Pharmacopoeia 139

231 Zaroor-e-Madani—
Hospital Pharmacopoeia 139

SECTION XXIII.

ZIMAD.

232 Zimad-e-Aoujah—
Hospital Pharmacopoeia 140

233 Zimad-e-Halaque—
Hospital Pharmacopoeia 140

234 Zimad-e-Thehal Ushakhwala—
Kharabadeen-e-Agam 141

SECTION XXIV.

MEDICINES USED IN SURGERY.

235 Khuthoor-e-Deegar—
Kharabadeen-e-Khaderi 141

236 Zimad-e-Vaja-u Reham—
Kharabadeen-e-Khaderi 141

237 Shiaf-e-Deenar-e-Joon—
Biaz-e-kabir, Vol. II 142

238 Marhem-e-Shadenaj (Syn:—Marham
-e-Bavaseer)—
Kharabadeen-e-Khaderi 143

239 Manjan-e-Surkh 143

KHIVAM OR PAKKAM.

Khivam or consistency is the degree of solidity present in fluid preparation. In the Unani system of medicine, for the recognition of the exact degree of consistency or *Khivam* at a given moment when boiling solutions of sugar, sugarcandy or honey, experience is of paramount importance. However, the following points will be of immense help to the beginners :—

1. When the boiling solution is taken in a spoon and poured from a little distance from the surface of the said solution, it will be noticed, that the few last drops appear as offshoots connecting the surface and simulating a single thread.

2. When a drop of the solution is taken between two fingers, mildly pressed and separated, it will be noticed, that a single thread will appear to join the contact surface of the separated fingers. This is the proper *Khivam* or, consistency for the preparation of '*Sherbaths*' or syrups.

It should be borne in mind, that for all practical purposes, the *Khivam* for *Majoon* or confection should be of a slightly higher degree when compared with the *Khivam* of *Sherbath* and for the preparation of *Khameera*, it should be of still higher degree than that of *Majoon*.

Preparation of Arakh.

Arakh means a watery distillate, which is procured by boiling, and separating essence from the mixture of drugs soaked in water of substances which volatize at different temperatures.

Process of Distillation.

The easiest way of extracting *Arakh* is with the help of a *Khara Ambique*. '*Khara*' means a vessel and *Ambique* means the particular kind of cover condenser used for the Distillating apparatus. (The distillating apparatus is available in the market.)

Drugs are placed in *Khara* and the required quantity of water is poured to soak them and is kept covered. In the morning, the *Khara* is placed over an oven and covered with the *Ambique* and finally the gap is closed with flour paste. It is allowed to boil and the *Arakh* collected in a big vessel. *Arakh* should not be filled in the bottles then and there because:

(1) the bottles may crack;

(2) the saturation of the distillate will not be uniform, i.e., the first distilled portion will contain more essential matter than the last portion. *Khara-Ambique* should be kept tilted to the side discharging the *Arakh* and the outlet of the condenser is to be on the other side. When the water in the condenser gets sufficiently hot, it should be discharged from the outlet and cold water is to be added after plugging the discharging outlet. Actual warmth of water in the condenser and the variation in the flow of *Arakh* are the indications to change water.

Sometimes vapours are lost and sufficient quantity of *Arakh* is not procured. A watch should be kept with regard to the amount of sound produced inside the *Khara-Ambique* and the height of drugs and water, by tapping the sides of the *Khara*. There are a number of modifications in *Khara Ambique*, but for the various formulae enumerated herein for extracting *Arakh*, the aforementioned *Khara Ambique* will suffice for the purpose.

If milk is to be added in the formula of the *Arakh*, it should be mixed just before boiling the whole thing.

If musk, safron, amber, etc., are in the formula, they should be kept in a muslin cloth and firmly tied to the tube discharging the *Arakh*.

SECTION I.

ANOOSHDARU.

1. Anooshdaru Lulavi. (Kharabadeen Jadeed.)

Take of:

1	Amber	1/6 tola.
2	Safron	3/4 ,,
3	Mervareed	1 ,,
4	Busud	1 ,,
5	Yeshab	1 ,,
6	Saad Kufi	1 ,,
7	Asgher	1 ,,
8	Abraisham	2 tolas.
9	Thabasheer	2 ,,
10	Sazij-e-Hindi ..	2 ,,
11	Sumbul-e-thib ..	2 ,,

Take of—*cont.*

12 Ood-e-kham	.. ..	1¼ tolas.
13 Gill-e-Armani	..	2 ,,
14 Sheera-e-Amila	..	4 oz.
15 Honey	.. ..	10 palams.
16 Sugarcandy	..	20 ,,

Make fine powder of Nos. 2, 6, 7 and 10 to 13. Take the decoction of No. 8 and mix in this Nos. 14,15 and 16 and boil the same to consistency (Khivam). Powder Nos. 3, 4, 5 and 9 separately. Grind Nos. 3 and 5 in a stone mortar adding rose water. Grind No. 1 in a stone mortar with a little Khivam. Add all to the Khivam and mix well.

Dose: ¼ to ½ a tola twice or thrice.

Indications: Anorexia, hypochlorhydria and chronic diarrhoeas.

2. Anooshdaru Sada. (Kharabadeen-e-Khaderi.)

Take of:

1 Gul-e-Surkh	.. ..	6 tolas.
2 Saada Kufi	.. ..	5 ,,
3 Kharanfal	.. ..	3 ,,
4 Masthagi	.. ..	3 ,,
5 Asaroon	.. ..	3 ,,
6 Sumbullathib	.. ..	3 ,,
7 Danaheel Kalan	..	2 ,,
8 Danaheel Khurd	..	2 ,,
9 Zarnab	..	2 ,,
10 Bisbasa	.. ..	2 ,,
11 Jozbuva	.. ..	2 ,,
12 Darchini	.. ..	2 ,,
13 Khurfa	.. ..	2 ,,

Take of—*cont.*

14 Amila	.. ..	65 tolas.
15 Sugarcandy	.. ..	34 palams.
16 Honey	.. ..	68 ,,

Make fine powder of Nos. 1 to 14, by grinding. Mix Nos. 15 and 16 and boil to proper consistency. Finally add all the powders to the Khivam, mix well and preserve.

Dose: ½ to 1 tola.

Indications: Anorexia, hypo-acidity, diarrhoea and other digestive disorders.

SECTION II.

ARAKH.

3. Arakh-e-Abraisham. (Maghzan-ul-Murakabath.)

Take of:

1 Abraisham	.. ..	19 tolas.
2 Gul-e-Gauzuban	..	4 ,,
3 Badranja Boya	..	4 ,,
4 Faranjamishk	..	4 ,,
5 Sandal-e-Sufeed	..	4 ,,
6 Safran	.. ..	½ tola.
7 Amber	.. ..	⅛ ,,

Soak Nos. 1 to 5 in 10 pints of water. Nos. 6 and 7 are to be kept in a muslin cloth and tied to the tube discharging the Arakh. Extract Arakh as usual.

Dose : 2 to 4 oz.

Indications : In palpitation of the heart and other cardiac diseases.

4. Arkh-e-Ajwain. (Kharabadeen-e-Jadeed.)

Take of :

Ajwain .. .. .. 10 palams.

Soak Ajwain in 20 pints of water for a night and in the morning extract Arakh.

Dose : 1 to 2 oz.

Indications : Indigestion, diarrhoea, flatulence.

5. Arkh-e-Badiyan. (Kharabadeen-e-Jadeed.)

Take of :

Badiyan .. .. .. 10 palams.

Soak Badiyan in 20 pints of water for a night. Extract the Arakh in the morning.

Dose : 2 to 4 oz.

Indications : Diuretic,Blood purifier, biliousness.

6. Arkh-e-Banafsha. (Kharabadeen-e-Jadeed.)

Take of :

Gul-e-Banafsha .. .. 10 palams.

Soak in 20 pints of water for a night and extract Arakh in the morning.

Dose : 2 to 4 oz.

Indications : Melancholia, anxiety neurosis.

7. Arkh-e-Gauzuban. (Kharabadeen-e-Jadeed.)

Take of :

Berge Gauzuban .. 10 palams.

Soak in 20 pints of water for a night and extract Arakh in the morning.

Dose : 2 to 4 oz.
Indications : Cardiac diseases such as palpitation of the heart, myocardial degeneration, etc.

8. Arkh-e-Kafoor. (Maghzan-ul-Murakabath.)

Take of :

1	Gul-e-Neelofer	3	tolas.
2	Gul-e-Surkh	3	,,
3	Shathra	3	,,
4	Gul-e-Gauzuban	3	,,
5	Berg-e-Kahu	3	,,
6	Badiyan	3	,,
7	Saib Shereen	3	,,
8	Behi Shereen	3	,,
9	Sandal-e-Sufeed	4	,,
10	Sandal-e-Surkh	4	,,
11	Tukhm-e-Kasni	4	,,
12	Magz-e-Thukm-e-Khyar.	4	,,
13	Magz-e-Thukm-e-Kaddu.	4	,,
14	Magz-e-Kharbuza	4	,,
15	Gul-e-Banfsha	4	,,
16	Kafoor-e-Khaisori	7	,,
17	Arkh-e-Gulab	2	pints.
18	Arkh-e-Baid Mishk	2	,,
19	Arkh-e-Kasni	2	,,
20	Water	12	,,

Soak Nos. 1 to 15 in Nos. 17 to 20 for a night. After sprinkling No. 16 in the morning on the surface of the material thus

soaked, proceed with the extraction of Arakh.

Dose: 1 to 2 oz.
Indications: Myocardial degeneration, congestive heart-failure, etc.

9. Arkh-e-Kamuni. (Kharabadeen-e-Jadeed.)

Take of:
Kamuni .. .. .. 10 palams.

Soak the drug in 20 pints of water for a night and extract Arakh in the morning.

Dose: 2 to 4 oz.
Indications: Biliousness, jaundice, etc.

10. Arkh-e-Kasni. (Kharabadeen-e-Jadeed.)

Take of:
Tukhm-e-Kasni .. .. 10 palams.

Soak the drug in 20 pints of water for a night and extract Arakh in the morning.

Dose: 2 to 4 oz.
Indications: Biliousness, jaundice, etc.

11. Arkh-e-Mulyian. (H.P.)

Take of:
Namak-e-Mushil .. .. 10 palams.

Dissolve in 1 pint of water and filter.

Dose: 1 to 3 oz.
Indications: Purgative (anti safra).

12. Arkh-e-Mundi. (Kharabadeen-e-Jadeed.)

Take of:
Mundi .. .. .. 20 palams.

Soak the drug in 40 pints of water for a night and extract Arakh in the morning.

Dose: 2 to 4 oz.
Indications: Urticaria, scabies, Hepatic insufficiency, myocardial lesions.

13. Arakh-e-Musaffi. (Kharabadeen-e-Jadeed.)

Take of:

1 Berg-e-Neem ..	..	5 tolas each.
2 Posth-e-Neem ..	..	
3 Posth-e-Bukayan	..	
4 Berg-e-Bukayan	..	
5 Posth-e-Kachnal	..	
6 Posth-e-Molsaree	..	
7 Dodhi Khurd ..	..	
8 Berg-e-Bhangra Siyah		
9 Berg-e-Javansa	..	
10 Posth-e-Gulnar	..	
11 Berg-e-Hina ..	..	
12 Shathra ..	..	
13 Serphooka ..	..	
14 Dhamaya ..	..	
15 Chobe Cheeni	..	
16 Gul-e-Neelofer	..	
17 Gul-e-Surkh	..	
18 Kashneez ..	..	
19 Sandal-e-Sufeed	..	
20 Tukhm-e-Kasni	..	
21 Beekh-e-Kasni	..	
22 Majeet	..	
23 Berg-e-Baid	..	
24 Burada-e-Chob-e-Shisham.		
25 Water ..	..	40 pints.

Soak Nos. 1 to 24 in No. 25 for a night. Extract Arakh in the morning.

Dose: 2 to 4 oz.

Indications: As blood purifier and in all skin diseases

14. Arakh-e-Sarthan. (Ad-dikh.)

Take of :

1	Sarthan Mussaffi	..	15 tolas.
2	Sandal-e-Sufeed	..	1 tola.
3	Sandal-e-Surkh	..	1 ,,
4	Khass ..	..	1 ,,
5	Gul-e-Neelofer	..	1 ,,
6	Tukm-e-Kasni	..	1 ,,
7	Mundi ..	..	1 ,,
8	Badiyan ..	..	1 ,,
9	Tukm-e-kaddu	..	1 ,,
10	Kashneez ..	..	1 ,,
11	Beekh-e-Kasni	..	1 ,,
12	Asal-e-Soos	..	1 ,,
13	Ilachi Khurd	..	1 ,,
14	Koknar ..	..	1 ,,
15	Water ..	..	10 pints.

Soak Nos. 2 to 14 in No. 15 for a night. Take fresh No.1 (Sarthan) and after severing its limbs and emptying its stomach of the contents, and washing, mix with other medicines. Extract Arakh.

Dose : 2 to 4 oz.
Indications : Tuberculosis, debility and general weakness.

15. Arkh-e-Sheer. (Biaz-e-Kabir.)

Take of :

1	Tukhum-e-Kasni	..	1 tola.
2	Gul-e-Gauzuban	..	1 ,,
3	Maghz-e-Kaddu	..	2 tolas.
4	Tukm-e-Kaddu	..	2 ,,
5	Tukm-e-Khurfa	..	3 ,,
6	Tukm-e-Khyar	..	1 tola.
7	Thabasheer (powder)		1 ,,

Take of—*cont.*

8	Zaher Mohra (powder) ..	1 tola.
9	Gul-e-Surkh ..	2 tolas.
10	Kamuni	2 ,,
11	Gauzuban ..	2 ,,
12	Kishneez ..	3 ,,
13	Sandal-e-Surkh ..	4 ,,
14	Sandal-e-Sufeed ..	4 ,,
15	Kaddu-e-Sabz ..	5 ,,
16	Berg-e-Kasni Sabz.	5 ,,
17	Gul-e-Kaavalgadda.	5 ,,
18	Gul-e-Baid ..	10 ,,
19	Gul-e-Neelofer ..	10 ,,
20	Arkh-e-Baid-e-Miskh ..	1 pint.
21	Arkh-e-Shathra ..	1 ,,
22	Arkh-e-Kamuni ..	1 ,,
23	Arkh-e-Gulab ..	2 pints.
24	Arkh-e-Baid-e-Sada	4 ,,
25	Sheer-er-Gau ..	10 ,,

Add Nos. 20 to 25 and soak Nos. 1 to 19 for a night. Extract Arakh as usual.

Dose : 1 to 2 oz.
Indications : Tuberculosis, insomnia and biliousness.

16. Arakh-e-Shifa-e-Chasham No. 1. (H.I.M. Pharmacopoeia.)

Take of :

1	Phatakadi	1 tola.
2	Arkh-e-Gulab ..	24 oz.

Dissolve No. 1 in No. 2, filter and preserve.

Indications : As eye drops in conjunctivitis and other inflammatory conditions of the eye.

17. Arkh-e-Shifa-e-Chasham No. 2.
(H.I.M. Pharmacopoeia.)

Take of:

1 Phatakadi	.. ..	3 tolas.
2 Afyun	.. ..	½ tola.
3 Arkh-e-Gulab	..	24 oz.

Grind Nos. 1 and 2 with sufficient quantity of No. 3 in a stone mortar till it becomes a paste. Mix this paste in the remaining quantity of No. 3, filter and preserve.

Indications: As eye drops in various inflammatory diseases of the eye.

SECTION III.

18. Bershasha. (Kharabadeen-e-Jadeed.)

Take of:

1 Filfil-e-Siyah	..	10 tolas.
2 Filfil-e-Sufeed	..	10 ,,
3 Ajwain Khurasani	..	10 ,,
4 Afyun	.. ..	5 ,,
5 Zafran:	.. ..	2½ ,,
6 Balchad	.. ..	½ tola.
7 Akherkherha	..	½ ,,
8 Ferfiyun	.. ..	½ ,,
9 Honey	.. ..	40 palams.

Powder Nos. 1 to 3 and 5 to 8, sieve and preserve. Boil No. 9 with some water and bring it to consistency. Grind No. 4 with a little honey and make a paste. Put this paste in 9, add all the powders and mix thoroughly.

Dose: ¼ to ½ tola.

Indications: Insomnia, anxiety neurosis, chronic diarrhoeas, etc.

19. Dabeedul Verd. (Kharabdeen-e-Jadeed.)

Take of:

1	Sumbullathib ..	1 tola.
2	Laak	1 ,,
3	Sandal-e-Sufeed ..	1 ,,
4	Saleekha	1 ,,
5	Darchini	1 ,,
6	Thabasheer ..	1 ,,
7	Khust	1 ,,
8	Masthagi	1 ,,
9	Safran	1 ,,
10	Asaroon	1 ,,
11	Gul-e-Surkh ..	10 tolas.
12	Honey	20 ,,

Powder Nos. 1 to 5, 7 and 9 to 11, sieve and preserve. Lightly grind powder Nos. 6 and 8. Boil 12 with a little water to consistency. Add all the powders to the Khivam and mix well.

Dose: ¼ to ½ tola, twice or thrice a day.

Indications: In cardiac dropsy, ascites, and cirrhosis of the liver.

20. Dava-e-Paichish. (Kharabadeen-e-Jadeed.)

1	Post-e-Kash Khash ..	3 tolas.
2	Haleel-e-Siyah ..	3 ,,
3	Khash Khash Sufeed.	1½ ,,
4	Honey	8 palams.
5	Ghee	3 ,,

Fry Nos. 1 to 3 in 5, make fine powder and preserve. Boil No. 4 with some water to

consistency. Add all the powders to the Khivam, mix well, and preserve.

Dose : ¼ to ½ tola.
Indications : Dysentery and diarrhoea.

21. Dava-e-Shifa-e-Halaque.
(H.I.M. Pharmacopoeia.)

Take of:

1	Murmakki	.. ..	3 tolas finely powdered.
2	Mazu	.. ..	3 tolas.
3	Bazrulbanj	.. ..	6 ,,
4	Sohaga	.. ..	3 ,,
5	Shib	.. ..	3 ,,
6	Honey	.. ..	Quantity sufficient to make a throat paint.

Burn Nos. 4 and 5 in a mud pan till they are converted into a powder. Make fine powder of Nos. 1 to 3. Add all the powders in No. 6, mix well and preserve.

As a throat paint.

Indications : Tonsillitis, elongated uvula, pharyngitis.

22. Dava-e-Turanjabeen. (Maghzan-ul-Murakabath.)

Take of:

1	Turanjabeen	..	14 tolas.
2	Salab Misri :	..	3 ,,
3	Cow's Milk	..	40 oz.
4	Sugar	.. ..	15 palams.

Mix Nos. 2 to 4 and boil till it comes to consistency and add No. 1.

Dose : ½ to 1 tola.
Indications : Sexual weakness, neurasthenia, debility, etc.

23. Dava-e-Thursh. (H.I.M. Pharmacopoeia.)

Take of :

1	Filfil-e-Siyah	..	5 tolas.
2	Zanja-beel	..	5 ,,
3	Namak-e-Siyah	..	5 ,,
4	Namak-e-Tham	..	5 ,,
5	Namak-e-Sendah	..	5 ,,
6	Baubadang	..	5 ,,
7	Berg-e-Pudina Sabz.		10 ,,
8	Lemon Juice	..	4 oz.
9	Sugar	.. ..	25 palams.

Make fine powder of Nos. 1 to 6. Dissolve No. 9 in the juice of Nos. 7 and 8 and boil to consistency. Add all the powders to the Khivam, and mix well.

Dose : ¼ to ½ tola.

Indications : Biliousness, dyspepsia, meteorism, etc.

24. Dava-ul-Kurkum. (Kharabadeen-e-Jadeed.)

Take of :

1	Safron	.. ..	1 tola.
2	Saleekha	.. ..	1 ,,
3	Sumbullatheeb	..	1 ,,
4	Asaroon	.. ..	1 ,,
5	Silaras	.. ..	½ ,,
6	Murr	.. ..	½ ,,
7	Khusth-e-Talque	:	½ ,,
8	Fukha-e-Azkher	..	½ ,,
9	Darchini	.. ..	½ ,,
10	Munakha-e-Kalan.		1½ tolas.
11	Honey	.. ..	8 palams.

Make fine powder of Nos. 1 to 4 and 6 to 9. Powder 5 after drying it in the sun. Make

fine paste of 10 in a grinding stone. Add it to No. 11 and bring it to consistency with the addition of a little water. Finally add all the powders to the Khivam and mix well.

Dose: ¼ to ½ tola.

Indications: Hepatic insufficiency, jaundice, biliousness and cirrhosis of liver.

25. **Dava-ul-Luk.** (Kharabadeen-e-Azam.)

Take of:

1	Usar-e-Ghafis ..	2½	tolas.
2	Badiyan	2½	,,
3	Tukhm-e-Shaljam.	2½	,,
4	Afsantheen.. ..	3	,,
5	Tukhm-e-Kasni ..	5	,,
6	Tukhm-e-Karfas ..	2	,,
7	Raivend Cheeni ..	1½	,,
8	Luk Magsool ..	3	,,
9	Honey	22	palams.

Wash with water No. 8, dry and powder. Powder Nos. 2 to 6 together and No. 1 and No. 7 separately. Boil No. 9 with some water to consistency. Add all the powders and mix well.

Dose: ¼ to ½ tola.

Indications: Chronic cholangitis, malaria and renal calculus.

26. **Dava-ul-Meda.** (H.I.M. Pharmacopoeia.)

Take of:

1	Gul-Khand ..	Equal parts.
2	Murabba-e-Adrak ..	

Grind Nos. 1 and 2, adding small quantities of each in a grinding stone and expose to the sun for a day.

Dose : ½ to 1 tola.

Indications : Dyspepsia, heart-burn and flatulence.

27. Dava-ul-Mishk-Bajavaher. (Kharabadeen-e-Jadeed.)

Take of :

1	Zaranbad	3	tolas.
2	Darunaj Akhrabi	3	,,
3	Abraisham ..	2	,,
4	Bahman-e-Sufeed:	1½	,,
5	Bahman-e-Surkh.	1½	,,
6	Sambulatheeb ..	1½	,,
7	Shzij-e-Hindi ..	1½	,,
8	Kakhila	1½	,,
9	Ushna	1½	,,
10	Dar-e-filfil.. ..	1½	,,
11	Zanjabil	1½	,,
12	Mis k	½	tola.
13	Kaheruba ..	3	tolas.
14	Busud	3	,,
15	Mervareed ..	1	tola.
16	Honey	30	palams.

Take the decoction of No. 3. Grind Nos. 13 to 15 in rose water and dry. Make fine powder of Nos. 1, 2 and 4 to 11. Boil No. 16 with some water and bring it to consistency. Grind No. 12 with a little Khivam and mix it with No. 16. Add all the powders to the Khivam.

Dose : ¼ to ½ tola.

Indications : Myocardial degeneration, cardiac insufficiency, cardiac Asthma and congestive cardiac failure.

28. Dava-ul Misk-Sada. (Kharabadeen-e-Jadeed.)

Take of :

1	Abraisham ..	2 tolas.
2	Gul-e-Surkh ..	2 ,,
3	Darchini	2 ,,
4	Bahman-e Surkh.	2 ,,
5	Bahman-e-Sufeed.	2 ,,
6	Darunaj	2 ,,
7	Safron	2 ,,
8	Masthagi	2 ,,
9	Ushna	2 ,,
10	Heelbuva	1 tola.
11	Sandal-e-Sufeed ..	3 tolas.
12	Sundal-e-Surkh ..	3 ,,
13	Thabasheer ..	3 ,,
14	Kashneez	3 ,,
15	Gul-e-Gauzuban ..	3 ,,
16	Amila	3 ,,
17	Busud	3 ,,
18	Tukhm-e-Khurfa.	3 ,,
19	Zarishk	1½ ,,
20	Ood-e-Hindi ..	1½ ,,
21	Badranjaboya ..	1½ ,,
22	Rub-e-Saib ..	6 palams.
23	Sugarcandy ..	50 ,,

Take the decoction of No. 1. Make fine powder of Nos. 2 to 18 and 20 and 21. Grind Nos. 19 and 22 in a grinding stone to a paste each separately. Add sugarcandy to the decoction of No. 1, and boil to consistency with the addition of the paste. Finally add all the powders to the Khivam and mix well.

Dose: ½ to 1 tola.

Indications : Palpitation of the heart, cardiac asthma

29. Dava-uth-Thehal. (Maghzan-ul-Murakabath.)

Take of:

1	Phatkadi	1 tola.
2	Saji	1 ,,
3	Thootia Sabz. ..	1 ,,
4	Arkh-e-Guzuban ..	40 oz.
5	Water	40 ,,

Keep all the ingredients in a wide mouthed copper vessel. Reduce it to dry powder form, by boiling and evaporating.

Dose: 2 to 4 grs. in butter once in the morning.

Indications: Enlargement of the spleen, malaria, Kala-azar.

30. Dayakhoza. (Kharabadeen-e-Jadeed.)

Take of:

1	Khaskhash Sufeed	3 tolas.
2	Posth-e-Khashkhash.	3 ,,
3	Asal-e-soos ..	10 ,,
4	Buzoor-e-kathan ..	10 ,,
5	Tukhum-e-Khathmi	5 ,,
6	Tukhm-e-Khabbazi.	5 ,,
7	Samagh-e-Arabi ..	5 ,,
8	Katheera	5 ,,
9	Bihidana ..	5 ,,
10	Sugarcandy ..	50 palams.

Make fine powder of Nos. 1 to 3, 5 and 6. Soak No. 4 in 1 pint of water for a night and grind it into a paste. Powder Nos. 7 and 8 each separately. Take the extract of No. 9, dissolve No. 10 in it and boil to consistency. Add the

paste, and powders gradually to the Khivam, and mix well.

Dose: 1 to 3 tolas.

Indications: Laryngitis, dry unproductive cough, etc.

SECTION IV.

GENERAL DIRECTIONS FOR MAKING PILLS.

HAB.

In the Unani system of medicine *Hab* means a pill. *Habs* are solid or semi-solid globular masses. They should not be too hard or so soft as to lose shape and stick together.

In making a pill-mass the following points should be observed :—

(*a*) Put the drug of the smaller weight in powder form into the mortar first and triturate it with the next smallest, add the next, again triturate, and so on.

(*b*) The softer the mass the easier it becomes to make pills.

(*c*) Pills liable to crumble will keep their shape if samagh-e-Arabi is added to the mass and rubbed thoroughly to make it sticky enough to make pills.

(*d*) Potent extracts, gummy substances, harmful oils, etc.,contained in a formula may require special attention for making pills and in those cases smear the fingers with almond oil or ghee to facilitate making pills.

31. Hab-e-Dafa-e-Khabz. (Biaz-e-Kabir. Vol. II.)

Take of :

1	Sibr ..	..	1 tola.
2	Masthagi ..	..	1 ,,
3	Usara-e-Raivend.		1 ,,

Powder each separately in a mortar and grind all the powders together with water to a smooth paste. Make 4 gr. pills.

Dose : 2 to 3 pills.

Indications : Habitual constipation, jaundice, Colitis, etc.

32. Hab-e-Asgher.

Take of :

1	Bachnak (purified).		1 palam.
2	Shangraf (purified).		1 ,,
3	Kharnafal	..	1 ,,
4	Jozbuva ..	..	1 ,,
5	Bisbasa ..	..	1 ,,
6	Akherkherha	..	1 ,,
7	Filfil-e-Daraz	..	1 ,,
8	Safron ..	..	½ ,,

Grind No. 2 in lemon juice and dry it. Powder Nos. 1, 3 to 8, add to No. 2 in a mortar and make it into a smooth paste. Make 2 gr. pills.

Dose : 1 to 2 pills with water (children).
2 to 4 pills (adults), B.D.

Indications : Cold, bronchitis, pneumonia, etc.

33. Hab-e-Ayarij. (Kharabadeen-e-Azam.)

Take of :

1	Sumbullatheeb	..	1 tola.
2	Darchini ..	..	1 ,,
3	Ood-e-Balsan	..	1 ,,
4	Sallekha ..	..	1 ,,
5	Safron ..	..	1 ,,
6	Asaroon ..	..	1 ,,
7	Masthagi ..	..	1 ,,
8	Sibr (Aloes)	..	9 tolas.

Make fine powder of Nos. 1, 2, 4 to 6, 3, 7 and 8 each separately. Mix all the powders and grind well into a smooth paste with water. Make 4 gr. pills.

Dose : 1 to 2 pills B.D. Single dose 4 pills with water.

Indications : Chronic constipation, obesity, colitis, neurasthenia, etc.

34. Hab-e-Azarakhi. (Kharabadeen-e-Jadeed.)

Take of :

1	Darchini ..	..	1 tola.
2	Jozbuva ..	..	1 ,,
3	Bisbasa ..	..	1 ,,
4	Ood-e-Saleeb	..	1 ,,
5	Kharanfal	..	1 ,,
6	Kuchla Mudabbir.		2 tolas.
7	Arkh-e-Ajwain	..	Quantity sufficient.

Make fine powder of Nos. 1 to 6. Add all the powders to No. 7 and grind it to a soft mass. Make 4 gr. pills.

Dose : 1 pill with milk twice a day.

Indications : Anorexia, gastro-intestinal hypotonicity, depression manias.

35. Hab-e-Boo Ali. (Maghzan-ul-Murakabath.)

Take of :

1	Mazu	3 tolas.
2	Kazmazaj ..	2 ,,
3	Afyun	1 tola.
4	Samagh-e-Arabi ..	Quantity sufficient.

Make fine powder of Nos. 1 to 3, add it to No. 4 and grind well to a smooth paste. Make 4 gr. pills.

Dose : 1 to 2 pills B.D.

Indications : Intestinal ulcerations, dysentery, diarrhoea, etc.

36. Hab-e-Dabba. (Hospital Pharmacopoeia.)

Take of :

1	Habbus Salatheen (purified).	1 tola.
2	Sibr	1 ,,
3	Katheera	1 ,,
4	Aab-e-Berg-e-Kanghi.	2 oz.

Boil the cotyledons of No. 1 in a pint of milk. Make fine powder of Nos. 2 and 3, each separately. Add all to No. 4 and grind to a soft mass. Make 4 gr. pills.

Dose : ½ to 1 pill. B.D. with honey.

Indications : Dyspepsia, constipation, flatulence, bronchitis especially in children.

37. Hab-e-Feelpa. (Hospital Pharmacopoeia.)

Take of :

1	Beekh-e-Biskhopra Sufeed.	2 tolas.
2	Raivend Chini ..	4 ,,
3	Maghz-e-Gajga. ..	2 ,,
4	Zanjabeel ..	2 ,,

Make fine powder and grind into a smooth paste with Tulasi juice. Make 2 gr. pills.

Dose : 2 to 3 pills.

Indications : Fevers in general and filarial fever in particular.

38. Hab-e-Habisul-Bathan. (Kharabadeen-e-Azam.)

Take of :

1	Shangraf	3 tolas.
2	Afyun	3 ,,
3	Masthagi	3 ,,
4	Sohaga	3 ,,
5	Lemoon (juice) ..	8 oz.

Make fine powder of Nos. 2, 3 and 4 and grind the powders into a smooth paste with No. 5. Make 2 gr. pills.

Dose : 1 to 3 pills two or three times a day with water.

Indications : Menorrhagia, metrorrhagia and other gynaecological haemorrhages.

39. Hab-e-Halderi. (Maghzan-ul-Murakabath.)

Take of :

1	Gul-e-Banafsha ..	3 tolas.
2	Badiyan	3 ,,
3	Shathra	3 ,,

Take of—*cont.*

4 Gauzuban.. .. 2 tolas.
5 Shangaraf (purified) ½ tola.

Nos. 1 to 4 to be powdered and No. 5 to be ground with lime juice. Add all the powders and grind to a soft mass. Make 2 gr. pills.

Dose: 1 to 2 pills, B.D. with water.
Indications: Diarrhoea, dyspepsia, flatulence especially in children.

40. Hab-e-Jadvar. (Kharabadeen-e-Jadeed.)

Take of:

1	Narjeel Salim ..	1 tola.
2	Afyun	5 tolas.
3	Jadvar Khata-ee..	1 tola.
4	Safron	½ ,,
5	Maghz-e-Badam ..	1 ,,
6	Maghz-e-Chalghoza.	1 ,,
7	Tukhm-e-Khurfa..	1 ,,
8	Thabasheer ..	¾ ,,
9	Katheera	¾ ,,
10	Bazr-ul-Banj ..	¾ ,,
11	Jozboya	¾ ,,
12	Bahman-e-Sufeed	1 ,,
13	Bahman-e-Surkh	1 ,,
14	Badranjaboya ..	1 ,,
15	Roghan-e-Balsan..	1 ,,
16	Ghee	20 tolas.
17	Milk (400 oz.) ..	5 measures.

Cut a circular piece of the shell of No. 1 and remove the water. After placing Nos. 1 to 3 and 4 inside the coconut, cover it up with the same piece of shell and seal it firmly. Boil it

in 5 measures of milk until the milk dries up. Break it, remove the contents and fry in 20 tolas of ghee. Grind the entire thing into a paste. Powder Nos. 7 to 14 and grind Nos. 5 and 6, and add all the things to No. 15. Make pills of 4 gr.

Dose : 2 pills at bed time with milk.
Indications : Spermatorrhoea, chronic bronchitis, debility, drug addiction, sexual weakness.

41. Hab-e-Jadvar-e-Bavasir. (Kharabadeen-e-Azam.)

Take of :

1	Jadvar	1 tola.
2	Afyun	1 ,,
3	Khash-khash ..	1 ,,
4	Maghz-e-Beek-e-Kaddoo.	1 ,,
5	Beekh-e-Kahu ..	1 ,,
6	Dhaniya	1 ,,
7	Goggul	1 ,,
8	Posth-e-Haleel-e-Kabuli.	1 ,,
9	Roghan-e-Zard ..	1 ,,
10	Gul-e-Gauzuban ..	4 tolas.
11	Maghz-e-Badam ..	4 ,,
12	Gond-e-Katheera.	4 ,,
13	Safron	2 ,,
14	Darcheeni ..	2 ,,
15	Bahman-e-Sufeed.	2 ,,
16	Bahman-e-Surkh.	2 ,,
17	Ilachi Khurd ..	2 ,,
18	Dam-ul-Akhiviyen.	2 ,,
19	Busud	2 ,,
20	Kaheruba ..	2 ,,
21	Bansalochan ..	2 ,,
22	Sandal-e-Sufeed ..	3 ,,
23	Ajwain Khurasani.	3 ,,

Powder No. 8 after roasting in No. 9. Grind Nos. 1 to 7 and Nos. 10 to 23—each group separately to a smooth paste. Mix all the powders with the paste and make 2 gr. pills.

Dose : 1 to 2 pills, twice with water.

Indications : Haemorrhages, haemorrhoids, colds, tachycardia.

42. Hab-e-Jiryan. (Biaz-e-kabir. Vol. II.)

Take of :

1	Jayafal	..	1 tola.
2	Joutharee	..	1 ,,
3	Afyun	..	1 ,,
4	Mazoo	..	1 ,,
5	Ispanth	..	1 ,,
6	Masthagi	..	1 ,,
7	Safron	..	1 ,,
8	Naagseer	..	1 ,,
9	Mocharas	..	1 ,,
10	Tajkhalme	..	1 ,,
11	Gul-e-Supiyari	..	1 ,,
12	Chaleeya	..	1 ,,
13	Ilachi Khurd	..	1 ,,
14	Thabasheer	..	1 ,,
15	Ajwain-Khurasani.		1 ,,
16	Isphagol	..	Quantity sufficient.

Make fine powder of Nos. 1 to 15 and grind all the powders with the juice of No. 16 to a soft paste. Make 4 gr. pills.

Dose : 1 pill, three times a day.

Indications : Spermatorrhoea, sexual weakness, premature ejaculation.

43. Hab-e-Jiryan. (Kharabadeen-e-Jadeed.)

Take of:

1	Singhada Khushk	.. 10 tolas.
2	Sheer-e-Bergad	.. Quantity sufficient.

Powder No. 1 and add it to No. 2. Make 4 gr. pills.

Dose: 2 to 4 pills, twice a day with fresh cow's milk.
Indications: Premature ejaculation, spermatorrhoea, etc.

44. Hab-e-Kharanfal. (Hospital Pharmacopoeia.)

Take of:

1	Raskapur ..	.. 1 tola.
2	Ajwain Khurasani	.. 1 ,,
3	Ajmood ..	.. 1 ,,
4	Aneesoon ..	.. 1 ,,
5	Ajwain Sada ..	.. 1 ,,
6	Kharanfal ..	.. 1 ,,
7	Khardil ..	.. 5 tolas.

Make fine powder of Nos. 2 to 6. Dissolve No. 7 in water and boil to consistency. Add No. 1 and all the powders to Khivam and grind well. Make pills, each 4 grain.

Dose: 1 to 4 pills.
Indications: Chancroid, syphilis, etc.

45. Hab-e-Lubbul-Khashkhash. (Biaz-e-Kabir. Vol. II.)

Take of:

1	Safron ..	.. $\frac{1}{4}$ tola.
2	Posth-e-Beekh-e-Nafa.	$\frac{1}{2}$,,
3	Revand Cheeni	.. 3 tolas.
4	Bazrul Banj ..	.. 1 tola.

Take of—*cont.*

5	Masthagi	1	tola.
6	Kaheruba	1	,,
7	Katheera	1	,,
8	Nishastha	1	,,
9	Samagh-e-Arabi ..	1	,,
10	Thukhum-e-Kahoo ..	1	,,
11	Gul-e-Gauzuban ..	1	,,
12	Khash-khash. ..	1	,,
13	Maghz-e-Thukhm-e-Khayarin.	1	,,
14	Afyun	1	,,
15	Rub-e-Soos	1¼	tolas.
16	Gil-e-Armani ..	1½	,,
17	Posth-e-Khashkhash.	Quantity sufficient.	

Powder Nos. 2 and 4. Grind Nos. 1, 3 and 5 to 16 in the juice of No. 17 to a smooth paste. Make pills of the size of black pepper.

Dose : 1 pill with warm water.

Indications : Cold, cough, urticaria, etc.

46. Hab-e-Madani. (H.I.M. Pharmacopoeia.)

Take of :

1	Maghz-e-Gajga ..	1 tola.
2	Filfil-e Siyah ..	1 ,,
3	Ab-e-Tulsi (juice)..	Quantity sufficient.

Grind Nos. 1 and 2 with No. 3 to a pillmass. Make 4 gr. pills.

Dose : 1 to 4 pills.

Indications : Malaria, filaria, influenza and other fevers.

47. Hab-e-Mayaah. (Kharabadeen-e-Khaderi.)

Take of:

1 Mayeeah		Each 1 tola.
2 Junda-be-Dasthur ..		
3 Asaroon		
4 Afyun		

Grind in a stone mortar to a smooth paste and make 40 gr. pills.

To be used as troches or lozenges.

Indications: Irritating coughs, laryngitis, pharyngitis.

48. Hab-e-Mom. (Hospital Pharmacopoeia.)

Take of:

1 Mom Khalis	5 tolas each.
2 Taj Khalmi	
3 Masthagi	

Make fine powder and grind well. Make pills of 4 gr. size.

Dose: 1 to 2 pills with water.

Indications: Constipation, colitis.

49. Hab-e-Mudir. (Kharabadeen-e-Jadeed.)

Take of:

1 Sibr	2 tolas.
2 Safron	2 ,,
3 Hira Kasees	1 tola.

Grind to a smooth pillmass and make 4 gr. pills.

Dose: 1 pill with water, preferably 3 or 4 days before the expected menstrual period.

Indications: Amenorrhoea, dysmenorrhoea. Regulates menstrual cycle.

NOTE.—Avoid giving this during menstrual period.

50. Hab-e-Mukhavi. (Biaz-e-Kabir. Vol. II.)

Take of:

1 Jayefal	..	1 tola each.
2 Jouthare	..	
3 Afyun	..	
4 Mazoo	..	
5 Masthagi ..	..	
6 Safron ..	..	
7 Nagaseer ..	..	
8 Mocharas	..	
9 Goggul ..	..	
10 Chaliyah	..	
11 Ilachi Khurd	..	
12 Bansalochan	..	
13 Ajwain Khurasani		
14 Isphagol	..	Quantity sufficient.

Grind Nos. 1 to 13 to a smooth paste with the juice of No. 14 and make 4 gr. pills.

Dose: 1 pill, B.D. or at bed time with water.

Indications: Ejaculatio praecox, sexual weakness, Neurasthenia.

51. Hab-e-Mumsik. (Biaz-e-Kabir. Vol. 2.)

Take of:

1 Jayefal	..	1 tola each.
2 Shangaraf Roome		

Take of—*cont.*

3 Aakher Kherha	..	1 tola each.
4 Afyun ..	..	1 tola each.
5 Honey ..	..	Quantity sufficient.

Grind Nos. 1 to 4 in a mortar to a smooth paste with the addition of No. 5. Make pills of 2 gr. size.

Dose: 1 to 2 pills.

Indications: Impotency, sexual weakness, premature ejaculation.

52. Hab-e-Murr. (Hospital Pharmacopoeia.)

Take of:

Murr	3 tolas.
Lobia	5 „
Berg-e-Sudab ..	2 „
Pudina	2 „
Mishk-tara-Mashee ..	2 „
Fuva	2 „
Haltheeth	2 „
Iskabeenj	2 „
Ja-oo-Sheer	2 „
Abhal	6 „

Make fine powder and grind with water to a pillmass. Make pills of 4 gr. size.

Dose: 1 to 2 pills twice a day, with water.

Indications: Amenorrhoea and other functional disorders of the uterus.

53. Hab-e-Musaffi. (Maghzan-ul-Murkkabath.)

Take of:

1	Seemab (purified) ..	3 tolas.
2	Masthagi	3 ,,
3	Akherkherha	3 ,,
4	Summulfar (purified).	½ tola.

Grind No. 1 in a mortar with brick powder and blow off the dust until mercury alone remains. Powder Nos. 2 to 4 separately. Add the powders to mercury with a little lime juice and grind well to a smooth pillmass. Make pills of 2 gr. size.

Dose: 1 to 2 pills twice a day.

Indications: Syphilis, dermatitis, soft chancre, etc.

54. Hab-e-Nuzla. (Maghzan-ul-Murkkabath.)

Take of:

1	Jund Baidasther ..	1 tola.
2	Saffron	1 ,,
3	Rube-e-Soos	2 tolas.
4	Darchini	1 tola.
5	Afyun	1 ,,
6	Semagh-e-Arabi ..	2 tolas.
7	Katheera	2 ,,
8	Nishastha	2 ,,

Make fine powder of Nos. 3, 4 and 6 to 8—each separately. Soak No. 1 in water for a night and boil in the morning to make it soft. Then add and grind well. Make pills of 4 grains.

Dose: 1 to 2 pills to be kept in the mouth and chewed, as Troches or Lozenges.

Indications: Chronic laryngitis, pharyngitis and cattarrhal conditions of the throat.

55. Hab-e-Paichish. (Kharabadeen-e-Jadeed.)

Take of :

1	Kafoor	$\frac{3}{4}$ tola.
2	Mazu	$\frac{3}{4}$,,
3	Maeen-Khurd	$\frac{3}{4}$,,
4	Posth-e-Haleela-e-Zard.	1 ,,
5	Amila Khushk ..	1 ,,
6	Samagh-e-Arabi ..	$\frac{1}{4}$,,
7	Afyun	$\frac{1}{6}$,,

Make fine powder of Nos. 2 to 6. Grind Nos. 1 and 7 with water in a mortar. Add all the powders, mix well and grind to a pillmass. Make 4 grains pills.

Dose : 1 pill at bed time with water.

Indications : This is to be given with other suitable medicine in chronic dysentery.

56. Hab-e-Ramad. (Kharabadeen-e-Azam.)

Take of :

1	Rasavath	$1\frac{1}{2}$ tolas.
2	Afyun	2 ,,
3	Phatkari	4 ,,
4	Lemon juice	Quantity sufficient.

Fry and grind No. 3 with No. 4. Grind all the drugs to a smooth paste. Make pills of 4 grains size.

For external application only or to the eyes—Rub with water to a paste and apply.

Indications : Styes, inflammation of the eye, etc.

57. Hab-e-Rasvath. (Kharabadeen-e-Jadeed.)

Take of :

1 Rasvath	}	1 tola each.
2 Goggull		
3 Gaeru		
4 Maghz-e-Tukhm-e-Neem.		
5 Maghz-e-Tukhm-e-Bukayan.		
6 Tukhm-e-Gandana ..		

Grind first Nos. 4 to 6 with water and add Nos. 1 and 3. Add No. 2 little by little and grind well. Make 4 grains pills.

Dose : 1 to 2 pills with water, twice a day.

Indications : Haomorrhoids.

58. Hab-e-Sozack. (Kharabadeen-e-Jadeed.)

Take of :

1	Thabasheer ..	1 tola.
2	Gairu	1½ tolas.
3	Shora-e-Khalmi ..	¾ tola.
4	Sang-e-Jarahath ..	¾ "
5	Kaheruba ..	¾ "
6	Dana-e-Ilachi ..	¾ "
7	Hajrul Yahood ..	¾ "
8	Samagh-e-Arabi ..	½ "
9	Kundur	½ "
10	Kaf-e-Darya ..	½ "
11	Roghan-e-Sandal.	3 tolas.

Make fine powder of Nos. 1 to 10—each separately. Add all the powders to No. 11, mix well and grind to a soft mass. Make pills of 4 grains size.

Dose: 1 to 2 pills.

Indications: Gonococcal infections, chordee, stricture, etc.

59. Hab-e-Surfa. (Maghzn-ul-Murakabath.)

Take of:

1	Rub-e-Soos ..	3 tolas.
2	Filfil-e-Siyah ..	3 ,,
3	Nabath	3 ,,

Powder Nos. 1 and 2 in a mortar. Dissolve No. 3 in water and boil to consistency. Grind the powders with Khivam to a smooth pillmass. Make pills of 4 grains.

Dose: 2 to 4 pills as lozenges and troches.

Indications: Irritating coughs, pharyngitis, etc.

60. Hab-e-Surfa. (Kharabadeen-e-Jadeed.)

Take of:

1	Samagh-e-Arabi ..	1 tola.
2	Rub-e-Soos ..	1 ,,
3	Thukm-e-Khashkhash.	1 ,,
4	Nishastha	1 ,,
5	Afyun	1 ,,
6	Behidana	Quantity sufficient.

Powder Nos. 1 to 4 and grind No. 5 in No. 6 to a smooth paste. Add the powders and grind. Make pills of 4 grains size.

Used as troches or lozenges.

Indications : Irritating cough, pharyngitis, etc.

61. Hab-e-Surfa Deegar. (Kharabadeen-e-Azam.)

Take of :

1	Samagh-e-Arabi ..	6 tolas.
2	Katheera (white) ..	6 ,,
3	Nishastha (white)..	..
4	Asal-e-Soos.. ..	6 tolas.
5	Afyun	4 ,,
6	Khashkhash ..	4 ,,
7	Maghz-e-Badam ..	40 numbers.
8	Safron	2 tolas.
9	Behidana	Quantity sufficient.

Powder Nos. 2 and 3. Grind Nos. 1 and 4 to 8 in the juice of No. 9 to a smooth paste. Add all the powders, grind and make pills of 4 grains size.

Dose : 1 to 2 pills.

Indications : Asthma, dry unproductive coughs, Chronic bronchitis.

62. Hab-e-Surinjan. (Kharabadeen-e-Jadeed.)

Take of :

1	Sibr	1 tola.
2	Posth-e-Haleel-e-Zard.	1 ,,
3	Surianjan-e-Sheereen	1 ,,

Powder each separately and grind to a soft mass with the addition of water. Make pills of 4 grains size.

Dose: 1 to 2 pills.

Indications: Rheumatism, neuritis, sciatica, etc.

63. Hab-e-Surkh. (Kharabadeen-e-Jadeed.)

Take of:

1	Gayroo	1 tola.
2	Afyun	1 ,,
3	Zanjabeel	1 ,,
4	Samagh-e-Arabi ..	1 ,,

Grind Nos. 1 to 4 to a soft mass with the addition of water and make pills of 4 grains size.

Prepared as eye-drops (Collyria) with the addition of water as and when necessary.

Indications: Conjuctivitis, trachoma.

64. Hab-e-Surkh-Bada. (Kharabadeen-e-Jadeed.)

Take of:

1	Rasvath	$\frac{1}{4}$ tola.
2	Sandal-e-Surkh ..	$\frac{1}{4}$,,
3	Narkachoor . ..	$\frac{1}{4}$,,
4	Afyun	$\frac{1}{12}$,,
5	Chaksu	$\frac{1}{4}$,,
6	Zerd chobe ..	$\frac{1}{4}$,,
7	Berg-e-Hina ..	$\frac{1}{4}$,,
8	Murdarsing ..	$\frac{1}{12}$,,
9	Berg-e-Neem ..	$\frac{1}{4}$,,
10	Berg-e-Bukayan ..	$\frac{1}{4}$,,

Make fine powder of Nos. 1 to 10 and grind with water to a soft mass. Make pills of 4 grains size.

Dose : 1 to 2 pills. ¼ pill for children below 6 months.

Indications : Boils, multiple abscesses and other skin diseases in children.

65. Hab-e-Thavoon Amberi Javahirwalee.
(Kharadadeen-e-Jadeed)

Take of :

1	Darunaj Akhrabi	½ tola.
2	Jadvar	½ ,,
3	Narkachoor ..	½ ,,
4	Bahman Sufeed ..	½ ,,
5	Sandal-e-Surkh ..	¼ ,,
6	Gul-e-Makhthoom.	¼ ,,
7	Gil-e-Armani ..	¼ ,,
8	Darchini	¼ ,,
9	Junthyana ..	¼ ,,
10	Zeravenda Mudharij.	¼ ,,
11	Thabasheer	¼ ,,
12	Habb-e-Balsan ..	¼ ,,
13	Safron	¼ ,,
14	Yashab Sabz ..	¼ ,,
15	Zaher Mohra ..	¾ ,,
16	Mervareed ..	½ ,,
17	Yakhooth ..	½ ,,
18	Arkhe Gulab ..	5 tolas.
19	Arkh-e-Baid Mishk.	5 ,,
20	Arkh-e-Kaivuda	5 ,,
21	Amber	1/12 tola.
22	Varkh-e-Thila ..	1/12 ,,
23	Varkh-e-Nukhra	¼ ,,

Powder Nos. 1 to 13 and grind Nos. 14 to 17 in Nos. 18 and 19 in a mortar. Grind No. 21

with Nos. 20 and 22 with No. 23. Add to the above and grind to a soft mass and make 4 grains pills.

Dose : 1 to 2 pills.
Indications : Bubonic plague.

66. Hab-e-Thankar. (Kharabadeen-e-Jadeed.)

Take of :

1 Tinkar-Sohaga	..	2 tolas.
2 Ajwain Khurasani.		2½ ,,
3 Filfil-e-Siyah	..	9 ,,
4 Sibr ..	..	12 ,,
5 Gheekavar ..	..	8 ,,

Make fine powder of Nos. 2, 3 and 4. Fry No. 1 until it becomes a powder. Add all the powders to No. 5, grind well and make it into a smooth paste. Make pills of 4 grains.

Dose : 2 to 4 pills.
Indications : Amenorrhoea, Dysmenorrhoea and Menopausal disorders.

67. Hab-e-Vaja-ur-Rehem. (Hospital Pharmacopoeia.)

Take of :

1 Berg-e-Panj-ung-Gushth.		100 Nos.
2 Seer (garlic without cover).		30 ,,
3 Filfil-e-Siyah	..	100 ,,

Grind and make pills of 4 grains each.

Dose : 2 to 4 pills.
Indications : Dysmenorrhoea.

68. Hab-ul-Amber. (Kharabadeen-e-Jadeed.)

Take of:

1	Jund Baidasther ..	¾ tola.
2	Mishkh	1/6 ,,
3	Amber	5/12 ,,
4	Jadvar Khathayee.	½ ,,
5	Safron	¼ ,,
6	Honey	Quantity sufficient.

Boil No. 1 in 4 oz. of Arkh-e-Gulab to soften it. Nos. 4 and 5 are to be ground in a mortar with Arkh-e-Gulab and finally mixed with No. 1. Add Nos. 2 and 3 gradually to the paste and grind well. Honey quantity sufficient may be added to facilitate the grinding. Make 2 grains pills.

Dose: 1 to 3 pills with water.

Indications: Colds, coughs, pneumonia, etc., in children.

69. Hab-ul-Javahir Kafoori. (Kharabadeen-e-Jadeed.)

Take of:

1	Sath-e-Silajeeth ..	1 tola
2	Mervareed ..	1 ,,
3	Mishk ..	1 ,,
4	Amber ..	1 ,,
5	Jowher-e-Loban" ..	1 ,,
6	Verkh-e-Nukhra ..	1 ,,
7	Verkh-e-Thila ..	1 ,,
8	Saffron ..	1 ,,
9	Kafoor Khaisori ..	1 ,,
10	Abraisham ..	1 ,,

Grind No. 2 in a mortar with rose water and preserve. Take the decoction of No. 10. Powder rest of the drugs and mix well. Make 2 grain pills.

Dose: 1 to 2 pills, B.D. with honey.
Indications: Bronchitis, pneumonia, and general weakness.

SECTION V.

70. Halva-e-Baiza-e-Murgh. (Kharabadeen-e-Jadeed.)

Take of:

1	Yolk of eggs (Hen's)	20 Nos.
2	Jozbuva	½ tola.
3	Bisbasa	½ ,,
4	Saffron	⅛ ,,
5	Miskh	⅛ ,,
6	Sugar candy ..	15 palams.

Put eggs in boiling water for 10 minutes and when cooled peal off shell. Make the yolk into a powdery mass by beating with fork. Make fine powder of Nos. 2, 3, 4 and 5 each separately. Boil No. 6 with water to consistency. Add the khivam and the powders to the pulverised egg. Mix well.

Dose: 2 to 5 tolas, twice a day.
Indications: Impotency, sexual weakness, gives strength, improves blood condition.

71. Halva-e-Gajar. (Kharabadeen-e-Jadeed.)

Take of:

1	Gajar	10 palams.
2	Milk	30 oz.
3	Ghee	10 tolas.

Take of—*cont.*

4	Sugar	10 palams.
5	Maghz-e-Chalghoza.	½ tola.
6	Maghz-e-Akhrote..	½ ,,
7	Maghz-e-Findakh.	½ ,,
8	Maghz-e-Badam Shereen. ..	½ ,,
9	Maghz-e-Narjeel ..	½ ,,
10	Maghz-e-Pistha ..	½ ,,
11	Maghz-e-Chironji.	½ ,,

Boil No. 1 No. 2 till it becomes soft. Grind Nos. 5 to 11 in a grinding stone to a soft mass with No. 1. Prepare the Khivam of No. 4 and add the above mass and finally add No. 3 when warm.

Dose : 1 to 2 tolas, twice a day.

Indications : Neurosis of sexual origin, premature senility—aphrodisiac.

72. Halva-e-Salab. (Kharabadeen-e-Jadeed.)

Take of :

1	Chal-e-Palas ..	40 palams.
2	Samagh-e-Arabi ..	5 ,,
3	Dana-e-Heel ..	1 palam.
4	Jaiphal	1 tola.
5	Bisbasa	1 ,,
6	Kharanfal ..	1 ,,
7	Masthagi	1 ,,
8	Karvia	1 ,,
9	Shazeera	1 ,,
10	Darchini	1 ,,
11	Sumbul-atheeb ..	1 ,,
12	Sazij-e-Hindi ..	1 ,,
13	Berg-e-Babool ..	5 palams.

Take of—*cont.*

14 Gul-e-Tharvar	..	5	palams.
15 Salab Misri	..	5	,,
16 Ghee ..	..	10	,,
17 Sugar candy	..	80	,,
18 Honey ..	..	40	,,

Take the decoction of No. 1 and make fine powder of Nos. 2 to 15. To the decoction of No. 1, add Nos. 17 and 18 and boil to consistency. Add all the powders, mix well and finally add No. 16.

Dose: 1 to 2 tolas, twice a day.

Indications: Premature ejaculation, leucorrhoea, impotency.

SECTION VI.

73. Ithrifal-e-Afthimoon. (Hospital Pharmacopœia.)

Take of:

1 Posth-e-Haleel-e-Kabuli.		2	tolas.
2 Posth-e-Baleela	..	2	,,
3 Amila ..	..	2	,,
4 Berg-e-Sana	..	1	tola.
5 Turbed Sufeed	..	1	,,
6 Afthimoon	..	1	,,
7 Sheethraj Hindi	..	½	,,
8 Bisfa-ej ..	..	¼	,,
9 Aneesoon ..	..	½	,,
10 Namak-e-Hindi	..	½	,,
11 Honey ..	..	11	palams.

Make fine powder of Nos. 1 to 9 in a pounder. Powder No. 10. Prepare the Khivam of No. 11, add all the powders, mix well and preserve.

Dose : ½ to 1 tola.

Indications : Diseases due to souda, anxiety states, dermatitis, hypopyon ulcers, pruritus, urticaria., etc.

74. Ithrifal-e-Afthimoon Mushil. (Maghzan-ul-Murakabath.)

Take of :

1	Namak-e-Hindi	..	¾ tola.
2	Afthimoon	..	1½ tolas.
3	Ghareekhoon	..	1½ ,,
4	Gauzuban	..	1½ ,,
5	Badranjaboya	..	1½ ,,
6	Gul-e-Surkh	..	1½ ,,
7	Posth-e-Haleel-e-Kabuli.		2 ,,
8	Posth-e-Haleel-e-Zerd.		2 ,,
9	Haleela-e-Siyah	..	2 ,,
10	Posth-e-Baleela	..	2 ,,
11	Usthakudus	..	2 ,,
12	Amila ..	..	2 ,,
13	Bisfa-ej ..	..	2 ,,
14	Turbud Sufeed	..	3 ,,
15	Sakhmonia	..	2 ,,
16	Honey ..	..	25 palams.

Make fine powder of Nos. 2 to 14 in a mortar. Make fine powder of Nos. 1 and 15 each separately. Prepare the Khivam of No. 16, add all the powders and mix well.

Dose : ½ to 1 tola.

Indications : Hysteria, insanity.

75. Ithrifal-e-Ghududi. (Kharabadeen-e-Jadeed.)

Take of:

1	Haleel-e-Siyah ..	1½ tolas.
2	Posth-e-Baleela ..	3½ ,,
3	Amila	3½ ,,
4	Turbud Sufeed ..	3½ ,,
5	Afthimoon ..	5 ,,
6	Bisfa-ej	2½ ,,
7	Usthakhudus ..	2½ ,,
8	Ghudud-e-Gardan-e-Gosfund (dry).	2½ ,,
9	Ghareekhoon ..	1½ ,,
10	Zaranbad	1½ ,,
11	Masthagi	1 tola.
12	Sheethraj	1½ tolas.
13	Noushader ..	1 tola.
14	Anisoon	1 ,,
15	Khurfa	1 ,,
16	Sumbul-atheeb ..	1 ,,
17	Kharanfal ..	1 ,,
18	Jozbuva	1 ,,
19	Ilachi	1 ,,
20	Honey	40 palams.

Make fine powder of Nos. 1 to 19. Prepare the Khivam of No. 20, add all the powders and mix well.

Dose: ½ to 1 tola.

Indications: Tonsillitis, pharyngitis and other throat affections.

76. Ithrifal-e-Kabir. (Kharabadeen-e-Jadeed.)

Take of :

1	Haleela-e-Siyah ..	$1\frac{1}{2}$ tolas.
2	Posth-e-Haleel-e-Kabuli.	$1\frac{1}{2}$,,
3	Posth-e-Baleela ..	$1\frac{1}{2}$,,
4	Amila	$1\frac{1}{2}$,,
5	Filfil-e-Daraz ..	$1\frac{1}{2}$,,
6	Filfil-e-Siyah ..	$1\frac{1}{2}$,,
7	Zanjabeel ..	$\frac{3}{4}$ tola.
8	Bisbasa	$\frac{3}{4}$,,
9	Bozidan	$\frac{3}{4}$,,
10	Shakhakhil Misri.	$\frac{3}{4}$,,
11	Todri-e-Surkh ..	$\frac{3}{4}$,,
12	Todri-e-Zerd ..	$\frac{3}{4}$,,
13	Inderjou Shereen	$\frac{3}{4}$,,
14	Bahman Surkh ..	$\frac{3}{4}$,,
15	Bahman Sufeed ..	$\frac{3}{4}$,,
16	Kunjad	$\frac{3}{4}$,,
17	Khash-Khash Sufeed.	$\frac{3}{4}$,,
18	Maghz-e-Anardana.	$\frac{3}{4}$,,
19	Turanjabeen ..	10 tolas.
20	Honey	30 ,,

Make fine powder of Nos. 1 to 15 and grind Nos. 16 to 19 to a paste with some water. Prepare the Khivam of No. 20 with the addition of the paste. Finally add all the powders and mix well.

Dose : $\frac{1}{2}$ to 1 tola at bed time.

Indications : In conditions of balgham, nervous debility, dyspepsia, night blindness.

77. Ithrifal-e-Kishneez. (Kharabadeen-e-Jadeed.)

Take of :

1	Posth-e-Haleel-e-Kabuli.	3 tolas.
2	Posth-e-Haleel-e-zard.	2 ,,
3	Haleel-e-siyah ..	2 ,,
4	Posth-e-Baleela ..	2 ,,
5	Kishneez	10 ,,
6	Amila	2 ,,
7	Ghee	5 ,,
8	Honey	21 ,,

Make fine powder of Nos. 2, 5 and 6. Powder Nos. 3 and 4 after roasting in No. 7. Prepare the Khivam of No. 8, add all the powders and mix well.

Dose : ½ to 1 tola.

Indications : Spermatorrhoea, premature ejaculation, gleet, otitis media.

78. Ithrifal-e-Mukil. (Kharabadeen-e-Jadeed.)

Take of :

1	Haleel-e-Siyah ..	1 tola.
2	Badiyan	1 ,,
3	Kishneez	2 tolas.
4	Amila	2 ,,
5	Mukhil	5 ,,
6	Honey	15 palams.

Make fine powder of Nos. 1 to 4 and grind No. 5 in a stone mortar. Prepare the Khivam of No. 6, add all the powders and mix well.

Dose : ½ to 1 tola.

Indications : Haemorrhoids and Pruritus Ani.

79. Ithrifal-e-Mulaiyan. (Kharabadeen-e-Jadeed.)

Take of:

1	Posth-e-Haleel-e-Kabuli.	1½ tolas.
2	Posth-e-Baleela ..	1½ ,,
3	Haleel-e-Siyah ..	1½ ,,
4	Amila	1½ ,,
5	Turbud Sufeed ..	1½ ,,
6	Raivend-Chini ..	2 ,,
7	Badiyan	4 ,,
8	Masthagi	1 ,,
9	Usthakhudus ..	2 ,,
10	Sakhmonia ..	4 ,,
11	Honey	30 palams.

Make fine powder of Nos. 1 to 7 and 9. Powder Nos. 8 and 10 separately. Prepare the Khivam of No. 11, add all powders and mix well.

Dose: ½ to 1 tola at bed time with milk.

Indications: Constipation, chronic headache, vertigo, etc.

80. Ithrifal-e-Razianaj. (Kharabadeen-e-Azam.)

Take of:

1	Posth-e-Haleel-e-Zard.	1 tola.
2	Posth-e-Haleel-e-Kabuli.	1 ,,
3	Posth-e-Baleela ..	1 ,,
4	Amila	1 ,,
5	Kishneez	1 ,,
6	Gul-e-Surkh ..	1 ,,

Take of—*cont.*

7	Suather Farsi	..	1 tola.
8	Maghz-e-Badam	..	2½ tolas.
9	Badiyan ..	..	2½ ,,
10	Honey ..	..	15 palams.

Make fine powder of Nos. 1 to 7 and 9, grind No. 8 in a grinding stone to a paste. Prepare the Khivam of No. 10 with the addition of No. 8, add all the powders, mix well and preserve.

Dose : ½ to 1 tola, two times a day.
Indications : Nervous debility and chronic headaches.

81. Ithrifal-e-Sagheer. (Kharabadeen-e-Jadeed.)

Take of :

1	Posth-e-Haleel-e-Zerd.		3 tolas.
2	Posth-e-Baleela	..	3 ,,
3	Haleel-e-Siyah	..	3 ,,
4	Posth-e-Haleel-e-Kabuli.		3 ,,
5	Amila ..	..	3 ,,
6	Ghee ..	..	5 ,,
7	Honey ..	..	15 palams.

Make fine powder of Nos. 1 to 5. (Powder No. 3 after roasting in No. 6.) Prepare the Khivam of No. 7, add all the powders and mix well.

Dose : ½ to 1 tola, twice a day.

Indications : Nervous debility, neurasthenia, loss of memory and haemorrhoids.

82. Ithrifal-e-Shathra. (Kharabadeen-e-Jadeed.)

Take of :

1	Posth-e-Haleel-e-Zard.	4 tolas.
2	Posth-e-Baleela	2 ,,
3	Amila	2 ,,
4	Posth-e-Haleel-e-Kabuli.	3 ,,
5	Berg-e-Sana	1 tola.
6	Gul-e-Surkh	1 ,,
7	Shathra	5 tolas.
8	Kishmish	1 tola.
9	Honey	18 palams.

Make fine powder of Nos. 1 to 7, grind No. 8 to a smooth paste. Prepare the Khivam of No. 9, add paste of No. 8, and all the powders, mix well.

Dose : ½ to 1 tola.
Indications : Dementia praecox, debility. angio-neurotic oedema skin diseases, etc.

83. Ithrifal-e-Usthakhudus. (Kharabadeen e-Jadeed.)

Take of :

1	Posth-e-Haleel-e-Zard.	1 tola.
2	Posth-e-Haleel-e-Kabuli.	1 ,,
3	Haleel-ē-Siyah	1 ,,
4	Amila	1 ,,
5	Berg-e-Sana	1 ,,
6	Turbud Sufeed	1 ,,
7	Bisfa-ej	1 ,,
8	Usthakhudus	1 ,,

Take of—*cont.*

9	Masthagi	1 tola.
10	Afthimoon ..	1 ,,
11	Munakkha ..	1 ,,
12	Roghan-e-Badam	2½ tolas.
13	Honey	11 palams.

Make fine powder of Nos. 1 to 10 and grind No. 11 to a soft paste. (Powder No. 3 after roasting in No. 12.) Prepare the Khivam of No. 13 with the addition of No. 11, add all the powders and mix well.

Dose : ½ to 1 tola, twice a day.

Indications: Premature grey hairs, anorexia and alopecia areata.

84. Ithrifal-e-Zamani. (Kharabadeen-e-Jadeed.)

Take of :

1	Posth-e-Haleel-e-Kabuli.	1 tola.
2	Haleel-e-Siyah ..	1 ,,
3	Posth-e-Haleel-e-Zard.	1 ,,
4	Turbud Sufeed ..	2 tolas.
5	Kishneez	2 ,,
6	Posth-e-Baleela ..	½ tola.
7	Amila	½ ,,
8	Gul-e-Surkh ..	½ ,,
9	Thabasheer ..	½ ,,
10	Gul-e-Neelofer ..	½ ,,
11	Sandal-e-Sufeed ..	¼ ,,
12	Katheera	¼ ,,
13	Roghan-e-Badam ..	3 tolas.

Take of—*cont.*

14	Gul-e-Banafsha ..	1 tola.
15	Sakhmonia ..	1 ,,
16	Honey	15 palams.

Make fine powder of Nos. 1 to 15, each separately, powder No. 2 after roasting in No. 13. Prepare the Khivam of No. 16, add all the powders, mix well and preserve.

Dose : ½ to 1 tola.

Indications : Chronic constipation, otitis media, coryza, conjunctivitis, neuralgia, quinsy, trachoma, corneal inflammation.

SECTION VII.

JAVARISH.

Javarish usually acts on the stomach and intestines. Powders for preparing *Javarish* need not be very fine.

85. Javarish-e-Amila-Lulavi. (Maghzan-ul-Murakabath.)

Take of :

1	Sheer-e-Amila Sabz.	20 tolas.
2	Thabasheer ..	1 tola.
3	Samakh	1 ,,
4	Zarishk	1 ,,
5	Gul-e-Gauzuban ..	2½ tolas.
6	Gul-e-Surkh ..	1 tola.
7	Badranjaboya ..	1 ,,
8	Posth-e-Bairoon-e-Pistha.	1 ,,
9	Kishneez	2 tolas.
10	Tukhm-e-Khurfa.	2 ,,
11	Mervareed ..	¼ tola.

Take of—*cont.*

12	Amber ..	..	1/6 tola.
13	Varkh-e-Nukhra ..		1/6 ,,
14	Varkhe-Thila	..	1/6 ,,
15	Murabba-e-Bihi	..	15 tolas.
16	Sugar ..	..	25 palams.

Powder Nos. 3 and 5 to 10 in a pounder. Grind Nos. 2, 4, 11 and 15 to a smooth paste by adding rose water wherever necessary and dry to powder. Dissolve No. 16 in No. 1, and add Nos. 4, 12 and 15 and boil to consistency. Add the powders and mix thoroughly. Finally add Nos. 13 and 14, mix well and preserve.

Dose: 1/4 to 1/2 tola, two or three times a day.

Indications: Hepatic diarrhoeas, malnutrition, anaemia and sprue.

86. Javarish-e-Amila Sada. (Kharabadeen-e-Jadeed.)

Take of:

1	Amila ..	..	10 tolas.
2	Kishneez ..	..	1/2 tola.
3	Gul-e-Surkh	..	1/2 ,,
4	Sadaf Sokhtha	..	1/2 ,,
5	Masthagi ..	..	1/4 ,,
6	Thabasheer	..	1/4 ,,
7	Ilachi Sabz	..	1/4 ,,
8	Samakh ..	..	1/4 ,,
9	Nakahood Hindi		1/4 ,,
10	Lemon juice	..	4 oz.
11	Sugarcandy	..	17 palams.

Powder Nos. 1 to 3, 7 and 8 in a pounder. Grind Nos. 4, 5 and 6 in a stone mortar to a fine

powder. Prepare the Khivam of Nos. 10 and 11, add all the powders, mix well and preserve.

Dose : ½ to 1 tola, two to three times a day.
Indications : Diarrhoea, anaemia, dyspepsia and sprue.

87. Javarish-e-Anarain. (Kharabadeen-e-Jadeed.)

Take of :

1	Anar Sheereen (juice).	8 oz.
2	Anar thursh (juice).	8 ,,
3	Pudina Sabz (juice).	4 ,,
4	Arkh-e-Gulab ..	4 ,,
5	Sumbulatheeb ..	½ tola.
6	Masthagi	½ ,,
7	Posth-e-Turanj ..	¼ ,,
8	Posth-e-Bairoon-e-Pistha.	¼ ,,
9	Dana-e-Ilachi Khurd.	¼ ,,
10	Sugar	20 palams.

Powder Nos. 5 to 9 in a pounder. Prepare the Khivam of No. 10 adding Nos. 1 to 4, add all the powders and mix well.

Dose : ½ to 1 tola, twice a day.
Indications : Liver abscess, cirrhosis of the liver, chronic jaundice, etc.

88. Javarish-e-Filafali. (Kharabadeen-e-Jadeed.)

Take of :

1	Filfil-e-Siyah ..	1½ tolas.
2	Filfil-e-Sufeed ..	1½ ,,
3	Dar-e-filfil ..	1½ ,,
4	Zanjabeel ..	½ tola.

Take of—*cont.*

5	Karfas ..	..	½ tola.
6	Taj ..	..	½ ,,
7	Tukhm-e-Anjadan		½ ,,
8	Tugar ..	..	½ ,,
9	Tukhm-e-Rasan ..		½ ,,
10	Sugarcandy	..	8 palams.
11	Honey ..	..	16 ,,

Powder Nos. 1 to 9 in a pounder. Prepare the Khivam of No. 10 with the addition of No. 11, add all the powders and mix well.

Dose : ¼ to ½ tola, twice a day.

Indications : Dyspepsia, meteorism, constipation, flatulence, heatburn in pregnancy.

89. Javarish-e-Jalinoos. (Kharabadeen-e-Jadeed.)

Take of :

1	Sumbulatheeb	..	2 tolas.
2	Kharanfal	..	2 ,,
3	Khakhila	..	2 ,,
4	Saleekha ..	..	2 ,,
5	Darchini ..	..	2 ,,
6	Khulanjan	..	2 ,,
7	Saad Kufi	..	2 ,,
8	Zanjabeel	..	2 ,,
9	Filfil-e-Siyah	..	2 ,,
10	Dar-e-filfil..	..	2 ,,
11	Khusth-e-Bahri	..	2 ,,
12	Ood-e-Balsan	.	2
13	Asaroon ..	..	2 ,,
14	Tukhm-e-Morid	..	2 ,,
15	Chara-e-tha	.	2 ,,
16	Masthagi ..	.	1 tola.

Take of—*cont.*

17 Safron	.. ..	2 tolas.
18 Honey	.. ..	40 palams.

Powder Nos. 1 to 17 in a pounder. Prepare the Khivam of No. 18, add all the powders and mix well.

Dose: ½ to 1 tola, two times a day.
Indications: Rhinitis, coryza and obesity.

90. Javarish-e-Kamoon Kabir. (Kharabadeen-e-Jadeed.)

Take of:

1 Zeer-e-Sufeed	..	15 tolas.
2 Filfil-e-Sufeed	..	2 ,,
3 Filfil-e-Siyah	..	2 ,,
4 Berg-e-Sudab	..	4½ ,,
5 Darchini ..	..	1½ ,,
6 Burada-e-Surkh ..		1½ ,,
7 Murabba-e-Adrak		12 ,,
8 Murabba-e-Haleel e-Kabuli.		18 ,,
9 Gul-Khand	..	30 ,,
10 Sugarcandy	..	20 ,,
11 Honey ..	..	10 ,,

Powder Nos. 1 to 6 in a pounder. Grind Nos. 7 to 9 to a smooth paste. Prepare the Khivam of No. 10 with the addition of No. 11, add all the powders and mix well.

Dose: ½ to 1 tola, twice a day.
Indications: Diarrhoea, dyspepsia and gastro-intestinal disorders caused by Balgham and Safra.

91. Javarish-e-Kamoon Sada. (Kharabadeen-e-Jadeed.)

Take of :

1 Zeer-e-Kirmani	..	14 tolas.
2 Berg-e-Sudab	..	6 ,,
3 Zanjabeel	..	6 ,,
4 Filfil-e-Siyah	..	4 ,,
5 Sugar ..	..	30 palams.

Powder Nos. 1 to 4 in a pounder. Prepare the Khivam of No. 5, add all the powders and mix well.

Dose : ½ to 1 tola, twice a day.
Indications : Anorexia, dyspepsia and chronic constipation.

92. Javarish-e-Kunder. (Maghzan-ul-Murakabath.)

Take of :

1 Darchini	..	..	½ tola.
2 Kunder	..	..	¾ ,,
3 Kulanjan	..	..	¾ ,,
4 Khurfa	..	..	¾ ,,
5 Dana-e-Ilachi Khurd			1¼ tolas.
6 Khranfal	..	..	1½ ,,
7 Jozbuva	..	..	1½ ,,
8 Bisbasa	..	..	1½ ,,
9 Kaheruba	..	..	1½ ,,
10 Balchar	..	..	1½ ,,
11 Masthagi	..	..	1¾ ,,
12 Honey	..	..	15 palams.

Powder Nos. 1 to 11 each separately. Prepare the Khivam of No. 12, add all the powders and mix well.

Dose : ½ to ¾ tola, twice a day.
Indications : Enuresis (nocturnal in children), incontinence of urine and diabetes insipidus.

93. Javarish-e-Masthagi Sada. (Kharabadeen-e-Jadeed.)

Take of:

1 Masthagi ..	..	2 tolas.
2 Arakh-e-Gulab	..	6 oz.
3 Sugar ..	..	6 tolas.

Powder No. 1, prepare the Khivam of No. 3 with the addition of No. 2, add the powder and mix well.

Dose: ¼ to ½ tola, twice a day.
Indications: Dyspepsia, biliousness, etc.

94. Javarish-e-Ood-e-Sheereen. (Kharabadeen-e-Jadeed.)

Take of:

1 Asaroon ..	..	½ tola.
2 Safron ..	..	½ ,,
3 Ood-e-Hindi	..	1½ tolas.
4 Darchini ..	..	1½ ,,
5 Jozbuva ..	..	1½ ,,
6 Khurfa ..	..	1½ ,,
7 Ilachi Khurd	..	1½ ,,
8 Kharanfal	..	1½ ,,
9 Khulanjan	..	1½ ,,
10 Dar-e-filfil..	..	1½ ,,
11 Sugarcandy	..	4 palams.
12 Honey ..	..	10 ,,

Powder Nos. 1 to 10 in a pounder. Prepare the Khivam of No. 11 with the addition of No. 12, add all the powders and mix well.

Dose: ¼ to ½ tola, twice a day.
Indications: Chronic constipation, sluggishness of the liver, etc.

95. Javarish-e-Ood-e-Thursh. (Kharabadeen-e-Jadeed.)

Take of:

1	Sumbulatheeb ..	1 tola.
2	Khakhila-e-Siphar	1 ,,
3	Safron	1 ,,
4	Posth-e-uthraj ..	1 ,,
5	Kharanfal ..	1 ,,
6	Darchini	1 ,,
7	Badranjaboya ..	1 ,,
8	Masthagi	1 ,,
9	Thabasheer ..	1 ,,
10	Ood-e-Hindi ..	$1\frac{3}{4}$ tolas.
11	Murabb-e-Seb ..	7 ,,
12	Arkh-e-Gulab ..	9 ,,
13	Sugarcandy ..	24 palams.
14	Honey	6 ,,
15	Lemon juice ..	6 ,,

Powder Nos. 1 to 10. Grind No. 11 to a fine paste. Mix Nos. 12 to 15 and boil to consistency with the addition of No. 11. Add all the powders and mix well.

Dose: $\frac{1}{2}$ to 1 tola, twice a day.
Indications: Dyspepsia, meteorism, flatulence and fermentative diarrhoeas.

96. Javarish-e-Sanghdana-e-Murgh. (Kharabadeen-e-Azam.)

Take of:

1	Sanghdana-e-Murgh	3 tolas.
2	Thabasheer ..	3 ,,
3	Pudina Khuskh ..	$1\frac{1}{2}$,,
4	Posth-e-Bairoon-e-Pistha.	$1\frac{1}{2}$,,

Take of—*cont.*

5	Posth-e-Turanj ..	$1\frac{1}{2}$ tolas.
6	Posth-e-Haleel-e-Zerd.	$1\frac{1}{2}$,,
7	Gul-e-Surkh ..	2 ,,
8	Bahman-e-Sufeed	2 ,,
9	Bahman-e-Surkh	2 ,,
10	Sandal-e-Surk ..	2 ,,
11	Sandal-e-Sufeed ..	2 ,,
12	Suather	2 ,,
13	Kishneez	2 ,,
14	Habbul Aas ..	2 ,,
15	Honey	28 palams.

Make fine powder of Nos. 1 to 14, each separately. Prepare the Khivam of No. 15, add all the powders and mix well.

Dose: $\frac{1}{2}$ to 1 tola, twice a day.
Indications: Sprue, chronic diarrhoeas, etc.

97. Javarish-e-Safarjali Mushil. (Kharabadeen-e-Jadeed.)

Take of:

1	Safarjal	8 palams.
2	Ilachi Khurd ..	3 tolas.
3	Ilachi Kalan ..	3 ,,
4	Thurbud Sufeed ..	$1\frac{1}{2}$,,
5	Zanjabeel ..	$1\frac{1}{2}$,,
6	Safron	$1\frac{1}{2}$,,
7	Masthagi	2 ,,
8	Sakhmonia ..	2 ,,
9	Sugar	40 ,,

Powder Nos. 2 to 8, each separately in a mortar. Grind No. 1 to a smooth paste.

Prepare the Khivam of No. 9 with the addition of No. 1, add all the powders and mix well.

Dose: ½ tola at bed time.
Indications: Colitis, chronic jaundice, dyspepsia, etc.

98. Javarish-e-Thabasheer. (Kharabadeen-e-Jadeed.)

Take of:

1	Gul-e-Surkh	..	3 tolas.
2	Thabasheer	..	3 ,,
3	Sandal-e-Sufeed	..	3 ,,
4	Kishneez ..	..	3 ,,
5	Amila ..	..	3 ,,
6	Habbul Aas	..	1½ ,,
7	Posth-e-uthraj	..	1½ ,,
8	Posth-e-Semakh	..	1½ ,,
9	Masthagi ..	..	1½ ,,
10	Kafoor Khaisuri	..	⅓ tola.
11	Murabba-Bihi	..	21 palams.
12	Sugarcandy	..	21 ,,

Make fine powder of Nos. 1 to 10, each separately. Grind No. 11 to a smooth paste. Prepare the Khivam of No. 12 with the addition of No. 11, add all the powders and mix well.

Dose: ½ a tola, twice a day.
Indications: Anorexia, vertigo, dyspepsia, bilious vomiting, etc.

99. Javarish-e-Zer-uni. (Kharabadeen-e-Jadeed.)

Take of:

1	Tukhm-e-Gajar	..	3 tolas.
2	Tukhm-e-Karfas		3 ,,

Take of—*cont.*

3	Tukhm-e-Ispisth ..	3 tolas.
4	Nankha	3 ,,
5	Badiyan	3 ,,
6	Maghz-e-Kharbuza	3 ,,
7	Maghz-e-Thukhm-e-Khyar.	3 ,,
8	Posth-e-Beekh-e-Karfas.	3 ,,
9	Akherkherha ..	1 tola.
10	Tej Khalmi ..	1 ,,
11	Safron	1 ,,
12	Masthagi	1 ,,
13	Ood-e-Kham ..	1 ,,
14	Bisbasa	1½ tolas.
15	Kharanfal ..	1½ ,,
16	Kababchini ..	1½ ,,
17	Filfil-e-Siyah ..	1½ ,,
18	Sugarcandy ..	12 palams.
19	Honey	24 ,,

Powder Nos. 1 to 5 and 8 to 17 separately. Grind Nos. 6 and 7 to a fine paste. Mix Nos. 18 and 19 and boil to consistency with the paste. Add all the powders and mix well.

Dose: ½ to 1 tola twice a day.
Indications: Renal colic, lumbago, myalgia, etc.

SECTION VIII.

JOWHER.

'*Jowher*' means the essence of a substance. It may be a sublimate or a distillate as the case may be. It is procured by first converting a liquid into a vapour by boiling and condensing

the same by cooling in another vessel, called 'receiver'. *Jowher* is also obtained by first vaporising a solid by heat, which is then condensed as a deposit on the surface of another vessel, 'en masse'.

The simple method of obtaining *Jowher* from a substance is to place it in a mud-pot with a very narrow mouth and to cover it with the mouth of a similar pot (inverted pot) the gap being closed with flour-paste. The mud-pot containing the substance is heated on a oven by mild fire. In order to condense the vapour issuing out, 4 layers of wet cloth are placed over the upper pot, care being taken to see that the clothes are always kept moist. Continuous heat should be applied for 6 to 8 hours after which the pot is allowed to cool down gradually. Finally when the upper pot is removed, it will be seen that *Jowher* is deposited inside the pot which should then be collected and preserved.

Small distillating apparatus may be used to prepare *Jowher* of small quantities of liquids.

100. Jowher-e-Shafa. (Kharabadeen-e-Jadeed.)

Take of:

1 Kafoor (Camphor)	1	tola.
2 Thymol	1	,,
3 Menthol	1	,,

Mix Nos. 1 to 3 in a glass-stoppered bottle and keep it in the Sun for some time. The contents will melt into a liquid.

For external use only.

Indications: Rheumatism, sciatica, neuralgia, gout and lumbago.

SECTION IX.

KHAMEERA.

This preparation is similar to the method of preparing '*Majoon*'. In preparing '*Khameera*' some drugs are finely powdered and the decoction alone of other drugs is taken for the purpose. Sugar is added to this decoction and is boiled to a high consistency. Finally the powders are added and the entire mixture is stirred well.

In case, minerals and '*Jawahirath*' like Amber, Musk, etc., are added, they should be first mixed with honey and added before stirring up the mixture.

The decoction is taken by soaking the drugs in the liquids for a night and boiling down next morning to half the quantity. The decoction is filtered and taken.

101. Khameer-e-Abraisham Bajawahir.

(Kharabadeen-e-Jadeed.)

Take of:

1 Abraisham	..	42	tolas.
2 Ood-e-Gharkhi	..	½	tola.
3 Sambul-e-theeb	..	½	"
4 Posth-e-Thuranj	..	½	"
5 Masthagi ..	..	½	"
6 Kharanfal	..	½	"
7 Dana-e-Ilachi	..	½	"

Take of—*cont.*

8	Sazij-e-Hindi ..	½ tola.
9	Sandal-e-Sufeed ..	½ ,,
10	Arkh-e-Gauzuban .	5 oz.
11	Arkh-e-Baid-e-Miskh.	5 ,,
12	Arkh-e-Gulab ..	5 ,,
13	Aab-e-Saib ..	5 ,,
14	Aab-e-Anar Sheereen.	5 ,,
15	Aab-e-Baran ..	5 ,,
16	Murabb-e-Bihi ..	5 ,,
17	Amber	½ tola.
18	Arkh-e-Neelofer ..	5 oz.
19	Varkh-e-Nukhra.	40 leaves.
20	Varkh-e-Thila ..	40 ,,
21	Mervareed ..	½ tola.
22	Yakhooth ..	¼ ,,
23	Yashab	¼ ,,
24	Kaheruba ..	½ ,,
25	Marjan	½ ,,
26	Mishk	¼ ,,
27	Safran	½ ,,
28	Honey	35 palams.

Make fine powder of Nos. 2 to 9 and 27 each separately. Grind Nos. 21 to 25, 10 to 14, 16 to 18 and 26 in a stone mortar. Soak for a night in No. 15, boil and take the decoction. To this decoction, add Nos. 16 and 28 and boil to consistency, add all the powders and mix well. Finally add Nos. 19 and 20 and mix well.

Dose : ¼ to ½ tola, two or three times a day.

Indications : Congestive heart failure, myocardial degeneration, cardiac dropsy, etc.

102. Khameer-e-Abraisham Sada. (Kharabadeen-e-Jadeed.)

Take of :

1	Abraisham	..	42 tolas.
2	Ood-e-Gharkhi	..	½ tola.
3	Sumbulatheeb	..	½ ,,
4	Posth-e-Thuranj	..	½ ,,
5	Masthagi ..	..	½ ,,
6	Kharanfal	..	½ ,,
7	Dan-e-heel	..	½ ,,
8	Sazij-e-Hindi	..	½ ,,
9	Sandal-e-Sufeed	..	½ ,,
10	Arkh-e-Gauzuban		5 oz.
11	Arkh-e-Gulab	..	5 ,,
12	Aab-e- Saib	..	5 ,,
13	Aab-e-Bihi	..	5 ,,
14	Aab-e-Anar	..	5 ,,
15	Aab-e-Baran	..	5 ,,
16	Honey ..	..	10 palams.
17	Sugarcandy	..	30 ,,

Soak No. 1 in a mixture of Nos. 10, 11 and 15 over night and take its decoction by boiling. To this add Nos. 12 to 14 (fresh juice) and Nos. 16 and 17 and boil to consistency. Powder Nos. 2 to 9 in a pounder—each separately, add all the powders to the Khivam and mix well.

Dose : ½ to 1 tola, two or three times a day.
Indications : Ascites, general anasarca, retention of urine and nervous debility.

103. Khameer-e-Ambari Bajawahir. (Kharabadeen-e-Jadeed.)

Take of :

1	Gauzuban	..	3 tolas.
2	Gul-e-Gauzuban	..	1 tola.

Take of—*cont.*

3	Abraisham ..	1 tola.
4	Kishneez	1 ,,
5	Sandal-e-Sufeed ..	1 ,,
6	Bahman-e-Sufeed.	1 ,,
7	Bahman-e-Surkh.	1 ,,
8	Badranjaboya ..	1 ,,
9	Usthakhudus ..	1 ,,
10	Tukhm-e-Balangu.	1 ,,
11	Tukhm-e-Faranja Miskh.	1 ,,
12	Toodri Sufeed ..	1 ,,
13	Toodri Surkh ..	1 ,,
14	Amber	$\frac{1}{8}$,,
15	Verkh-e-Nukhra ..	$\frac{1}{4}$,,
16	Verkh-e-Thila ..	$\frac{1}{8}$,,
17	Mervareed ..	$\frac{1}{4}$,,
18	Yakhooth ..	$\frac{1}{4}$,,
19	Zamrud	$\frac{1}{4}$,,
20	Kaheruba ..	$\frac{1}{4}$,,
21	Yashab	$\frac{1}{4}$,,
22	Arkh-e-Gulab ..	Quantity sufficient.
23	Honey	20 palams.

Powder Nos. 1 to 13 except No. 3, and prepare decoction. To this add No. 23 and boil it to consistency. Grind Nos. 14 and 17 to 21 with the addition of No. 22 in a mortar. Add all the powders to the Khivam, mix well and finally add Nos. 15 and 16.

Dose: $\frac{1}{4}$ to $\frac{1}{2}$ tola, twice a day.

Indications: Loss of memory, nervous debility, neurasthenia, etc.

104. Khameer-e-Banafsha. (Kharabadeen-e-Jadeed.)

Take of :

1	Gul-e-Banafsha ..	10 tolas.
2	Sugar	10 palams.

Take the decoction of No. 1 and after the addition of sugar boil it to consistency.

Dose : 1 to 2 tolas, two times a day.

Indications : Chronic constipation, biliousness, etc.

105. Khameer-e-Gauzuban Sada. (Kharabadeen-e-Jadeed.)

Take of :

1	Berg-e-Gauzuban.	10 tolas.
2	Gul-e-Gauzuban ..	6 ,,
3	Kishneez	2 ,,
4	Abraisham ..	2 ,,
5	Bahman-e-Sufeed	2 ,,
6	Tukhm-e-Balangu	2 ,,
7	Sandal-e-Sufeed ..	2 ,,
8	Tukhm-e-Franja Mishkh.	2 ,,
9	Murabb-e-Bihi ..	5 palams.
10	Sugarcandy ..	22 ,,
11	Honey	11 ,,

Take the decoction of Nos. 1 to 8. Dissolve Nos. 10 and 11 to this and boil to consistency. Grind No. 9 to a smooth paste and add it to the Khivam. Boil again and preserve.

Dose : 1 to 2 tolas, twice a day.

Indications : Insomnia, debility, palpitation of the heart, Neurosis and tachycardia

106. Khameer-e-Mervareed. (Kharabadeen-e-Jadeed.)

Take of :

1	Zaher Mohra ..	2 tolas.
2	Badranjaboya ..	2 ,,
3	Mervareed ..	1 tola.
4	Bahman-e-Surkh	1 ,,
5	Bahman-e-Sufeed	1 ,,
6	Toodri Sufeed ..	1 ,,
7	Toodri Surkh ..	1 ,,
8	Safron	1 ,,
9	Amber	1 ,,
10	Mishk	1 ,,
11	Gul-e-Gauzuban ..	10 tolas.
12	Khurfa	10 ,,
13	Arkh-e-Baidmishk	10 oz.
14	Arkh-e-Gulab ..	10 ,,
15	Sugar	30 palams.

Powder Nos. 2, 4 to 9, 12 and 13 in a pounder. Grind Nos. 1 and 3 with No. 15 in a mortar. Dissolve No. 15 in No. 14 and boil it to consistency. Grind Nos. 10 and 11 with a little Khivam and finally mix the whole thing.

Dose : $\frac{1}{4}$ to $\frac{1}{2}$ tola, twice a day.

Indications : Traumatic shock, fatigue due to mental work, convalescence and senile complaints.

107. Khameer-e-Usthakhudus. (Kharabadeen-e-Azam.)

Take of :

1	Gul-e-Usthakhudus	4 tolas.
2	Gul-e-Gauzuban ..	2 ,,
3	Maghz-e-Chalghoza.	2 ,,

Take of—*cont.*

4 Varkh-e-Nukhra	..	10 Nos.
5 Amber	.. ..	¼ tola.
6 Honey	.. ..	3 palams.

Powder Nos. 1 and 2. Grind No. 3 to a smooth paste. Prepare the Khivam of No. 6 with the addition of No. 3, add the paste of No. 5 and all powders, mix well and finally add No. 4 and mix thoroughly.

Dose : ½ to 1 tola, twice a day.
Indications : Paralysis, infantile paralysis and other nervous diseases.

SECTION X.

KHURS.

Khurs are same as pills, but these are made as tablets, hence the preparation of these are same as pills.

108. Khurs-e-Aylavas. (Kharabadeen-e-Jadeed.)

Take of :

1 Tukhm-e-Karfas	..	2 tolas.
2 Aneesoon	.. ..	2 ,,
3 Gharikhoon	..	2 ,,
4 Darcheeni	..	2 ,,
5 Afsantheen	..	½ tola.
6 Masthagi	.. ..	½ ,,
7 Filfil	.. ..	¼ ,,

Take of—*cont.*

8	Afyun	$\frac{1}{4}$ tola.
9	Junda-be-Dasthar	$\frac{1}{4}$,,
10	Gulab (Arkh) ..	Quantity sufficient.

Grind Nos. 1 to 9 in No. 10 to a smooth mass. Make tablets weighing 3 grains each.

Dose: 1 to 2 tablets, twice a day.
Indications: Mucous colitis, colic.

109. Khurs-e-Aylavas-Deegar. (Kharabadeen-e-Khaderi.)

Take of:

1	Thukhm-e-Karfas.	4 tolas.
2	Aneesoon	4 ,,
3	Afsantheen Roome	$2\frac{1}{2}$,,
4	Sallekha	6 ,,
5	Filfil	$\frac{5}{8}$ tola.
6	Junde-be-Dasthur	$\frac{5}{8}$,,
7	Afyun	$\frac{5}{8}$,,
8	Gulab (Arkh) ..	Quantity sufficient.

Grind Nos. 1 to 7 in No. 8 and make tablets weighing 5 grains each.

Dose: 1 tablet, twice with water.
Indications: Colitis, intestinal colic, etc.

110. Khurs-e-Buzoor. (Kharabadeen-e-Khaderi.)

Take of:

1	Thukhm-e-Raziyanaj.	5 tolas.
2	Aneesoon	5 ,,
3	Nankha	5 ,,
4	Thukhm-e-Karfas	5 ,,
5	Bazr-ul-Banj ..	5 ,,
6	Hub-ul-Aas ..	2 ,,

Take of—*cont.*

7 Afyun	.. ..	¼ tola.
8 Sharab-e-Angoori	..	Quantity sufficient.
9 Honey	.. ..	Do.

Grind Nos. 1 to 7 in No. 8 to a smooth paste—each separately. Mix the paste with No. 9, grind and make tablets weighing 3 grains each.

Dose : 1 pill, three times a day.
Indications : Chronic dysentery and diarrhœa.

111. Khurs-e-Gul. (Kharabadeen-e-Jadeed.)

Take of :

1 Gul-e-Surkh	..	5 tolas.
2 Asal-e-soos	..	5 ,,
3 Thabasheer	..	3 ,,
4 Balchar	.. ..	3 ,,
5 Afsantheen	..	3 ,,
6 Turanjabeen	..	3 ,,
7 Gulab (Arkh)	..	Quantity sufficient.

Powder Nos. 1 to 6 in a pounder and grind with No. 7 to a smooth paste. Make tablets.

Dose : 4 tablets, thrice a day.
Indications : Fevers in general, chronic constipation, etc.

112. Khurs-e-Gulnar. (Kharabadeen-e-Jadeed.)

Take of :

1 Gulnar (dry pomegranate flower).		5 tolas.
2 Gill-e-Armani	..	5 ,,
3 Samagh-e-Arabi	..	5 ,,
4 Gul-e-Surkh	..	4 ,,

Take of—*cont.*

5 Akha-khia	..	4 tolas.
6 Katheera ..	..	3 ,,
7 Aab-e-Gulnar (juice of fresh pomegranate flowers).		Quantity sufficient.

Extract the juice of No. 7 with the addition of water. Powder Nos. 1 to 6 in a pounder and grind the powders with the juice of No. 7. When soft make tablets.

Dose : 4 tablets, two or three times a day.
Indications : Hæmorrhages, hæmetemesis and hæmoptysis.

113. Khurs-e-Humma. (Maghzan-ul-Murakabath.)

Take of :

1 Gul-e-Surkh	..	4 tolas.
2 Agar ..	..	4 ,,
3 Masthagi ..	..	1 tola.
4 Afthimoon ..	..	1 ,,
5 Fukha-e-Azkher	..	1 ,,
6 Sumbulatheeb	..	1 ,,
7 Darchini ..	..	1 ,,

Make fine powder of Nos. 1 to 7—each separately. Grind all the powders with water to a soft paste. Make tablets of 7 grains each.

Dose : 2 to 4 tablets, two or three times a day.
Indications : Fevers, constipation and biliousness.

114. Khurs-e-Kaheruba. (Kharabadeen-e-Jadeed.)

Take of :

1 Kaheruba ..	..	9 tolas.
2 Dammul Akhvain.		7 ,,
3 Samagh-e-Arabi	..	7 ,,

Grind Nos. 1 to 3 one after another with rose water to a smooth paste and make tablets of 7 grains each.

Dose : 1 to 2 tablets, two or three times a day.

Indications : Hæmorrhages particularly in typhoid.

115. Khurs-e-Madani. (Hospital Pharmacopœia.)

Take of :

1	Thabasheer	..	1 tola.
2	Sath-e-Gulu	..	1 ,,
3	Dana-e-Ilachi Sabz.		1 ,,
4	Zaher Mohra Khatayee.		1 ,,
5	Cinchona bark	..	¼ ,,
6	Kafoor-e-Khaisoori.		½ ,,

Make fine powder of Nos. 1 to 6 separately and grind the powder with the juice of Isphaghol to a smooth paste. Make tablets of 7 grains each.

Dose : 2 to 4 tablets, two or three times a day.

Indications : Fevers—malaria.

116. Khurs-e-Mervareed. (Maghzan-ul-Murakabath.)

Take of :

1	Mervareed ..	..	1 tola.
2	Arkh-e-Gulab	..	½ lb.

Grind No. 1 in a stone mortar with No. 2 slowly till it becomes a fine paste. Make tablets of 1 grain each.

Dose : 1 to 2 tablets, twice a day.

Indications : Tuberculosis, rickets and scurvy.

117. Khurs-e-Murr. (Ilaj-ul-Amraz.)

Take of:

1	Murmakki	5 tolas.
2	Turmus	5 ,,
3	Tuthlee	3 ,,
4	Pudina	3 ,,
5	Khirdmana	3 ,,
6	Mishktara Mashee	3 ,,
7	Majeet	3 ,,
8	Hing	3 ,,
9	Jousheer	3 ,,
10	Isakbinaj	3 ,,

Powder Nos. 2 to 10 except No. 8 in a pounder. Grind Nos. 1 and 8 in a stone mortar with water to a soft paste. Finally add all the powders and paste, grind again and make tablets of 5 grains.

Dose: 1 to 2 tablets, two or three times a day.
Indications: Amenorrhœa, dysmenorrhœa, etc.

118. Khurs-e-Musalis. (Biaz-e-Kabir. Vol. II.)

Take of:

1	Murmakhi	2½ tolas.
2	Lavung	2½ ,,
3	Kafoor	2½ ,,
4	Afyun	2½ ,,
5	Safron	2½ ,,
6	Bazar-ul-Banj	2½ ,,
7	Posth-e-Beekh-e-Lafah.	2½ ,,
8	Kundar	5 ,,
9	Anzrooth	5 ,,
10	Amila	5 ,,
11	Gil-e-Armani	5 ,,

Take of—*cont.*

12 Aab-e-Kahu	..	Quantity sufficient.
13 Gulab (Arkh)	..	Do.

Grind Nos. 1 to 11 in Nos. 12 and 13 to a smooth mass. Make tablets weighing 5 grains each.

For external use—Mix with water and apply.

Indications : Severe headache and colds.

119. Khurs-e-Sarthan Kafoori. (Kharabadeen-e-Jadeed.)

Take of :

1 Samagh-e-Arabi	..	1¼	tolas.
2 Shaker-e-Theghal.		1¼	,,
3 Kateera ..	..	1¼	,,
4 Gul-e-Surkh	..	1¼	,,
5 Thabasheer	..	1¼	,,
6 Asal-e-soos	..	½	tola.
7 Khurfa ..	..	¾	,,
8 Nishastha	..	¾	,,
9 Sandal-e-Surkh	..	¼	,,
10 Sandal-e-Sufeed	..	¼	,,
11 Tukhm-e-Kahu		¼	,,
12 Kafoor Khaisoori.		½	,,
13 Rub-e-Soos	..	½	,,
14 Maghz-e-Kaddu	..	¾	,,
15 Maghz-e-Tukhm-e-Khyar.		¾	,,
16 Maghz-e-Kharbuza.		¾	,,
17 Khashkhash	..	¾	,,
18 Sarthan Sokhtha		1	,,

Powder Nos. 1 to 11 in a pounder. Grind Nos. 14 to 18 with a little water to a fine paste.

Add all the powders and the paste, grind and make tablets of 5 grains each.

Dose: 4 tablets, two or three times a day.
Indications: Pulmonary tuberculosis.

120. Khurs-e-Suh. (Kharabadeen-e-Khaderi.)

Take of:

1	Sukh	10 tolas.
2	Kharanfal	10 ,,
3	Karnazij	5 ,,
4	Posth-e-Anar ..	5 ,,
5	Mazoo	5 ,,
6	Afyun	1 tola.
7	Rub-e-Behi ..	Quantity sufficient.

Grind Nos. 1 to 6 in No. 7—each separately and make tablets weighing 3 grains each.

Dose: 1 pill, twice or thrice a day.
Indications: Cholera, vomiting and acute diarrhœas.

121. Khurs-e-Thabasheer Khabiz. (Kharabadeen-e-Jadeed.)

Take of:

1	Thabasheer ..	½ tola.
2	Gul-e-Surkh ..	½ ,,
3	Tukhm-e-Kasni ..	½ ,,
4	Tukhm-e-Kahu ..	½ ,,
5	Tukhm-e-Khurfa.	½ ,,
6	Samagh	½ ,,
7	Gulnar	¼ ,,
8	Sandal-e-Sufeed ..	¼ ,,
9	Tukhm-e-Humaz	¼ ,,
10	Afyun	⅙ ,,
11	Gulab	Quantity sufficient.

Powder Nos. 1 to 9 in a pounder. Grind No. 10 with No. 11 in a stone mortar to a soft paste, add all the powders to the paste, grind again and make tablets of 10 grains each.

Dose: 2 to 4 tablets, twice a day.
Indications: Chronic biliousness.

122. Khurs-e-Zaheer. (Kharabadeen-e-Khaderi.)

Take of:

1	Gil-e-Armani ..	2 tolas.
2	Khurs-e-Thabasheer.	2 ,,
3	Hab-ul-Aas ..	2 ,,
4	Balooth	4 ,,
5	Ard-e-Kinar ..	2 ,,
6	Thukm-e-Hamaz Bari.	4 ,,
7	Samag-e-Arabi ..	4 ,,
8	Gulnar	4 ,,
9	Nishastha ..	3 ,,
10	Gul-e-Surkh ..	3 ,,
11	Thulm-e-Karfas ..	1 tola.
12	Samakh	1 ,,
13	Masthagi	1 ,,
14	Mazoo	1 ,,
15	Zeer-e-Kirmani ..	Quantity sufficient.
16	Vinegar	Do.
17	Isphagol	Do.

Powder Nos. 14 and 15 after soaking in No. 16. Grind Nos. 1 to 13 to a smooth paste with the addition of all the powders. Make tablets weighing 3 grains each with the juice of No. 17.

Dose: 1 tablet, three times a day.
Indications: Hæmorrhage, dysentery and hæmoptysis.

123 **Khurs-e-Zaheer Deegar.** (Kharabadeen Khaderi.)

Take of:

1	Bazar-ul-Banj	..	5 tolas.
2	Abeez ..	..	5 ,,
3	Tukhm-e-Shibath		5 ,,
4	Raziyanaj ..	..	5 ,,
5	Nankha ..	..	2½ ,,
6	Afyun ..	..	3 ,,
7	Karfas ..	..	10 ,,
8	Isphagol ..	..	Quantity sufficient.

Grind Nos. 1 to 7 to a smooth paste—each separately. Make tablets weighing 2 grains each with the juice of No. 8.

Dose: 1 pill, twice or thrice a day.
Indications: Flatulence and dysentery.

124. **Khurs-e-Zarishk.** (Kharabadeen-e-Jadeed.)

Take of:

1	Zarishk ..	..	4 tolas.
2	Tukhm-e-Kasni	..	1 tola.
3	Tukhm-e-Khurfa	..	1 ,,
4	Tukhm-e-Khyar	..	1 ,,
5	Gul-e-Surkh	..	1½ tolas.
6	Balchar ..	..	½ to'a.
7	Ispaghol ..	..	2 tolas.

Powder Nos. 2 to 6 in a pounder. Grind No. 1 with the juice of No. 7 and gradually add all the powders, grind and make tablets of 10 grains.

Dose: 4 tablets, twice a day.
Indications: Chronic jaundice, biliousness, etc.

SECTION XI.

KUSHTHAS.

This is a preparation of minerals. The minerals are ground with specified liquids for a specific number of days. They are made into discs and completely dried. The discs are placed in a mud cup and covered with another cup and the edges are sealed properly (gill-e-Hikmath) and dried. The vessel is kept in the centre of the cowdung cakes and charcoal fire kept all around. It is allowed to burn. The quantity of fuel for burning is determined in each case. When cooled, the medicine is powdered and ground again. The same process is repeated as many times as required.

The medicine is not generally used immediately. It is kept for about six months before it is used. If it is to be used urgently, then, it should be buried in a sealed vessel in moist ground and then used.

125. Kusth-e-Abrak Siyah. (Kharabadeen-e-Jadeed.)

Take of:

1 Abrak Siyah	..	10 tolas.
2 Sheer-e-Madar	..	Quantity sufficient.
3 Reesh-e-Bergad	..	Do.

Tie Abrak loosely in a piece of jute cloth and immerse it in a basin of water and rub with both hands till the Abrak passes through the cloth into the basin. Allow it to settle down and decant the water.

Put this in a havan and grind with sufficient quantity of Sheer-e-Madar for 12 hours. Make discs and dry. Put this to fire in the usual way with 50 cowdung cakes. Repeat the process till the shining in the Abrak disappears.

Then grind this with the juice of tender aerial roots of banyan tree, make discs dry and put to fire. Repeat the process three times.

Dose : 2 grains, twice a day with honey.

Indications : Diabetes and bronchiectasis, etc.

126. Kushth-e-Abrak Sufeed. (Kharabadeen-e-Jadeed.)

Take of :

1 Abrak Sufed	..	6 tolas.
2 Kakrunda juice	..	20 oz.

Grind No. 1 after the special process of its purification in No. 2 to a smooth paste. Place the same when dry in a mud dish and burn it with 50 cowdung cakes. After it cools down, remove the paste and powder it and repeat the process thrice.

Dose : 1 to 2 grains, twice a day with butter.

Indications : Diabetes, asthma and paralysis.

127. Kushth-e-Afranj. (Kharabadeen-e-Jadeed.)

Take of:

1 Afranj (gold)	..	1 tola.
2 Aab-e-Gulab	..	20 oz.

Grind No. 1 (gold leaves) in No. 2 and make tablets, dry and put in mud cups. Burn it with 50 cowdung cakes. After it cools down take it

out. Repeat the process thrice with fresh juice each time.

Dose: 1 to 2 grains with butter, twice a day.

Indications: Tuberculosis, rheumatoid arthritis, general debility, nervous break down, etc.

128. Kushth-e-Alkhiran. (Kharabadeen-e-Jadeed.)

Take of:

1 Alkhiran—one piece.		3 tolas.
2 Sheer-e-Madar	..	Quantity sufficient.

Burn No. 1 to red-hot and immerse it in No. 2, repeat the process thrice. Finally grind it in a stone mortar with No. 2 to a soft mass. Make tablets and dry. Burn the tablets with 50 cowdung cakes and repeat the process thrice.

Dose: 1 to 2 grains, twice a day with ghee.

Indications: Fevers, chronic bronchitis and paralysis.

129. Kusth-e-Busud. (Madan-ul-Akseer.)

Take of:

1 Busud ..	..	10 tolas.
2 Ghee-Kavar	..	Quantity sufficient.
3 Arkh-e-Gulab	..	Do.

Mix No. 1 with the pulp of No. 2, seal the same in a mud dish and burn it with 50 cowdung cakes. After it has cooled down remove No. 1 and grind it with No. 3 in a mortar and make tablets. Subject the tablets to the fire of 50 cowdung cakes again and powder.

Dose: 2 to 5 grains, twice a day with butter.

Indications: Chronic bronchitis, bronchiectasis, nervous debility, etc.

130. Kushth-e-Foulad. (Kharabadeen-e-Jadeed.)

Take of:

1	Foulad	10 tolas.
2	Aab-e-Khata-ee ..	30 oz.
3	Kata-ee	20 tolas.

Place No. 1 in the paste of No. 3 and cover with mud dish, seal the edges, dry and subject it to a fire of 50 cowdung cakes. Remove No. 1 and grind it with No. 2 to a soft mass. Burn it with 50 cowdung cakes, repeating the process thrice.

Dose : 1 to 3 grains with butter or ghee twice a day.
Indications : Iron deficiency anaemias.

131. Kushth-e-Hajrul Yahood. (Kharabadeen-e-Jadeed.)

Take of:

1	Scorpions	5 Nos.
2	Hajrul Yahood ..	1 tola.

Grind No. 1 to a soft mass and after mixing with No. 2, seal it in mud dish and burn it with 25 cowdung cakes.

Dose : 1 to 3 grains, twice a day with milk.
Indications : Renal calculus.

132. Kushth-e-Justh. (Madan-ul-Akseer.)

Take of:

1	Justh	1 tola.
2	Khata-ee-Khurd ..	Quantity sufficient.

Grind No. 2 to a paste and make two big discs. Place No. 1 in them and subject it to a fire of 25 cowdung cakes.

Dose : 1 to 2 grains, twice a day with milk.
Indications : Spermatorrhoea, impotency, sexual weakness, leprosy, etc.

133. Kushth-e-Khalayee. (Kharabadeen-e-Jadeed.)

Take of:

1 Khalayee	.. ..	5 tolas.
2 Bhang	.. ..	10 ,,

Take a couple of cowdung cakes. Place No. 2 on a cake and cover it up with No. 1. After burning the entire thing remove No. 1 and grind it in a stone mortar.

Dose: 1 to 2 grains, twice a day with butter.

Indications: Spermatorrhoea, premature ejaculation, etc.

134. Kushth-e-Marjan. (Kharabadeen-e-Jadeed.)

Take of:

1 Marjan	.. ..	5 palams.
2 Berg-e-Kanar	..	5 ,,

Make paste of No. 2 in a grinding stone and make two discs. Place No. 1 in between the discs, keep it in mud vessel and subject it to a fire of 50 cowdung cakes. Repeat the process thrice.

Dose: 2 to 5 grains, twice a day with milk.

Indications: Pulmonary tuberculosis, chronic bronchitis, and haemoptysis.

135. Kushth-e-Murdarsing. (Madan-ul-Akseer.)

Take of:

1 Murdarsing	..	2 tolas.
2 Sheer-e-Madar	..	Quantity sufficient.

Grind No. 1 after the special process of its purification in No. 2 and make tablets. Subject them to a fire of 20 cowdung cakes.

Dose : 1 grain, twice a day with ghee.

Indications : Asthma, snake-bites, syphilis and skin infections.

136. Kushth-e-Nukhra. (Kharabadeen-e-Jadeed.)

Take of :

1 Varkh-e-Nukhra	..	1 tola.
2 Sheer-e-Madar	..	Quantity sufficient.

Grind No. 1 in No. 2 and make tablets. Subject it to a fire of 25 cowdung cakes. Repeat the process if required.

Dose : 2 grains, twice a day in butter.

Indications : Eunuchoidism, impotency and sexual weakness.

137. Kushth-e-Posth-e-Baiza-e-Murgh. (Kharabadeen-e-Jadeed.)

Take of :

1 Posth-e-Baiza-e-Murgh.		$2\frac{1}{2}$ palams.
2 Lemon (juice)	..	Quantity sufficient.
3 Berg-e-Kanar	..	Do.

Grind No. 1 after the special process of its purification in No. 2 and make tablets. Subject it to a fire of 50 cowdung cakes repeating the process four times. For the final phase the juice of No. 3 should be used for grinding.

Dose : 1 to 3 grains, twice a day with milk.

Indications : Tuberculosis, rickets, scurvy, etc

138. Kushth-e-Summulfar. (Madan-ul-Akseer.)

Take of ;

1	Summulfar [Purified].		2 tolas.
2	Sheer-e-Madar	..	Quantity sufficient.
3	Hathee Sond Booti.		4 tolas.

Grind No. 1 in No. 2 and make tablets. Place the tablets in between the paste of No. 3 and subject it to a fire of about 4 pounds of dried goat's excreta (droppings).

Dose : 1 to 3 grains, twice a day with milk.

Indications : Rhinitis, coryza and chronic catarrh.

SECTION XII.

LABOOB.

PREPARATION OF LABOOB.

Lub or *Maghz* means the edible portion of any dry fruit. The preparation of this is more or less on the lines of *Majoon*.

139. Laboob-e-Kabeer. (Kharabadeen-e-Jadeed.)

Take of :

1	Khusiathus salab.		3	tolas.
2	Narjeel Taza	..	3	,,
3	Maghz-e-Ser-e-Kunjashk.		3	,,
4	Khashkhash	..	3	,,
5	Maghz-e-Pistha	..	$1\frac{1}{2}$	,,
6	Maghz-e-Badam	..	$1\frac{1}{2}$	,,
7	Maghz-e-Findakh.		$1\frac{1}{2}$	,,

Take of—*cont.*

8	Maghz-e-Jahath-ul-Khifra.	1½ tolas.
9	Maghz-e-Akrote ..	1½ ,,
10	Maghz-e-Chalgoza.	1½ ,,
11	Maghz-e-Habhuz Zalam.	1½ ,,
12	Mahi Rubian ..	1½ ,,
13	Shakhakhul Misri.	1½ ,,
14	Khulanjan ..	1½ ,,
15	Bahman-e-Surkh.	1½ ,,
16	Bahman-e-Sufeed.	1½ ,,
17	Todri Surkh ..	1½ ,,
18	Todri Sufeed ..	1½ ,,
19	Zanjabeel	1½ ,,
20	Kunjad	1½ ,,
21	Darchini	1½ ,,
22	Khazeeb-e-Gow ..	1½ ,,
23	Suranjan	1¼ ,,
24	Bozidan	1¼ ,,
25	Pudina Khushk ..	1¼ ,,
26	Balchar	1 tola.
27	Saad Kufi ..	1 ,,
28	Kharanfal ..	1 ,,
29	Kababchini ..	1 ,,
30	Inderjou Sheereen.	1 ,,
31	Daranuj Akhrabi.	1 ,,
32	Nerkachoor ..	1 ,,
33	Hab-e-Khul Khul.	1 ,,
34	Tukhm-e-Gajar ..	1 ,,
35	Tukhm-e-Turb ..	1 ,,
36	Tukhm-e-Shaljam.	1 ,,
37	Tukhm-e-Piaz ..	1 ,,
38	Tukhm-e-Ispisth ..	1 ,,
39	Tukhm-e-Hilyun.	1 ,,

Take of—*cont.*

40 Jozbuva	.. ..	¾ tola.
41 Bisbasa	.. ..	¾ ,,
42 Charila	.. ..	¾ ,,
43 Darefilfil	.. ..	¾ ,,
44 Ma-e-Shuthur-e-Airabi.		1¼ tolas.
45 Safron	.. ..	1¼ ,,
46 Masthagi	.. ..	1¼ ,,
47 Ood-e-Kham	..	¾ tola.
48 Amber	.. ..	½ ,,
49 Mishk	.. ..	¼ ,,
50 Verkh-e-Thila	..	30 Nos.
51 Verkh-e-Nukhra	..	50 ,,
52 Honey	.. ..	64 palams.

Make fine powder of Nos. 1, 4, 12 to 19, 21 to 45 and 47 in a pounder. Grind Nos. 2, 3, 5 to 11, 20, 48 and 49 to a smooth paste—each separately. Prepare the Khivam of No. 62, add all the ingredients and mix well. Finally add Nos. 50 and 51 and preserve.

Dose : ¼ to ½ tola, two or three times a day with cow's milk.

Indications : Myocardial degeneration, chronic wasting diseases and nervous debility. Can be used during convalescence of any prolonged illness.

140. Laboob-e-Sagheer. (Kharabadeen-e-Jadeed.)

Take of;

1 Maghz-e-Badam	..	1 tola each.
2 Maghz-e-Akhrote	..	

Take of—*cont.*

3 Maghz-e-Chalgoza	..	1 tola each.
4 Habus Zalam	..	
5 Hab-e-Khulkhul	..	
6 Habat-hul-Khizra	..	
7 Findakh	.. ..	
8 Pistha	.. ..	
9 Narjeel Taza	..	
10 Todri Sufeed	..	
11 Todri Surkh	..	
12 Kunjad	.. ..	
13 Bahman-e-Surkh	..	
14 Bahman-e-Sufeed	..	
15 Khurfa	.. ..	
16 Zanjabeel	.. ..	
17 Darefilfil	.. ..	
18 Akherkherha	..	
19 Kababchini	.. ..	
20 Darchini	.. ..	
21 Shakhakhul Misri	..	
22 Khulanjan	.. ..	
23 Tukhm-e-Jarir	..	
24 Tukhm-e-Piaz	..	
25 Tukhm-e-Shaljam	..	
26 Tukhm-e-Ispisth	..	
27 Tukhm-e-Hilyun	..	
28 Honey	.. ..	27 palams.

Grind Nos. 1 to 3, 7 to 9, 12 and 21 to a paste. Powder Nos. 4 to 6, 10, 13 to 20 and 22 to 27. Prepare the Khivam of No. 28, add the paste and boil again, add all the powders and mix well.

Dose : ½ to 1 tola, twice a day with milk.

Indications : Impotency, sexual weakness, premature senility and debility.

SECTION XIII.

LAVOOKH.

PREPARATION OF LAVOOKH.

Lavookh or Linctus is a thin confection to be slowly swallowed in small doses, so as to act on the throat. It can be conveniently licked as it is thinner than *Majoon*.

141. Lavookh-e-Hulba. (Kharabadeen-e-Khaderi.)

Take of:

1	Hulba	4 tolas.
2	Maghz-e-Badam ..	4 ,,
3	Katheera	2 ,,
4	Asal-e-Soos	2 ,,
5	Maghz-e-Chalgoza ..	2 ,,
6	Nishasta	2 ,,
7	Samagh-e-Arabi ..	2 ,,
8	Sugar	10 palams.

Powder Nos. 3, 4 and 7. Grind Nos. 1, 2 and 5 to a smooth paste. Prepare the Khivam of Nos. 1, 2 and 5, add all the powders and mix well.

Dose: ½ to 1 tola, twice a day.

Indications: Chronic bronchitis, dry unproductive coughs and bronchiectasis.

142. Lavookh-e-Kathan. (Kharabadeen-e-Jadeed.)

Take of:

1	Tukhm-e-Kathan (Alsi).	30 tolas.
2	Sugar	60 ,,

Grind No. 1 with a little water to a soft paste. Prepare the Khivam of No. 2 with the addition of the paste and mix well.

Dose : ½ to 1 tola, two or three times a day with water.
Indications : Irritating coughs, chronic bronchitis, laryngitis and pharyngitis.

143. Lavookh-e-Sapisthan. (Kharabadeen-e-Jadeed.)

Take of:

1	Sapisthan	50	units.
2	Unnab	20	,,
3	Posth-e-Khash Khash ..	2	tolas.
4	Asal-e-Soos	1	tola.
5	Tukhm-e-Khathmi ..	½	,,
6	Tukhm-e-Khyar ..	½	,,
7	Bihi-Dana	¼	,,
8	Jou	1	,,
9	Maghz-e-Badam ..	1	,,
10	Khashkhash	1	,,
11	Rubb-e-Soos	¼	,,
12	Kateera	¼	,,
13	Samagh-e-Arabi ..	¼	,,
14	Sugarcandy	15	palams.

Take the extract of Nos. 1, 2 and 7. Grind Nos. 6, 8, 9 and 10 with water to a paste. Powder Nos. 3 to 5 and 11 to 13—each separately. Prepare the Khivam of No. 14 with the extract of Nos. 1, 2 and 7, add all powders and mix well.

Dose : 1 to 2 tolas, twice a day.
Indications : Dry unproductive coughs.

144. Lavookh-e-Sual. (Kharabadeen-e-Jadeed)

Take of:

1 Posth-e-Khashkhash.	11	units.
2 Munakkha	1¼	,,
3 Asal-e-Soos ..	1¼	,,
4 Banafsha	¾	unit.
5 Khash Khash ..	¾	,,
6 Usthakhudus ..	¾	,,
7 Maghz-e-Badam ..	¾	,,
8 Tukhm-e-Khathmi ...	¾	,,
9 Gauzuban	¾	,,
10 Bihidana	¾	,,
11 Tukhm-e-Kathan ..	¾	,,
12 Parsiavoshan ..	¾	,,
13 Badiyan ..	¾	,,
14 Nishasta	½	,,
15 Samagh-e-Arabi ..	½	,,
16 Kathira	½	,,
17 Anjeer	7	units.
18 Unnab	11	,,
19 Sapishtan	21	,,
20 Sugarcandy ..	15	palams.

Grind Nos. 2, 7, 11 and 17 to a paste. Powder Nos. 1, 3 to 6, 8, 9 and 12 to 16—each separately. Prepare the Khivam of No. 20 with the extract of Nos. 10, 18 and 19, add all the powders and mix well.

Dose: 1 to 2 tolas, twice a day.
Indications: Chronic dry coughs.

SECTION XIV.

MAJOON.

PREPARATION OF MAJOON.

Majoon are confections or soft preparations of drugs made into a paste with sugar or honey, to give them a pleasant and agreeable taste and to preserve them. Usually the quantity of sugar, sugar candy or honey present in a Majoon should be three times the weight of all the drugs. In case, honey is to be used in the preparation, some water should be added and the Khivam prepared. If dry fruits and nuts are present in the formula, they should be made into a soft mass and should be added before the preparation of Khivam. If minerals are used in the *Majoon*, they should be finely powdered by grinding with a suitable Arakh and added at the end.

If gold and silver leaves are to be added to the preparation they should be added in the end one by one mixing it well with the confection.

145. Majoon-e-Aswad. (Kharabadeen-e-Azam.)

Take of:

1	Afyun	1 tola each.
2	Junda-be-Dasthur	
3	Maseeya Sadama	
4	Bazur-ul-Banj	
5	Safron	
6	Mur-Makkhi	
7	Asaroon	
8	Karafas	
9	Saleekha	

Take of—*cont.*

10 Gil-e-Armani	..	1 tola each.
11 Gulnar	.. ..	
12 Kundur	.. ..	
13 Honey	.. ..	Quantity sufficient.

Grind Nos. 1 to 12 to a smooth paste with water each separately. Prepare the Khivam of No. 13, add the paste and mix well.

Dose : $\frac{1}{8}$ to $\frac{1}{4}$ tola, B.D.

Indications : Chronic diarrhœas and dysentories.

146. Majoon-e-Azarakhi. (Kharabadeen-e-Jadeed.)

Take of :

1 Azarakhi Mudabbir	..	3 tolas.
2 Gul-e-Gauzuban	..	3 ,,
3 Katheera	..	3 ,,
4 Maghz-e-Narjeel	..	3 ,,
5 Usthakhudus	..	3 ,,
6 Maghz-e-Chalgoza	..	3 ,,
7 Shakhakhul Misri	..	3 ,,
8 Heelbuva	.. ..	1 tola.
9 Ood-e-Hindi	.. ..	1 ,,
10 Zaranbad	.. ..	3 tolas.
11 Sandal-e-Sufeed	..	1 tola.
12 Kharanfal	..	1 ,,
13 Amila	.. ..	5 tolas.
14 Haleel-e-Siyah	..	5 ,,
15 Honey	..	40 palams.

Soak No. 1 in milk over night, boil, remove the seed and dry. Powder Nos. 1, 2, 5 and 7 to 14. Grind No. 3 (after roasting in ghee) Nos. 4

and 6 to a smooth paste with water. Prepare the Khivam of No. 15, add the paste and the powders and mix well.

Dose : ½ to ¼ tola, twice a day.

Indications : Neurasthenia, anæmia, etc.

147. Majoon-e-Falakseer. (Biaz-e-Kabir, Vo. II.)

Take of :

1	Moghz-e-Badam-e-Sheerin.	½ tola.
2	Moghz-e-Findakh	½ ,,
3	Moghz-e-Chalgoza	½ ,,
4	Moghz-e-Akhrote	½ ,,
5	Moghz-e-Kaddu	½ ,,
6	Moghz-e-Kahu	½ ,,
7	Afyun	½ ,,
8	Bhang	½ ,,
9	Jayefal	⅓ ,,
10	Bisbasa	⅓ ,,
11	Mishk	⅓ ,,
12	Amber	1/16 ,,
13	Sugar	Quantity sufficient.

Grind Nos. 1 to 12 to a soft paste with water each separately. Prepare the Khivam of No. 13, add the paste and mix well.

Dose : ⅛ to ¼ tola, two times a day.

Indications : Ejaculatio Praecox, impotency and sexual weakness.

148. Majoon-e-Falasifa. (Kharabadeen-e-Jadeed.)

Take of :

1 Zanjabeel	.. ..	2 tolas each.
2 Filfil-e-Siyah	.. ..	
3 Dar-e-Filfil	.. ..	
4 Darchini	.. ..	
5 Amila	.. .. ..	
6 Posth-e-Baleela	..	
7 Sheethraj Hindi	..	
8 Zaravend Mudharij	..	
9 Salab Misri	.. ..	
10 Maghz-e-Chalgoza	..	
11 Beekh-e-Babuna	..	
12 Maghz-e-Narjeel	..	
13 Gul-e-Babuna	.. ..	1 tola.
14 Munakkha	.. ..	6 tolas.
15 Honey ..	.. ..	31 ,,

Powder Nos. 1 to 8, 11 and 13. Grind Nos. 9, 10, 12 and 14 to a paste with water, each separately. Prepare the Khivam of No. 15. Add the pastes and the powders and mix well.

Dose : ½ to 1 tola, twice a day with milk.
Indications : Diabetes, hypertension (relief of symptoms), paralysis, nervous debility, etc.

149. Majoon-e-Hamal Ambari Alvi Khanwala.
(Kharabadeen-e-Jadeed.)

Take of :

1 Amber ..	.. ..	⅛ tola.
2 Mervareed	.. ..	¾ ,,
3 Kaheruba	.. ..	¾ ,,
4 Busud ..	.. ..	¾ ,,
5 Sandal-e-Surkh	..	¾ ,,
6 Sandal-e-Sufeed	..	¾ ,,
7 Thabasheer	.. ..	¾ ,,

Take of—*cont.*

8	Mazu	¾ tola.
9	Darunaj Akhrabi ..	¾ ,,
10	Ood-e-Salib	¾ ,,
11	Abraisham	¾ ,,
12	Beek-e-Anjibar ..	¾ ,,
13	Gil-e-Armani	¾ ,,
14	Magz-e-Tukhm-e-Tharbuz.	1½ tolas.
15	Tukhm-e-Khurfa ..	1½ ,,
16	Verkh-e-Nukhra ..	60 Nos.
17	Verkh-e-Thila	60 ,,
18	Honey	9 tolas.
19	Sheera-e-Angoor Thurush.	3 oz.
20	Sugar candy	30 tolas.

Powder Nos. 5, 6, 8, 9, 10, 12 and 15 in a pounder. Grind Nos. 1 to 4, 7, 13 and 14 each separately with water. To the decoction of No. 11 add Nos. 18, 19 and 20 and boil to consistency adding No. 14. Add all the powders and mix well. Finally add Nos. 16 and 17 and mix well.

Dose: ½ tola, twice a day.
Indications: Abortion (threatened, or habitual) and sterility in the female.

150. Majoon-e-Junthiyana. (Maghzan-ul-Mura-kabath.)

Take of:

1	Junthiyana	2 tolas each.
2	Filfil-e-Siyah	
3	Sazij Hindi	
4	Sumbullatheeb	
5	Raivendchini	
6	Khust	
7	Honey	12 palams.

Powder Nos. 1 to 6. Prepare the Khivam of No. 7, add all the powders and mix well.

Dose : ½ to 1 tola, twice a day.

Indications : Enlargement of the spleen, kala-azar and malaria.

151. Majoon-e-Khabsul Hadeed. (Maghzan-ul-Murakabath.)

Take of :

1 Thukhm-e-Humaz	..	2 palams each.
2 Habul-Aas	.. ..	
3 Haleela-e-Siyah	..	
4 Thabasheer	.. ..	
5 Amila	.. .. ..	
6 Ilachi Khurd	.. ..	
7 Posth-e-Bairoon-e Pistha.		
8 Khabsul Hadeed	..	
9 Honey	.. .. ..	16 palams.

Powder Nos. 1 to 8 in a pounder each separately. Prepare the Khivam of No. 9, add all the powders, mix well and preserve.

Dose : ½ to 1 tola, twice a day.

Indications : Anæmias and chronic fevers.

152. Majoon-e-Mayeeah. (Kharabadeen-e-Khaderi.)

Take of :

1 Mayeeah Sayeela	..	Equal quantity.
2 Junda-be-Dasthur	..	
3 Afyun	.. ..	
4 Asaroon	.. ..	
5 Bazsur-ul-Banj	.. ..	

Take of—*cont.*

6 Siyah Mirsafi ..	..	Equal quantity.
7 Kundur ..	..	
8 Honey ..	..	.. Quantity sufficient.

Grind Nos. 1 to 7 in a stone mortar to a smooth paste. Prepare the Khivam of No. 8 with the addition of the paste, mix well and preserve.

Dose: $\frac{1}{8}$ to $\frac{1}{4}$ tola, twice a day.

Indications: Chronic diarrhœa and dysentery.

153. Majoon-e-Mukhrrij-e-Deedan. (Hospital Pharmacopœia.)

1 Maghz-e-Pallaspapda ..	1 palam.
2 Gul-khand	3 palams.

Soak No. 1 in water and remove the outer skin. Grind Nos. 1 with 2 to a soft paste. Put it in a jar, cover it with a muslin, and keep in the sun till it becomes dry.

Dose: $\frac{1}{2}$ to 1 tola, twice a day to be followed by a purgative after three days.

Indications: Intestinal worms and helmenthiasis.

154. Majoon-e-Najjah. (Kharabadeen-e-Jadeed.)

Take of:

1 Posth-e-Haleela-e-Zard.	5 tolas.
2 Posth-e-Haleela-e-Kabuli.	5 ,,
3 Haleela-e-Siyah ..	5 ,,
4 Posth-e-Baleela ..	5 ,,
5 Amila	5 ,,

Take of—*cont.*

6	Bisfaej	2½ tolas.
7	Afthimoon	2½ "
8	Usthakhudus	2½ "
9	Turbud	2½ "
10	Honey	35 palams.

Powder Nos. 1 to 9 in a pounder. Prepare the Khivam of No. 10, add all the powders and mix well.

Dose: ½ to 1 tola, twice a day.
Indications: Hysteria, insanity, mania, depressive melancholia and dementia præcox.

155. Majoon-e-Sanader-e-Theos. (Kharabadeen-e-Khaderi.)

Take of:

1	Raivendchini	4 tolas.
2	Ood-e-Balsan	½ tola.
3	Ferfiyun	½ "
4	Filfil-e-Siyah	½ "
5	Filfil-e-Sufeed	½ "
6	Darfilfil	½ "
7	Munakkha	½ "
8	Hab-e-Balsan	½ "
9	Junthayana	½ "
10	Fukha-e-Azkher	½ "
11	Hamama	½ "
12	Safron	¾ "
13	Darchini	¾ "
14	Vaj Turkei	¾ "
15	Masthagi Roomi	¾ "
16	Raivendchini	¾ "
17	Sumbullatheeb	¾ "
18	Kamazrious	1 "

Take of—*cont.*

19	Khust	1 tola.
20	Afthimoon	1 ,,
21	Asaroon	1 ,,
22	Salikha	1½ tolas.
23	Sakhmonia	1½ ,,
24	Sibr	4 ,,
25	Gharikhoon	5 ,,
26	Honey	30 palams.

Powder Nos. 1 to 6 and 8 to 24 in a pounder each separately. Grind No. 7 to a paste. Prepare the Khivam of No. 26 adding No. 7, add all the powders and mix well.

Dose: ¼ to ½ tola, twice a day.

Indications: Paralysis and obesity. In all balghami affections.

156. Majoon-e-Sanghadana-e-Murgh. (Kharaba-deen-e-Jadeed.)

Take of:

1	Sanghadan-e-Murgh ..	¾ tola.
2	Thabasheer	¾ ,,
3	Pudina	½ ,,
4	Posth-e-Bairoon-e-Pistha	½ ,,
5	Posth-e-Turanj	½ ,,
6	Posth-e-Haleela-e-Zard ..	½ ,,
7	Gul-e-Surkh	1 ,,
8	Bahman-e-Sufeed ..	¾ ,,
9	Bahman-e-Surkh ..	¾ ,,
10	Sandal-e-Sufeed	¾ ,,
11	Sandal-e-Surkh	¾ ,,
12	Saather Farsi	¾ ,,
13	Kishneez	¾ ,,
14	Habbul Aas	¾ ,,
15	Honey	10 palams.

Make fine powder of Nos. 1 to 14 in a pounder. Prepare the Khivam of No. 15, add all the powders, mix well and preserve.

Dose: ½ to 1 tola, twice a day.

Indications: Sprue, Coeliac disease and hepatic disorders.

157. Majoon-e-Seer. (Kharabadeen-e-Jadeed.)

Take of:

1	Seer	20	tolas.
2	Honey	25	palams.
3	Sheer-e-Gow	5	oz.
4	Roghan-e-Gow	5	,,
5	Kharanfal	2	tolas.
6	Jozbuva	2	,,
7	Filfil-e-Siyah	2	,,
8	Bisbasa	2	,,
9	Masthagi	2	,,
10	Khakhila	2	,,
11	Kababa	2	,,
12	Singhaa	2	,,
13	Haleela-e-Kabuli Posth	2	,,
14	Darchini.	2	,,
15	Zanjabeel	2	,,
16	Ood-e-Kham	1½	,,
17	Safron	1½	,,

Powder Nos. 5 to 16 in a pounder, each separately. Add Nos. 2 and 3 to the juice of No. 1 and boil to consistency. Finally add No. 4 and all the powders, and mix well.

Dose: ¼ to ½ tola, twice a day.

Indications: Chronic ulcers and pulmonary tuberculosis.

158. Majoon-e-Supari Pak. (Ilaj-ul-Amraz)

Take of :

1	Majeet	$1\frac{1}{4}$ tolas.
2	Supari	$2\frac{1}{2}$,,
3	Chooharay	$2\frac{1}{2}$,,
4	Milk	10 oz.
5	Samagh-e-Arabi	$2\frac{1}{2}$ tolas.
6	Nishastha	$2\frac{1}{2}$,,
7	Maghz-e-Badam	5 ,,
8	Roghan-e-Zard	5 oz.
9	Sugar	25 palams.
10	Khar-e-Khushk	5 tolas.
11	Cheena gond	$2\frac{1}{2}$,,
12	Narjeel	$2\frac{1}{2}$,,
13	Salab Misri	$\frac{1}{2}$ tola.
14	Darchini	$\frac{1}{2}$,,
15	Kharanfal	$\frac{1}{2}$,,
16	Ilachi Khurd	$\frac{1}{2}$,,
17	Zanjabeel	$\frac{1}{2}$,,
18	Gul-e-Pistha	$\frac{1}{4}$,,
19	Gul-e-Supari	$\frac{1}{4}$,,
20	Jozbuva	$\frac{1}{2}$,,
21	Chal-e-Kachnal	$\frac{1}{4}$,,
22	Chal-e-Keeker	$\frac{1}{4}$,,
23	Chal-e-Sankaholi ..	$\frac{1}{4}$,,
24	Safron	$\frac{1}{4}$,,
25	Mishk	$\frac{1}{8}$,,

Powder Nos. 1, 2, 5, 6, 10, 11 and 14 to 24 in a pounder. Grind Nos. 3 and 13 in 4 to a paste. Grind Nos. 7, 12 and 25 to a soft mass. Prepare the Khivam of No. 9 with the pastes, add No. 8, all the powders and mix well.

Dose : ¼ to ½ tola, twice a day.

Indications : Leucorrhoea and all uterine disorders.

159. Majoon-e-Surinjan. (Hospital Pharmacopœia.)

Take of :

1	Surinjan Sheereen	..	3 tolas.
2	Masthagi	.. .. ..	1½ ,,
3	Gul-Khand	.. ..	12 ,,
4	Berg-e-Sana	.. ..	3 ,,

Powder Nos. 1, 2 and 4, each separately. Grind No. 3 to a soft paste. Add the powders, and mix well.

Dose : ¼ to ½ tola, twice a day.

Indications : Rheumatic fever, gout and rheumatoid arthritis.

160. Majoon-e-Ushba. (Maghzan-ul-Murakabath.)

Take of :

1	Badiyan	.. .. ..	2 tolas.
2	Sandal-e-Sufeed	.. ..	2 ,,
3	Bisfaej	.. .. ..	6 ,,
4	Berg-e-Sana	.. ..	6 ,,
5	Ushba	.. .. ..	16 ,,
6	Honey	.. .. ..	24 ,,
7	Sugar candy	.. ..	48 ,,

Powder Nos. 1 to 5. Mix Nos. 6 and 7 and boil to consistency. Add all the powders and mix well.

Dose : ½ to 1 tola, twice a day.

Indications : Boils, scabies, urticaria, infected wounds, etc.

161. Majoon-e-Zeekh. (Hospital Pharmacopœia.)

Take of:

1	Chillbeenj	.. ..	5 palams.
2	Honey	.. .. ..	15 ,,

Grind No. 1 in 2 and preserve.

Dose : ½ to 1 tola, two or three times a day.

Indications : Bronchial asthma and whooping cough.

162. Majoon-e-Ziabethus. (Hospital Pharmacopœia.)

Take of:

1	Zanjabeel	.. ..	1 tola.
2	Darchini	.. ..	1 ,,
3	Kharanfal	.. ..	1 ,,
4	Khulanjan	.. ..	1 ,,
5	Kababa ..	.. ..	1 ,,
6	Akherkherha	.. ..	1 ,,
7	Amila ..	.. ..	1 ,,
8	Jozbuva ..	.. ..	1 ,,
9	Ambahaldi	.. ..	1 ,,
10	Afyun ..	.. ..	½ ,,
11	Honey ..	.. ..	10 palams.

Powder Nos. 1 to 9 in a pounder, and grind No. 10 to a paste. Prepare the Khivam of No. 11, add all the ingredients and mix well.

Dose : ½ to ¾ tola, twice a day.

Indications : Diabetes mellitus.

163. Majoon-e-Zoofa. (Maghzan-ul-Murakabath.)

Take of:

1 Khird Mana	.. ..	$1\frac{1}{2}$ tolas.
2 Filfil-e-Siyah	.. ..	$1\frac{1}{2}$,,
3 Maghz-e-Badam Talkh	..	1 tola.
4 Zeravand Mudharij	..	2 tolas.
5 Tukhm-e-Anjara	..	2 ,,
6 Rub-e-Soos	.. ..	4 ,,
7 Zoofa	.. .. ..	4 ,,
8 Parsiavoshan	.. ..	4 ,,
9 Honey	.. .. ..	21 palams.

Powder Nos. 1, 2 and 4 to 8. Grind No. 3 to a soft paste. Prepare the Khivam of No. 9 adding No. 3. Add all the powders, and mix well.

Dose: $\frac{1}{4}$ to 1 tola, twice a day.
Indications: Chronic bronchitis, coryza and bronchiectasis.

SECTION XV.

MERHAM.

Merham or ointment contains fats or vegetable oils in addition to medicinal drugs and is used only externally.

The drugs are made into fine powder and added to the base (oil or fat) and mixed well.

164. Merham-e–Aathishak. (Kharabadeen-e-Jadeed.)

Take of:

1 Dam-ul-Akhvain	..	$\frac{1}{4}$ tola.
2 Raskapur	.. ..	$\frac{1}{2}$,,
3 Murdar Sing (purified)	..	$\frac{1}{2}$,,
4 Roghan-e-Zard	.. ..	Quantity sufficient.

Powder No. 1. Put Nos. 2 and 3 in a mortar and powder. Add No. 1 and small quantities of No. 4 and grind till it becomes an ointment.

For external application only.

Indications : Soft chancre and pustular rashes.

165. Merham-e-Dakhyl-e-Yun. (Kharabadeen-e-Jadeed.)

Take of :

1	Murdar sing (purified)	5	tolas.
2	Roghan-e-Zaithoon	10	,,
3	Tukhm-e-Khathmi	2	,,
4	Isapaghol	2	,,
5	Tukhm-e-Maru	2	,,
6	Hulba	2	,,
7	Tukhm-e-Kathan	2	,,

Grind No. 1 in the juice of No. 5. Powder Nos. 2, 3 and 4 each separately. Finally add all the powders to the paste and grind well.

For external use only.

Indications : Anal fissure and chronic ulcers.

166. Merham-e-Kafoori. (Kharabadeen-e-Jadeed.)

Take of :

1	Baladur	9	Nos.
2	Kafoor Sada	4	tolas.
3	Ood-e-Loban	4	,,
4	Khath Sufeed	4	,,
5	Lemoon	2	Nos.

Grind No. 1 in the juice of No. 5. Powder Nos. 2, 3 and 4, each separately. Add all the powders to the paste and grind well.

For external use only to be applied on a piece of lint or cloth.

Indications : Psoriasis and warts.

167. Merham-e-Raal. (Kharabadeen-e-Jadeed.)

Take of :

1	Kafoor Khaisori	..	2 tolas.
2	Raal Sufeed	.. ..	2 ,,
3	Khath Sufeed	.. ..	2 ,,
4	Mom Sufeed	.. ..	2 ,,
5	Ghee	.. .. ..	10 ,,

Powder No. 3. Boil No. 5, add Nos. 2, 3 and 4, mix well. Add No. 1 when cool, and mix well.

For external use only to be applied on a piece of cloth.

Indications : Infected wounds.

168. Merham-e-Seemab. (Maghzan-ul-Murakabath.)

Take of :

1	Saindoor	.. ..	$1\frac{1}{2}$ tolas.
2	Murdar sing (purified)	..	$1\frac{1}{2}$,,
3	Seemab	.. .. ..	$1\frac{1}{2}$,,
4	Raskapur	.. ..	$\frac{1}{2}$ tola.
5	Sufeeda	.. .. ..	$\frac{1}{2}$,,
6	Khath Sufeed	.. ..	$\frac{1}{2}$,,
7	Neela Toota	.. ..	$\frac{1}{4}$,,
8	Butter	.. .. ..	10 tolas.

Make fine powder of Nos. 1 to 7, add No. 8 and mix well.

For external application only.

Indications : Chronic ulcers and infected wounds.

SECTION XVI.

MUFERRAH.

PREPARATION OF MUFERRAH.

It is more or less on the lines of preparing 'Majoon'. '*Muferrah*' means a preparation which produces 'Ferhath', i.e., a sense of well-being and exhilaration.

169. Muferrah-e-Ahmadi. (Hospital Pharmacopœia.)

Take of :

1	Thabasheer	2 tolas.
2	Sandal-e-Sufeed ..	4 ,,
3	Amila	4 ,,
4	Gul-e-Surkh	8 ,,
5	Kashneez	8 ,,
6	Sugar	35 palams.

Powder Nos. 1 to 5, each separately. Prepare the Khivam of No. 6, add all the powders and mix well.

Dose : 1 to 2 tolas, twice a day.
Indications : Gastric and duodenal ulcer, gastritis, ulcerative colitis, palpitation of heart.

170. Muferrah-e-Azam Sada. (Kharabadeen-e-Jadeed.)

Take of :

1	Bahman-e-Sufeed ..	$\frac{1}{2}$ tola.
2	Bahman-e-Surkh ..	$\frac{1}{2}$,,
3	Balchar	$\frac{1}{2}$,,
4	Khurfa	$\frac{1}{2}$,,
5	Ilachi Kalan	$\frac{1}{2}$,,
6	Ilachi Khurd	$\frac{1}{2}$,,
7	Gil-e-Armani	$\frac{1}{2}$,,
8	Gil-e-Makhthoom ..	$\frac{1}{2}$,,

Take of—*cont.*

9	Safron	½ tola.
10	Jadvar Khatha-yee ..	⅛
11	Kaheruba	1¼ ,,
12	Kabab Chini	1¼ ,,
13	Narmisk	1¼ ,,
14	Darunaj	1¼ ,,
15	Narkachoor	1¼ ,,
16	Sandal-e-Sufeed ..	1¼ ,,
17	Sandal-e-Surkh ..	1¼ ,,
18	Kashneez	1¼ ,,
19	Fad Zaher Haivani ..	1¼ ,,
20	Gauzuban	3 tolas.
21	Posth-e-Haleela-e-zard.	2 ,,
22	Uthraj	2 ,,
23	Thabsheer	2 ,,
24	Abraisham	2 ,,
25	Badranjboya	3½ ,,
26	Aab-e-Bihi	6 ounces.
27	Aab-e-Annar Shireen ..	6 ,,
28	Gulab (Arkh)	6 ,,
29	Arkh-e-Gauzuban ..	6 ,,
30	Arkh-e-Sandal ..	6 ,,
31	Sugarcandy	25 palams.
32	Honey	15 ,,

Powder Nos. 1 to 9, 12 to 22 and 25. Grind Nos. 10, 11 and 23 with 28. Prepare the decoction of No. 24 with Nos. 29 and 30 and prepare the Khivam, adding Nos. 26, 27, 31 and 32. Finally add all the powders, mix well and preserve.

Dose : ¼ to ½ tola, two or three times a day.

Indications : Myocardial degeneration, rheumatism, myalgia, etc.,

171. Muferrah-e-Azam Bajawahir. (Kharabadeen-e-Jadeed.)

Take of :

1	Shathra	1	tola.
2	Badranjboya	1	,,
3	Gul-e-Gauzuban ..	1	,,
4	Tambool	1	,,
5	Bahman-e-Surkh ..	½	,,
6	Bahman-e-Sufeed ..	½	,,
7	Lajverd..	¼	,,
8	Amber	¼	,,
9	Zaranbad	¼	,,
10	Posth-e--Haleela-e-Kabuli.	¼	,,
11	Abraisham	¼	,,
12	Sandal-e-Sufeed ..	¼	,,
13	Posth-e-Bairoon-e-Pistha.	¼	,,
14	Dana-e-Heel	¼	,,
15	Verkh-e-Thila ..	¼	,,
16	Verkh-e-Nukhra ..	¼	,,
17	Yakhooth	¼	,,
18	Marjan	⅛	,,
19	Mervareed	⅛	,,
20	Kaheruba	⅛	,,
21	Ood-e-Hindi	¼	,,
22	Sugar, white	20	palams.
23	Aab-e-Seb	1	ounce.
24	Aab-e-Bihi	1	,,
25	Gulab Arkh	1	,,
26	Aab-e-Annar	1	,,
27	Aab-e-Zarishk	1	,,
28	Aab-e-Rebas	1	,,
29	Thabasheer	¼	,,
30	Gul-e-Makthoom ..	¼	,,
31	Safran	¼	,,

Take of—*cont.*

32 Darunaj	.. ..	¼ ounce.
33 Zarnab	.. ..	¼ ,,
34 Kababa	.. ..	¼ ,,

Make the decoction of No. 11, adding Nos. 23 to 28. Add sugar to the decoction and boil to consistency (khivam). Powder Nos. 1 to 7, 9, 10, 12 to 14, 21, 29 and 30 to 34—all put together. Powder Nos. 8 and 17 to 20—each separately. Add all the powders to the syrup (khivam), mix well and finally add Nos. 15 and 16.

Dose: ¼ to ½ tola, twice a day.
Indications: Myocardial degeneration, nervous debility, general weakness.

172. Muferrah-e-Barid. (Kharabadeen-e-Jadeed.)

Take of:

1 Tukhm-e-Kahu	..	3 tolas.
2 Maghz-e-Kherbuza	..	3 ,,
3 Maghz-e-Kaddu	..	3 ,,
4 Maghz-e-Khyar	..	3 ,,
5 Tukhm-e-Khurfa	..	3 ,,
6 Mervareed	.. ..	1 tola.
7 Busud Sokhtha	..	1 ,,
8 Kaheruba	.. ..	1 ,,
9 Sarthan Nehri Sokhtha.		1 ,,
10 Abraisham	.. ..	1 ,,
11 Sandal-e-Sufeed	..	2 tolas.
12 Kafoor	.. ..	1 tola.
13 Sandal-e-Surkh	..	1 ,,
14 Heelbuva	.. ..	1 ,,
15 Gul-e-Surkh	.. ..	5 tolas.
16 Thabasheer	.. ..	2 ,,
17 Ood-e-Hindi	.. ..	1 tola.

Take of—*cont.*

18	Darunaj	1 tola.
19	Zaranabad	1 ,,
20	Bahman Sufeed ..	1 ,,
21	Safron	¼ ,,
22	Gauzuban	3 tolas.
23	Mishk	½ tola.
24	Amber	¼ ,,
25	Murabb-e-Seb ..	14 palams.
26	Aab-e-Anar	14 oz.
27	Murabb-e-Bihi	14 palams.
28	Honey	3 lb.

Powder Nos. 1, 5, 7, 9, 11, 13 to 15 and 18 to 22. Grind Nos. 2 to 4, 6, 8, 12, 16, 17, 25, and 27 to a paste. Prepare the decoction of No. 10 and boil to consistency adding Nos. 23 24, 26 and 28. Finally add all the powders, mix well and preserve.

Dose : ¼ to ½ tola, twice a day.
Indications : Nervous irritability, cardiac neurosis and insomnia.

173. Muferrah-e-Dilkusha. (Kharabadeen-e-Jadeed.)

Take of:

1	Bahman-e-Sufeed ..	2½ tolas.
2	Bahman-e-Surkh ..	2½ ,,
3	Posth-e-Haleela-e-Kabuli.	1 tola.
4	Posth-e-Bairoon-e-Pistha.	1 ,,
5	Posth-e-Turanj ..	1 ,,
6	Abraisham	1 ,,
7	Gauzuban	1½ tolas.
8	Kisneez	1½ ,,
9	Thabasheer	1½ ,,
10	Busud	½ tola.
11	Zuranbad	½ ,,

Take of—*cont.*

12 Kaheruba	..	..	½ tola.
13 Verdeenaj	..	..	½ ,,
14 Ood-e-Kham	..	..	½ ,,
15 Aab-e-Annar	..	..	2 oz.
16 Aab-e-Bihi	..	..	2 ,,
17 Aab-e-Zarishk	..	..	2 ,,
18 Banafsha	..	..	20 tolas.
19 Sharab (Brandy)		..	7 ounces.
20 Sugarcandy	..	..	17 palams.

Powder Nos. 1 to 5, 7, 8 and 12 to 14. Grind Nos. 8 to 11 to a fine paste. Prepare the Khivam of No. 20 with No. 15 to 19. Add all the powders and mix well.

Dose : ½ to 1 tola, B. D.
Indications : Nervous debility, neurasthenia and insomnia.

SECTION XVII.

ROGHAN.

Roghans (oils) in the majority of cases are of vegetable origin as Almond, Linseed, Olive, Gingelly and Castor oils. In the Unani System of medicine, generally oils are not used internally and are intended solely for external use.

The above oils are bases and certain drugs are added to these and boiled till the moisture is evaporated. It is filtered and the medicated oil is used.

174. Roghan-e-Azam. (Maghzan-ul-Murakabath.)

Take of:

1 Afsantheen	..	..	1 tola.
2 Zard chobe	..	..	1 ,,

Take of—*cont.*

3	Khusthe Talqh	2 tolas.
4	Maghz-e-Badam Talqh-	2 ,,
5	Ajwain	½ tola.
6	Zanjabeel	½ ,,
7	Asal-e-Soos	½ ,,
8	Hing	¼ ,,
9	Boora-e-Armani ..	¼ ,,
10	Shaham Hanzal ..	¼ ,,
11	Akherkherha	¼ ,,
12	Piaz Sufeed	4 tolas.
13	Aabe Berg-e-Sudab ..	2 oz.
14	Aab-e-Merva	2 ,,
15	Aab-e-Berg-e-Karela.	2 ,,
16	Aab-e-Mulli	2 ,,
17	Aab-e-Sudersan ..	2 ,,
18	Sharab (brandy) ..	2 ,,
19	Roghan-e-Kunjad ..	20 palams.

Soak Nos. 1 to 11 in sufficient quantity of cow's milk for a night. Next morning add this and other drugs and boil till the moisture evaporates and filter.

To be used as ear-drops.

Indications : Chronic otitis media.

175. Roghan-e-Banafsha. (Maghzan-ul-Murakkabath.)

Take of :

1	Gul-e-Banafsha ..	5 tolas.
2	Amila	1 tola.
3	Parsiavoshan	1 ,,
4	Khass	1 ,,
5	Sandal-e-Sufeed ..	1 ,,
6	Gingelly oil	20 palams.

Take the decoction of Nos. 1 to 5, add No. 6 and boil sufficiently.

For external use only.

Indications : Alopecia areata, insomnia.

176. Roghan-e-Gul. (Kharabadeen-e-Jadeed.)

Take of :

1	Gul-e-Surkh (Fresh) ..	30 palams.
2	Gingelly oil	$\frac{3}{4}$ viss.

Soak No. 1 in No. 2 and keep it in the sun.

Dose : Quantity sufficient for external use only.
Indications : Chronic headache, rheumatoid arthritis, lumbago.

177. Roghan-e-Hamam. (Hospital Pharmacopœia.)

Take of :

1	Posth-e-Haleela-e-Zard.	1 palam.
2	Posth-e-Baleela ..	1 ,,
3	Amila	2 palams.
4	Gingelly oil	20 ,,

Take the decoction of Nos. 1 to 3, add No. 4 and boil sufficiently.

For external use only on the body and head.

Indications : Insomnia, neurasthenia, falling of hair, etc.

178. Roghan-e-Khass. (Hospital Pharmacopœia.)

Take of :

1	Gingelly oil	40 palams.
2	Berg-e-Madar	5 tolas.
3	Berg-e-Dhatura	5 ,,
4	Berg-e-Baid Anjeer ..	5 ,,
5	Mome	$7\frac{1}{2}$,,
6	Saindoor	$7\frac{1}{2}$,,
7	Lak	$2\frac{1}{2}$,,

Powder Nos. 6 and 7. Take the juice of Nos. 2 to 4 and boil with the addition of Nos. 1 and 5. Filter when cooled and add the powder of Nos. 6 and 7.

For external use only.

Indications : Scabies, chancroid, rheumatoid arthritis.

179. Roghan-e-Khusth. (Kharabadeen-e-Jadeed.)

Take of :

1	Khusth Talqh	8 tolas.
2	Balchar	8 ,,
3	Gulab	40 oz.
4	Jund Baidasthar ..	4 tolas.
5	Filfil-e-Siyah	4 ,,
6	Ferfiyun	4 ,,
7	May-e-Sayeela	4 ,,
8	Gingelly oil	40 oz.

Powder Nos. 4 to 7. Boil Nos. 1 and 2 with the addition of Nos. 3 and 8, add all the powders and mix well.

For external use only.

Indications : Paralysis, fibrositis.

180. Roghan-e-Masthagi. (Kharabadeen-e-Jadeed.)

Take of :

1	Masthagi	20 tolas.
2	Gingelly oil	30 palams.

Boil the oil and keep down and add the powdered masthagi.

For external use only.

Indications : Eczema, Rheumatoid Artritis.

181. Roghan-e-Mome. (Kharabadeen-e-Jadeed.)

Take of:

1	Mome	40 palams.
2	Namak-e-Shore ..	120 ,,

Place Nos. 1 and 2 in a 'Khera' and extract the Roghan as a distillate (as preparation of Arkh).

For external use only.

Indications: Arthritis-colds, Chilblains.

182. Roghan-e-Sudab. (Hospital Pharmacopœia.)

Take of:

1	Aab-e-Berg-e-Sudab ..	20 oz.
2	Gingelly oil	60 ,,

Take the juice of No. 1 and boil it with No. 2 till the moisture evaporates.

For external use only.

Indications: Eczema, painful joints.

183. Roghan-e-Zakham-e-Hayath. (Hospital Pharmacopœia.)

Take of:

1	Gingelly oil	40 palams.
2	Asal-e-Soos	5 tolas.
3	Darhald	5 ,,
4	Berg-e-neem (dry) ..	5 ,,
5	Berg-e-Kanghi (dry) ..	5 ,,
6	Dhuvansa	5 ,,
7	Seer	5 ,,
8	Mom	1¼ ,,
9	Ustha Khan Gosfand ..	1¼ ,,
10	Barood	1¼ ,,

Powder Nos. 2 to 7 and 10. Grind No. 8 to a paste. Boil No. 1 with the addition of Nos. 8, 9, 11, add all the powders and mix well.

For external use only.

Indications: Scabies, Chronic abscesses infected wounds, etc.,

SECTION XVIII.

RUB.

Rub is an extract of fresh fruits or flowers or flower-buds—boiled to consistency with the addition of sugar or sugarcandy. At times dried drugs are also used. Then, the drugs are soaked in water to make them soft and ground. The extract is taken and filtered. To this extract sugar or sugar candy is added and boiled to consistency. The consistency should be thicker than that of syrub.

184. Rubb-e-Amila Sabz. (Hospital Pharmacopœia.)

Take of:

1 Amila Sabz		..	..	10 palams.
2 Sugar	..	..	..	30 ,,

Remove the seeds by powdering No. 1. Grind the pulp and extract the juice. Prepare Khivam and add the extract and boil.

Dose: 1 to 2 tolas, twice or thrice a day.
Indications: Hepatic diarrhœas, anæmia, cools the system.

SECTION XIX.

SAFOOF.

Safoof means powder. They are fine powders of dried drugs. They are powdered in

mortar with pestle or ground in stone mortar. and sieved. At times the powder is made by grinding with some liquid, when it is again dried and powdered.

185. Safoof-e-Bukhar. (Hospital Pharmacopœia.)

Take of :

1	Posth-e-Khashkhash ..	1 palam.
2	Shib biryan	1 „

Fry No. 1 and powder. Powder No. 2 and mix together.

Dose: 15 to 30 grs., twice a day with water.
Indications: Chronic colds, fever, etc.

186. Safoof-e-Habsuddam. (Hospital Pharmacopœia.)

Take of :

1	Sangh-e-jarahath ..	3 tolas.
2	Gond Dhak	3 „
3	Ma-een-kalan	1½ „
4	Sadaf Sokhtha	1½ „
5	Gil-e-Armani	1½ „
6	Damul Akhvain ..	1½ „
7	Gulnar	1½ „
8	Sugarcandy	20 „

Powder Nos. 1 to 8–each separately and mix well.

Dose: 15 to 30 grs., twice or thrice a day with water.
Indications: Haemorrhages, epistaxis, haemetemesis, Haemoptysis.

187. Safoof–e–Hazim. (Hospital Pharmacopœia).

Take of :

1	Namak-e-Hazim ..	10 tolas.
2	Ilachi	5 „
3	Geru	5 „

Powder each separately and mix.

Dose: 15 to 20 grs., two or three times a day with water.
Indications: Dyspepsia.

188. Safoof-e-Indri Jullab. (Kharabadeen-e-Jadeed.)

Take of:

1 Shora	.. ..	½ tola.
2 Raivend Chini	..	½ ,,
3 Java Khar	.. ..	1 ,,
4 Sugarcandy	..	12 tolas.

Powder Nos. 2 and 4, and grind Nos. 1 and 3. Mix well.

Dose: ¼ to ½ tola, twice a day with lassi (sweet buttermilk.)

Indications: Cystitis.

189. Safoof-e-Kasir-e-Reeh. (Hospital Pharmacopœia.)

Take of:

1 Zeera-e-Sufeed	.. ..	10 tolas.
2 Ajwain	.. ..	7 ,,
3 Namak-e-Siyah	..	4 ,,
4 Filfil-e-Siyah	.. ..	4 ,,

Powder Nos. 1 to 4 and mix well.

Dose: ¼ to ½ tola, twice a day with water.
Indications: Dyspepsia, flatulence. Increases appetite.

190. Safoof-e-Khulanj. (Hospital Pharmacopœia.)

Take of:

1 Bach
2 Namak-e-Siyah
3 Namak-e- Senda
4 Namak-e-Sounchar
5 Mamak-e- Samber

} 2 tolas each.

Take of—*cont.*

6 Namak-e-Taam	..	2 tolas each.
7 Namak-e-Indrani	..	
8 Lemoon (juice)	..	9 oz.

Powder Nos. 1 to 7 and with the addition of No. 8, grind to a paste and dry. Place it in a mud pan, cover it with another and seal, subject it to fire of 10 cow-dung cakes. Remove when cool and grind to fine powder.

Dose: ¼ to ½ tola, twice a day.
Indications: Abdominal Colic and colitis.

191. Safoof-e-Masana No. 1. (Hospital Pharmacopœia.)

Take of:

1 Gul-e-Surkh	.. ..	2 tolas.
2 Raivendchini	.. ..	2 ,,
3 Namak-e-Angoor	..	8 ,,
4 Aneesoon	.. ..	8 ,,

Powder Nos. 1 to 4 each separately and mix well.

Dose: ¼ to ½ tola, two or three times a day with water.
Indications: Nephritis, cystitis, pyelitis.

192. Safoof-e-Masana No. 2. (Hospital Pharmacopœia.)

Take of:

1 Kababa	..	1 tola each.
2 Shoora-e-Khalmi	..	
3 Khath Sufeed	..	
4 Zeera-e-Sufeed	..	
5 Ilachi	..	
6 Maghz-e-Kavalgadda	..	
7 Tukhm-e-Khurfa	..	
8 Sath-e-Bahroza	..	2 tolas.

Powder Nos. 1 to 8 each separately and mix well.

Dose: $\frac{1}{4}$ to $\frac{1}{2}$ tola, two or three times a day with water.
Indications: Nephrosis, pyelitis, cystitis.

193. Safoof-e-Mufasil. (Hospital Pharmacopœia).

Take of :

1	Surinjan Sheereen ..	5 tolas.
2	Berge Sana	$3\frac{1}{2}$,,
3	Posthe-Haleel-e-Zard ..	$1\frac{1}{2}$,,
4	Maghz-e-Badam ..	$1\frac{1}{2}$,,
5	Safron	$\frac{1}{2}$ tola.
6	Sakhmonia	$\frac{3}{4}$,,
7	Turbud Sufeed ..	$2\frac{1}{2}$ tolas.
8	Sugarcandy	5 palams.

Powder Nos. 1 to 8 each separately and mix well.

Dose: $\frac{1}{4}$ to $\frac{1}{2}$ tola, twice a day with water.
Indications: Rheumatism, arthritis, gout and lumbago.

194. Safoof-e-Mukhlyasa. (Kharabadeen-e-Jadeed.)

Take of:

1	Alsi	3 tolas.
2	Tukhm-e-Gandana ..	3 ,,
3	Haleele Siyah	3 ,,
4	Masthagi	$1\frac{1}{2}$,,
5	Tukhm-e-Jarjeer	$1\frac{1}{2}$,,

Powder Nos. 1 to 5 each separately and mix well.

Dose: $\frac{1}{4}$ to $\frac{1}{2}$ tola, twice a day with water.
Indications: Chronic constipation and colitis.

195. Safoof-e-Namak-e-Sulaimani Khass.
(Kharabadeen-e-Jadeed.)

Take of:

1 Namak-e-Samber	..	18 tolas.
2 Namak-e-Lahoori	..	9 ,,
3 Noushader ..	..	9 ,,
4 Namak-e-Indrani	..	9 ,,
5 Filfil-e-Siyah ..	..	2 ,,
6 Azkher	..	2 ,,
7 Tukhm-e-Karafas	..	3 ,,
8 Filfil-e-Sufeed ..	..	1 tola.
9 Balchar	..	1 ,,
10 Hing	..	1 ,,
11 Zeera Siyah ..	..	½ ,,
12 Darchini	..	½ ,,
13 Pudina Khushk ..	..	½ ,,
14 Zanjabeel ..	..	½ ,,
15 Aneesoon ..	..	½ ,,
16 Safron	..	½ ,,

Powder Nos. 5 to 16 each separately. Grind Nos. 1 to 4, add all the powders and mix well.

Dose: ¼ tola, twice a day after food with water.
Indications: Anorexia and dyspepsia.

196. Safoof-e-Nanayee.

Take of:

1 Pudina Khushk ..	..	3 tolas.
2 Samagh-e-Arabi ..	..	1½ ,,
3 Namak-e-Siyah ..	..	1½ ,,
4 Filfil-e-Siyah ..	..	¾ tola.

Powder Nos. 1 to 4 each separately and mix well.

Dose: ¼ to ½ tola, twice a day with water.
Indications: Dyspepsia and flatulence.

197. Safoof-e-Paichish. (Hospital Pharmacopoeia).

Take of:

1 Kaheruba		1 palam each.
2 Sadaf Sokhtha.. ..		
3 Kundur		
4 Habbul Aas (biryan) ..		
5 Khashkhash		
6 Saada Kufi		

Powder Nos. 4 to 6 after roasting in ghee. Grind Nos. 1 to 3—each separately, add all the powders and mix well.

Dose: ¼ to ½ tola, twice a day with butter.
Indications: Chronic dysentery and colitis.

198. Safoof-e-Sana. (Maghzan-ul-Marakkabath.)

Take of:

1 Berg-e-Sana ..	5 tolas each.
2 Zanjabeel ..	
3 Posth-e-Haleel-e-Zard ..	
4 Namak-e-Siyah ..	

Powder and mix well.

Dose: ¼ to ½ tola, once or twice a day.
Indications: Chronic constipation.

199. Safoof-e-Sanghdan-e-Murgh. (Maghzan-ul-Murakabath.)

Take of:

1 Ood	1 palam each.
2 Masthagi.	
3 Thabasheer. ..	
4 Habbul Aas. ..	
5 Samagh-e-Arabi ..	
6 Dana-Heel. ..	
7 Nishasta. ..	

Take of—*cont.*

8	Zeer-e-Siyah	1 palam each.
9	Posth-e-Bairoon-e-Pistha.	
10	Gulnar	
11	Sanghdana-e-Murgh ..	

Powder Nos. 1, 2, 4 to 6 and 8 to 11—each separately. Grind Nos. 3 and 7 in a mortar, add all the powders and mix well.

Dose : ¼ to ½ tola, twice a day with water.
Indications : Sprue, anaemias and dyspepsia.

200. Safoof-e-Sarthan. (Maghzanu-l-Murakabath.)

Take of :

1	Sarthan Sokhtha	10 palams.
2	Samagh-e-Arabi	5 ,,
3	Gil-e-Khersi	5 ,,
4	Khashkhash Sufeed ..	5 ,,
5	Khashkhash Siyah ..	5 ,,
6	Katheera	3 ,,

Powder Nos. 1 to 6 each separately and mix well.

Dose : ¼ to ½ tola, twice a day with water.
Indications : Tubercular diarrhœas and tuberculosis.

201. Safoof-e-Sozack. (Hospital Pharmacopœia),

Take of :

1	Nakhood Biryan	5 tolas.
2	Sath-e-Bahroza	1 tola.
3	Dana-e-Ilachi	¼ ,,
4	Thabasheer	¼ ,,
5	Gairu	¼ ,,

Powder Nos. 1 to 5 each separately and mix well.

Dose : ¼ to ½ tola, twice a day with water.
Indications : Gonococcal infections.

202. Safoof-e-Surfa. (Kharabadeen-e-Azam.)

Take of:

1	Filfil-e-Siyah	.. ..	4 tolas.
2	Nankha	.. .. ..	4 ,,
3	Namak-e-Lahoori	.. ..	4 ,,
4	Namak-e-Siyah	.. ..	4 ,,
5	Sohaga	.. .. ..	4 ,,
6	Berg-e-Adusa	.. ..	165 leaves (dry and powder).
7	Darefilfil	.. .. ..	4 tolas.

Powder Nos. 1 to 7—each separately and mix well.

Dose: ¼ tola, two to three times a day with water.
Indications: Dry and unproductive cough and bronchitis.

203. Safoof-e-Surinjan. (Mughzan-ul-Murakabath.)

Take of:

1	Surinjan Sheeri	.. ..	4 tolas.
2	Zeera Sufeed	.. ..	1 tola.
3	Berg-e-Sana	.. ..	2 tolas.
4	Pudina Khushk	.. ..	1 tola.
5	Posth-e-Haleel-e-zard	..	3 tolas.
6	Sugarcandy	.. ..	12 ,,

Powder Nos. 1 to 6—each separately and mix well.

Dose: ¼ to ½ tola, twice a day with water.
Indications: Rheumatism, arthritis and sciatica.

204. Safoof-e-Thabasheer. (Hospital Pharmacopœia.)

Take of:

1	Thabasheer	.. ..	5 tolas.
2	Sath-e-Gulu	.. ..	5 ,,
3	Dana-e-Ilachi Sabz	..	5 ,,
4	Sugarcandy	.. ..	15 ,,

Powder Nos. 1 to 4—each separately and mix well.

Dose : ¼ tola, two or three times a day with water.
Indications : Infectious hepatitis, tuberculosis, haemorrhages, Peptic ulcer, etc.

205. Safoof-e-Turbud. (Hospital Pharmacopoeia.)

Take of:

1	Turbud	10 tolas.
2	Zanjabeel	1 tola.
3	Masthagi	1 ,,
4	Sugarcandy	12 tolas.

Powder Nos. 1 to 4—each separately and mix well.

Dose : ¼ to ½ tola, twice a day with water.
Indications : Rheumatoid arthritis and chronic constipation.

SECTION XX.

SHERBATH.

'*Sherbaths*' or syrups are fluid preparations of either fresh or dry drugs containing sufficient quantity of sugar.

The consistency should be such as to appear like honey. They have to be preserved only in glass vessels or chinaware and not in metallic containers.

206. Sherbath-e-Ayn-un-nas. (Hospital Pharmacopoeia.)

Take of:

1	Ayn-un-nas (pine-apple juice)	20 oz.
2	Sugar	40 palams.

Prepare the Khivam of No. 2 with the juice of No. 1 and preserve.

Dose : ½ to 1 oz., twice a day.
Indications : Ascites and retention of urine.

207. Sherbath-e-Annar Shereen. (Kharabadeen-e-Jadeed.)

Take of :

1 Annar Shereen-Juice	..	24 oz.
2 Pudina-Juice	.. ..	1 ,,
3 Sugar	.. .. ..	50 ,,

Prepare the Khivam of No. 3 with the juice of Nos. 1 and 2.

Dose : ½ to 1 oz., two to three times a day.
Indications : Cirrhosis of the liver and summer diarrhoea.

208. Sherbath-e-Anar Thursh. (Kharabadeen-e-Jadeed.)

Take of :

1 Anar Thursh juice	..	20 oz.
2 Ood-e-Kham	.. ..	1 ,,
3 Amila	.. .. ..	1 ,,
4 Sugar	.. .. ..	40 palams.

Prepare the Khivam of No. 4 with the juice of Nos. 1 to 3 and preserve.

Dose : ½ to 1 oz., twice a day.
Indications : Chronic diarrhoeas.

209. Sherbath-e-Bailphal. (Hospital Pharmacopoeia.)

Take of :

1 Bailphal juice	.. ..	20 oz.
2 Sugar	.. .. ..	40 palams.

Prepare the Khivam of No. 2 with the juice of No. 1.

Dose : ½ to 1 oz., twice a day.
Indications: Chronic dysentery, diarrhoea, Entero-colitis, etc.

210. Sherbath-e-Banafsha. (Kharabadeen-e-Jadeed.)

Take of:

1 Gul-e-Banafsha	..	3 palams.
2 Sugar ..	..	20 ,,

Prepare the Khivam of No. 2 with No. 1 and preserve.

Dose: ½ to 1 oz., twice a day.
Indications: Chronic fever, dry cough, palpitation of the heart.

211. Sherbath-e-Buzoori. (Kharabadeen-e-Jadeed.)

Take of:

1 Badiyan ..	..	4 tolas.
2 Tukhum-e-Kasni	..	4 ,,
3 Tukhm-e-Khyar	..	4 ,,
4 Tukhm-e-Kharbuza		4 ,,
5 Beekh-e-Badiyan.		8 ,,
6 Beekh-e-Kasni	..	8 ,,
7 Sugar candy	..	32 ,,

Prepare the decoction of Nos. 1 to 6, add No. 7 and boil to consistency.

Dose: ½ oz. to 1 oz., twice a day.
Indications: Nephritis, urethritis.

212. Sherbath-e-Deenar. (Kharabadeen-e-Jadeed.)

Take of:

1 Tukhm-e-Kasni	..	2 tolas.
2 Gul-e-Neelofer	..	1 tola.
3 Gul-e-Surkh	..	2 tolas.
4 Beekh-e-Kasni	..	4 ,,
5 Gauzuban ..	..	1 tola.
6 Tukhm-e-Kasoos	..	1 ,,
7 Raivendchini	..	1¼ ,,
8 Sugarcandy	..	16 tolas.

Prepare the decoction of Nos. 1 to 7, add No. 8 and boil to consistency.

Dose: ½ to 1 oz., two or three times a day.
Indications: Jaundice, chronic constipation and sluggishness of the liver.

213. Sherbath-e-Ejaz. (Kharabadeen-e-Jadeed.)

Take of:

1	Unnab ..	30 units.
2	Sapisthan ..	75 ,,
3	Asale-Soos ..	3 tolas.
4	Tukhm-e-Khathmi	3 ,,
5	Tukhm-e-Khabbazi	3 ,,
6	Gul-e-Neelofer	3 ,,
7	Gul-e-Banafsha	3 ,,
8	Bihidana ..	2 ,,
9	Katheera ..	1 tola.
10	Samagh Arabi	1 ,,
11	Berg-e-Ausa	40 units.
12	Sugarcandy ..	40 palams.

Take the extract of Nos. 1, 2 and 8 and the decoction of Nos. 3 to 7 and 11. Prepare the Khivam of No. 12 with the decoction and the extract and add the powders to Nos. 9 and 10.

Dose: ½ to 1 oz., twice a day.
Indications: Dry cough, pneumonia, pleural effusions.

214. Sherbath-e-Feryad Ras. (Kharabadeen-e-Jadeed.)

Take of:

1	Gauzuban ..	2 tolas.
2	Sandal-e-Sufeed	2 ,,
3	Parsiavoshan	2 ,,
4	Ood-e-Saleeb	2 ,,
5	Khashkhash Sufeed	2 ,,
6	Asal-e-Soos ..	2 ,,

Take of—*cont.*

7	Tukhm-e-Khathmi ..	1 tola.
8	Gul-e-Surkh ..	1 ,,
9	Munakkha	1 ,,
10	Sugar	20 tolas.

Prepare the Khivam of No. 10 with the decoction of Nos. 1 to 9 and preserve.

Dose : ½ to 1 oz., twice a day.
Indications : Cold, chronic bronchitis.

215. Sherbath-e-Gudhal. (Kharabadeen-e-Jadeed.)

Take of :

1	Gudhal Kham ..	8 tolas.
2	Sapisthan	5 ,,
3	Tukhm-e-palak ..	5 ,,
4	Unnab	2 ,,
5	Asal-e-Soos	5 ,,
6	Sugar	25 ,,

Prepare the Khivam of No. 6 with the decoction of Nos. 1 to 5 and preserve.

Dose : ½ to 1 oz., twice a day.
Indications : Cold, chronic fevers.

216. Sherbath-e-Gulab. (Hospital Pharmacopoeia.)

Take of :

1	Arkh-e-Gulab ..	24 oz.
2	Sugar	40 palams.

Prepare the Khivam of No. 2 with No. 1 and preserve.

Dose : ¼ to ½ oz., twice a day.
Indications : Nervous insomnia, chronic cholangitis.

217. Sherbath-e-Jamoon. (Hospital Pharmacopoeia.)

Take of:

1	Jamoon juice	24 oz.
2	Sugar	40 palams.

Prepare the Khivam of No. 2 with the juice of No. 1.

Dose: ½ to 1 oz., twice a day.
Indications: Chronic diarrhoea, hepatic insufficiency biliary colic.

218. Sherbath-e-Kevada. (Kharabadeen-e-Jadeed.)

Take of:

1	Aab-e-Kevada.. ..	20 oz.
2	Sugar	40 palams.

Prepare the Khivam of No. 2 with the juice of No. 1.

Dose: ½ to 1 oz., two or three times a day.
Indications: Nervous insomnia.

219. Sherbath-e-Khyar Shamber. (Hospital Pharmacopoeia.)

Take of:

1	Maghz-e-Khyar Shamber.	10 tolas.
2	Sugar	10 palams.

Prepare the Khivam of No. 2 with the juice of No. 1 and preserve.

Dose: ½ to 1 oz., twice a day.
Indications: Haemorrhoides, chronic constipation.

220. Sherbath-e-Madani. (Hospital Pharmacopoeia.)

Take of:

1	Sirka Angoori	2 oz.
2	Lemoon	5 units.
	Turanj..	5 ,,

Take of—*cont.*

4	Kashneez sabz	.. 1 palam.
5	Zanjabeel sabz	.. 1 ,,
6	Pudina ..	.. 1 ,,
7	Ilachi ..	.. 1 tola.
8	Posth-e-Turanj	.. 1 ,,
9	Zaher-Mohra	.. 1 ,,
10	Arkh-e-Gulab	.. 1 oz.
11	Sugar ..	.. 20 palams.

Grind Nos. 9 with 10 in a mortar. Prepare the Khivam of No. 11 with the juice of Nos. 1 to 8 add the powders and mix well.

Dose : ¼ to ½ oz., two or three times a day.
Indications : Cholera, diarrhoea.

221. Sherbath-e-Sual. (Hospital Pharmacopoeia.)

Take of:

1	Berg-e-Adusa.	.. 50 leaves.
2	Zoofa ..	.. 3 tolas.
3	Asal-e-Soos	.. 3 ,,
4	Pariavushan	.. 1 tola.
5	Sugarcandy ..	.. 25 palams.

Prepare the Khivam of No. 5 with the juice of Nos. 1 to 4.

Dose : ¼ to ½ oz., twice a day.
Indications : Dry unproductive cough.

222. Sherbath-e-Turanj. (Hospital Pharmacopoeia.)

Take of:

1	Aab-e-Turanj	.. 40 oz.
2	Sugar ..	.. 80 palams.

Prepare the Khivam of No. 2 with the juice of No. 1 and preserve.

Dose : ½ to 1 oz., twice a day.
Indications : Gastritis, meteorism, flatulence, etc.

223. Sherbath-e-Unnab. (Kharabadeen-e-Jadeed.)

Take of :

1	Unnab	.. ..	10 palams.
2	Sugar	.. ..	30 ,,

Prepare the Khivam of No. 2 with the decoction of No. 1.

Dose : ½ to 1 oz., twice a day.
Indications : Chronic skin diseases.

224. Sherbath-e-Ushba. (Maghzan-ul-Murakabath.)

Take of :

1	Ushba	.. .. ..	1½ tolas.
2	Chobe chini	.. ..	1½ ,,
3	Aalu Bukhara	.. ..	1 tola.
4	Unnab	.. .. ..	1 ,,
5	Maghz-e-Tukhm-e-Khaddu.		22 tolas.
6	Maghz-e-Tukhm-e-Kherbuza.		2 ,,
7	Jou	.. .. ..	4 ,,
8	Water	.. .. ..	80 oz.
9	Shathra	.. .. ..	1 tola.
10	Banafsha	.. ..	1 ,,
11	Sugar	.. .. ..	45 palams.

Prepare the Khivam of No. 11 with the decoction of Nos. 1 to 10.

Dose : ½ to 1 oz., twice a day.
Indications : Syphilis, scarlatina, Blood purifier.

225. Sherbath-e-Verd. (Kharabadeen-e-Jadeed.)

Take of :

1	Gul-e-Surkh	.. ..	20 palams.
2	Sugar	.. .. ..	60 ,,

Prepare the Khivam of No. 3 with the decoction of No. 1 and preserve.

Dose: ½ to 1 oz., two or three times a day.
Indications: Constipation in the beginning of acute dysentery.

226. Sherbath-e-Verd Mukerrer. (Kharabadeen-e-Jadeed.)

Take of:

1	Gul-e-Surkh	30 palams.
2	Sugar	90 ,,

Prepare the Khivam of No. 2 with the decoction of No. 1. repeat the process again.

Dose: ½ to 1 oz., two or three times a day.
Indications: Constipation, hepatic and biliary disturbances.

227. Sherbath-e-Zoofa Murakkab. (Kharabadeen-e-Jadeed.)

Take of:

1	Anjeer	1 tola.
2	Tukhm-e-Khathmi ..	1 ,,
3	Asal-e-Soos	1 ,,
4	Beekh-e-Banafsha ..	1 ,,
5	Hulba	1 ,,
6	Badiyan	1½ tolas.
7	Karfas	1½ ,,
8	Parsiavushan	2 ,,
9	Zoofa	2 ,,
10	Munakkha	9 ,,
11	Gul-e-Surkh	4 ,,
12	Sugar	60 palams.

Prepare the Khivam of No. 12 with the decoction of Nos. 1 to 11.

Dose: ½ to 1 oz., two to three times a day.
Indications: Asthma, cough and bronchitis.

SECTION XXI.

SIKANJABEEN.

'*Sikanjabeen*' are syrups wherein vinegar is added in the preparation.

228. Sikanjabeen-e-Buzuri. (Kharabadeen-e-Jadeed.)

Take of:

1	Beekh-e-Kasni	3 tolas.
2	Tukhm-e-Khayar	3 ,,
3	Tukhm-e-Kasni	6 ,,
4	Sirka Angoori	6 oz.
5	Sugar	18 palams.

Prepare the Khivam of No. 5 with the addition of No. 4 and the decoction of Nos. 1 to 3.

Dose: $\frac{1}{4}$ to $\frac{1}{2}$ oz., two or three times a day.

Indications: Ascites, vomiting of pregnancy, biliousness.

229. Sikanjabeen-e-Sada. (Kharabadeen-e-Jadeed.)

Take of:

1	Sirka Angoori	20 oz.
2	Sugar	40 palams.

Prepare the Khivam of No. 2 with the addition of No. 1.

Dose: $\frac{1}{4}$ th $\frac{1}{2}$ oz., two or three times a day.

Indications: Dyspepsia, infectious intestinal catarrh.

SECTION XXII.

ZAROOR.

'*Zaroor*' is a fine powder of dried drugs used for dusting infected wounds and ulcers.

230. Zaroor-e-Khula. (Hospital Pharmacopoeia.)

Take of :

1	Gul-e-Surkh	1 palam each.
2	Gulnar	1 palam each.
3	Dana-e-Ilachi Khurd ..	1 palam each.
4	Kath Sufeed	1 palam each.
5	Kababa	1 palam each.
6	Asal-e-Soos	1 palam each.
7	Kafoor	1 tola.

Powder Nos. 1 to 6 and 7 separately in a mortar and mix both.

For external use only as dusting powder.

Indications : Scalds and ulcers.

231. Zaroor-e-Madani. (Hospital Pharmacopoeia.)

Take of :

1	Kath Sufeed	1	tola.
2	Kafoor	1	,,
3	Maphal	1	,,
4	Shib	1	,,
5	Raskapur	½	,,
6	Murdar singh	½	,,
7	Zeebakh	½	,,

Powder Nos. 1 to 7—each separately and mix well.

For external use only as dusting powder.

Indications : Chancroid and chronic ulcers.

SECTION XXIII.

ZIMAD.

Zimad is a fine powder of dried drugs. It is applied mixed with any suitable fluid or oil on inflamed parts. The application should be warm.

232. Zimad-e-Aujah. (Hospital Pharmacopoeia.)

Take of :

1	Zerd chobe	3 tolas.
2	Darhald	3 ,,
3	Maida Lakdi	6 ,,
4	Wheat flour	6 ,,
5	Maithi	6 ,,
6	Sibr	1 tola.

Powder Nos. 1 to 3, 5 and 6 each separately, mix all the powders with No. 4.

For external use only.

Indications : Inflammation, abscesses.

233. Zimad-e-Halaque. (Hospital Pharmacopoeia.)

Take of :

1	Jadvar	Equal parts.
2	Zaher Mohra	
3	Zaranbad	

Powder Nos. 1 to 3 and make a smooth thin paste with warm water.

Dose : Used as throat paint.

Indications : Tonsillitis, pharyngitis.

234. Zimad-e-Thehal Ushakhwala. (Kharabadeen-e-Azam.)

Take of:

1 Berg-e-Sudab	.. ..	$\frac{3}{4}$ palam.
2 Ushakh	.. .. ..	$\frac{1}{2}$,,
3 Pudina Sabz	.. ..	$\frac{1}{2}$,,
4 Bura-e-Armani	.. ..	$\frac{1}{2}$,,
5 Sirka Angoori	.. ..	Quantity sufficient.

Grind Nos. 1 to 4 in No. 5 to a smooth paste.

Apply externally.

Indications : Chronic enlargement of the spleen.

SECTION XXIV.

MEDICINES USED IN SURGERY.

235. Khuthoor-e-Deegar. (Kharabadeen-e-Khaderi.)

Take of:

1 Afyun	.. .. ..	1 tola.
2 Shiaf-e-Abeez	.. ..	3 tolas.
3 Roghan-e-Gul	.. ..	4 ,,
4 Vinegar	.. .. ..	$1\frac{1}{4}$ tola.

Mix Nos. 1 to 3 in 4 and preserve.

Use as ear-drops.

Indications : Chronic otitis media, ear-ache.

236. Zimad-e-Vaja-u Reham. (Kharabadeen-e-Khaderi.)

Take of:

1 Safron	.. .. ..	$2\frac{1}{2}$ tolas.
2 Afyun	.. .. ..	$2\frac{1}{2}$,,

Take of—*cont.*

3	Bazar-ul-Banj	2½ tolas.
4	Baiza Muragh	1 unit.
5	Thukhum-e-Khatmi ..	1¼ tolas.
6	Thukhum-e-Kathan ..	1¼ ,,
7	Roghan-e-Khusth ..	Quantity sufficient.
8	Potatoes (pulp)	Do.

Boil No. 4, remove the yolk and grind it with other drugs.

For external application only.

Indications : Topically used over the hypogastric region for uterine pains and rectal application in haemorrhoids.

237. Shiaf-e-Deenar-e-Joon. (Biaz-e-Kabir, Vol. II.)

Take of :

1	Sufeeda Arzee	2½ tolas.
2	Roopa Makkhee	2½ ,,
3	Katheera	⅜ tola.
4	Afyun	¼ ,,
5	Nishastha	¼ ,,

Grind Nos. 1 to 5 in water and apply.

For topical application only.

Indications : Styes, conjunctivitis, trachoma.

238. Marhem-e-Shadenaj (Syn:—Marham-e- Bavaseer.)
(Kharabadeene-Khaderi.)

Take of:

1	Shadenaj (purified) ..	¾ tola.
2	Gil-e-Armani	¾ ,,
3	Usara Afsantheen ..	¾ ,,
4	Lehathiul Thees ..	¾ ,,
5	Afyun	⅛ ,,
6	Vacharja Sufeeda ..	½ ,,
7	Safron	¼ ,,
8	Roghan-e-Banafsha ..	2½ tolas.
9	Badam	2½ ,,
10	Roghan-e-Gul	2½ ,,
11	Mom Sufeed	1¼ ,,
12	Sheer-e-Aurath (breast milk).	1 oz.

Melt No. 11 and mix all the powders. Finally add No. 12 and mix well.

For external use only.

Indications: Haemorrhoids, proctitis, prolapse of the anus.

239. **Manjan-e-Surkh.** (Hospital Pharmacopœia.)
Take of:

1	Thambakoo	5 tolas.
2	Filfil-e-Siyah	5 ,,
3	Gil-e-Armani	5 ,,
4	Posth-e-Haleela-e-Zard ..	15 ,,
5	Posth-e-Beekh-e-Thavar ..	15 ,,

Fry No. 1 in a mud pan till it becomes brown and pound immediately, powder of Nos. 2 to 5 and mix well.

Used as tooth powder.

Indications: Tooth-ache and pyorrhœa alveolaris.